

# Sumathy Rangarajan

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8339812/sumathy-rangarajan-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98  
papers

13,283  
citations

40  
h-index

106  
g-index

106  
ext. papers

17,279  
ext. citations

14.2  
avg, IF

5.35  
L-index

#	Paper	IF	Citations
98	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , <b>2022</b> , 2, e0000141		1
97	Characterizing Frailty In Myeloproliferative Neoplasms: results from the ORCHID study.. <i>Leukemia Research</i> , <b>2022</b> , 113, 106788	2.7	
96	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , <b>2022</b> , 10, e216-e226 <sup>1</sup>	13.6	1
95	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EClinicalMedicine</i> , <b>2022</b> , 44, 101284	11.3	1
94	Relationship of parental feeding practices and diet with children's diet among South Asians in Canada.. <i>Appetite</i> , <b>2022</b> , 105991	4.5	1
93	Personal and household PM and black carbon exposure measures and respiratory symptoms in 8 low- and middle-income countries.. <i>Environmental Research</i> , <b>2022</b> , 212, 113430	7.9	0
92	Measuring and predicting personal and household Black Carbon levels from 88 communities in eight countries. <i>Science of the Total Environment</i> , <b>2021</b> , 818, 151849	10.2	0
91	Multinational prediction of household and personal exposure to fine particulate matter (PM) in the PURE cohort study.. <i>Environment International</i> , <b>2021</b> , 159, 107021	12.9	0
90	Anger or emotional upset and heavy physical exertion as triggers of stroke: the INTERSTROKE study. <i>European Heart Journal</i> , <b>2021</b> ,	9.5	3
89	Associations of household solid fuel for heating and cooking with hypertension in Chinese adults. <i>Journal of Hypertension</i> , <b>2021</b> , 39, 667-676	1.9	3
88	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , <b>2021</b> , 114, 1049-1058	7	16
87	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , <b>2021</b> , 384, 1312-1322	59.2	39
86	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , <b>2021</b> , 181, 631-649 <sup>11.5</sup>	11.5	17
85	Association of ultra-processed food intake with risk of inflammatory bowel disease: prospective cohort study. <i>BMJ, The</i> , <b>2021</b> , 374, n1554	5.9	20
84	Variations in incidence of venous thromboembolism in low-, middle-, and high-income countries. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 576-584	9.9	10
83	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , <b>2021</b> , 117, 1523-1531	9.9	11
82	Urinary Sodium and Potassium, and Risk of Ischemic and Hemorrhagic Stroke (INTERSTROKE): A Case-Control Study. <i>American Journal of Hypertension</i> , <b>2021</b> , 34, 414-425	2.3	4

81	Renal Impairment and Risk of Acute Stroke: The INTERSTROKE Study. <i>Neuroepidemiology</i> , <b>2021</b> , 55, 206-215	3.15	1
80	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , <b>2021</b> , 372, m4948	5.9	14
79	Prevalence of metabolic syndrome and diabetes mellitus type-2 and their association with intake of dairy and legume in Andean communities of Ecuador. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254812	3.7	1
78	Development and Comparability of a Short Food-Frequency Questionnaire to Assess Diet in Prostate Cancer Patients: The Role of Androgen Deprivation Therapy in Cardiovascular Disease - A Longitudinal Prostate Cancer Study (RADICAL PC) Substudy. <i>Current Developments in Nutrition</i> , <b>2021</b> , 5, nza0106	0.4	0
77	Effect of Cognitive Reserve on the Association of Vascular Brain Injury With Cognition: Analysis of the PURE and CAHHM Studies. <i>Neurology</i> , <b>2021</b> , 97, e1707-e1716	6.5	4
76	Tyrosine kinase inhibitors in chronic myeloid leukaemia and emergent cardiovascular disease. <i>Heart</i> , <b>2021</b> , 107, 667-673	5.1	7
75	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , <b>2020</b> , 8,	4.5	25
74	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , <b>2020</b> , 112, 208-219	7	11
73	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. <i>JAMA Psychiatry</i> , <b>2020</b> , 77, 1052-1063	14.5	29
72	Long-term exposure to outdoor and household air pollution and blood pressure in the Prospective Urban and Rural Epidemiological (PURE) study. <i>Environmental Pollution</i> , <b>2020</b> , 262, 114197	9.3	18
71	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , <b>2020</b> , 5, e002040	6.6	33
70	Risk of cardiovascular events in patients with metabolic syndrome: Results of a population-based prospective cohort study (PURE Turkey). <i>Anatolian Journal of Cardiology</i> , <b>2020</b> , 24, 192-200	0.8	1
69	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 396, 97-109	40	59
68	Relationship between diet and acculturation among South Asian children living in Canada. <i>Appetite</i> , <b>2020</b> , 147, 104524	4.5	5
67	Plasma ACE2 and risk of death or cardiometabolic diseases: a case-cohort analysis. <i>Lancet, The</i> , <b>2020</b> , 396, 968-976	40	59
66	Low levels of awareness, treatment, and control of hypertension in Andean communities of Ecuador. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 1530-1537	2.3	2
65	Adverse health impacts of cooking with kerosene: A multi-country analysis within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Research</i> , <b>2020</b> , 188, 109851	7.9	10
64	Household and personal air pollution exposure measurements from 120 communities in eight countries: results from the PURE-AIR study. <i>Lancet Planetary Health, The</i> , <b>2020</b> , 4, e451-e462	9.8	37

63	Associations of outdoor fine particulate air pollution and cardiovascular disease in 157 436 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet Planetary Health, The</i> , <b>2020</b> , 4, e235-e245	9.8	40
62	White Rice Intake and Incident Diabetes: A Study of 132,373 Participants in 21 Countries. <i>Diabetes Care</i> , <b>2020</b> , 43, 2643-2650	14.6	19
61	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 785-794	40	218
60	Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 795-808	40	342
59	Variations in knowledge, awareness and treatment of hypertension and stroke risk by country income level. <i>Heart</i> , <b>2020</b> ,	5.1	8
58	Household, Community, Sub-National and Country-level Predictors of Primary Cooking Fuel Switching in Nine Countries from the PURE Study. <i>Environmental Research Letters</i> , <b>2019</b> , 14,	6.2	16
57	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , <b>2019</b> , 127, 57003	8.4	60
56	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e613-e623	13.6	47
55	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e748-e760	13.6	153
54	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , <b>2019</b> , 364, l772	5.9	50
53	Prevalence, awareness, treatment and control of hypertension in rural and urban communities in Latin American countries. <i>Journal of Hypertension</i> , <b>2019</b> , 37, 1813-1821	1.9	23
52	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. <i>European Heart Journal</i> , <b>2019</b> , 40, 1620-1629	9.5	82
51	Digoxin and clinical outcomes in the Global Rheumatic Heart Disease Registry. <i>Heart</i> , <b>2019</b> , 105, 363-369	5.1	7
50	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , <b>2018</b> , 6, e292-e301	13.6	44
49	Exploring metabolic factors and health behaviors in relation to suicide attempts: A case-control study. <i>Journal of Affective Disorders</i> , <b>2018</b> , 229, 386-395	6.6	7
48	Association patterns of urinary sodium, potassium, and their ratio with blood pressure across various levels of salt-diet regions in China. <i>Scientific Reports</i> , <b>2018</b> , 8, 6727	4.9	10
47	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , <b>2018</b> , 392, 496-506	40	159
46	Profile of suicide attempts and risk factors among psychiatric patients: A case-control study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192998	3.7	16

45	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , <b>2018</b> , 104, 581-587	5.1	31
44	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2018</b> , 392, 2288-2297	4.0	191
43	Comparability of a short food frequency questionnaire to assess diet quality: the DISCOVER study. <i>International Journal of Food Sciences and Nutrition</i> , <b>2017</b> , 68, 726-732	3.7	2
42	Effects of bidi smoking on all-cause mortality and cardiorespiratory outcomes in men from south Asia: an observational community-based substudy of the Prospective Urban Rural Epidemiology Study (PURE). <i>The Lancet Global Health</i> , <b>2017</b> , 5, e168-e176	13.6	24
41	Association of Household Wealth Index, Educational Status, and Social Capital with Hypertension Awareness, Treatment, and Control in South Asia. <i>American Journal of Hypertension</i> , <b>2017</b> , 30, 373-381	2.3	34
40	The effect of physical activity on mortality and cardiovascular disease in 130 000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , <b>2017</b> , 390, 2643-2654	4.9	492
39	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2017</b> , 390, 2050-2062	4.0	583
38	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , <b>2017</b> , 390, 2037-2049	4.0	285
37	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology, the</i> , <b>2017</b> , 5, 774-787	18.1	125
36	Sex differences in social risk factors for suicidal behaviour. <i>Mental Health and Prevention</i> , <b>2017</b> , 8, 1-6	2.3	4
35	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health, The</i> , <b>2017</b> , 2, e411-e419	22.4	90
34	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , <b>2017</b> , 2, e000443	6.6	5
33	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , <b>2016</b> , 4, e695-703	13.6	199
32	Global and regional effects of potentially modifiable risk factors associated with acute stroke in 32 countries (INTERSTROKE): a case-control study. <i>Lancet, The</i> , <b>2016</b> , 388, 761-75	4.0	903
31	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , <b>2016</b> , 15, 199	4.6	45
30	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , <b>2016</b> , 29, 796-805	2.3	21
29	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , <b>2016</b> , 39, 780-7	14.6	104
28	Assessment of Dietary Sodium and Potassium in Canadians Using 24-Hour Urinary Collection. <i>Canadian Journal of Cardiology</i> , <b>2016</b> , 32, 319-26	3.8	20

27	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , <b>2016</b> , 22, 92-8	3.2	20
26	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , <b>2016</b> , 387, 61-9	40	211
25	Exploring the Association between Serum BDNF and Attempted Suicide. <i>Scientific Reports</i> , <b>2016</b> , 6, 25222-9	4.9	21
24	Social disparities explain differences in hypertension prevalence, detection and control in Colombia. <i>Journal of Hypertension</i> , <b>2016</b> , 34, 2344-2352	1.9	21
23	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , <b>2016</b> , 388, 465-75	40	284
22	Clinical Outcomes in 3343 Children and Adults With Rheumatic Heart Disease From 14 Low- and Middle-Income Countries: Two-Year Follow-Up of the Global Rheumatic Heart Disease Registry (the REMEDY Study). <i>Circulation</i> , <b>2016</b> , 134, 1456-1466	16.7	136
21	Physical Activity and Anger or Emotional Upset as Triggers of Acute Myocardial Infarction: The INTERHEART Study. <i>Circulation</i> , <b>2016</b> , 134, 1059-1067	16.7	79
20	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2016</b> , 7, 535-546	10.3	129
19	Socioeconomic factors and use of secondary preventive therapies for cardiovascular diseases in South Asia: The PURE study. <i>European Journal of Preventive Cardiology</i> , <b>2015</b> , 22, 1261-71	3.9	36
18	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , <b>2015</b> , 386, 266-73	40	871
17	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , <b>2015</b> , 386, 1945-1954	40	116
16	Exploring the Determinants of Suicidal Behavior: Conventional and Emergent Risk (DISCOVER): a feasibility study. <i>Pilot and Feasibility Studies</i> , <b>2015</b> , 1, 17	1.9	15
15	Characteristics, complications, and gaps in evidence-based interventions in rheumatic heart disease: the Global Rheumatic Heart Disease Registry (the REMEDY study). <i>European Heart Journal</i> , <b>2015</b> , 36, 1115-22a	9.5	278
14	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , <b>2015</b> , 93, 851-61G	8.2	24
13	Re-examination of classic risk factors for suicidal behavior in the psychiatric population. <i>Crisis</i> , <b>2015</b> , 36, 231-40	2.8	5
12	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 612-23	59.2	553
11	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 601-11	59.2	494
10	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , <b>2014</b> , 371, 818-27	59.2	499

9	Incidental magnetic resonance diffusion-weighted imaging-positive lesions are rare in neurologically asymptomatic community-dwelling adults. <i>Stroke</i> , <b>2014</b> , 45, 2115-7	6.7	20
8	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , <b>2013</b> , 310, 959-68	27.4	992
7	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , <b>2013</b> , 166, 636-646.e4	4.9	87
6	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , <b>2013</b> , 1, 599-609	35.1	46
5	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , <b>2011</b> , 378, 1231-43	40	627
4	Metabolic syndrome and risk of acute myocardial infarction a case-control study of 26,903 subjects from 52 countries. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 55, 2390-8	15.1	146
3	Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. <i>Lancet, The</i> , <b>2010</b> , 376, 112-23	40	1971
2	The Prospective Urban Rural Epidemiology (PURE) study: examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. <i>American Heart Journal</i> , <b>2009</b> , 158, 1-7.e1	4.9	396
1	Dietary patterns and the risk of acute myocardial infarction in 52 countries: results of the INTERHEART study. <i>Circulation</i> , <b>2008</b> , 118, 1929-37	16.7	301