Nana Peng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/834064/publications.pdf

Version: 2024-02-01

20 papers

1,141 citations

15 h-index 752698 20 g-index

20 all docs

20 docs citations

20 times ranked

1265 citing authors

#	Article	IF	CITATIONS
1	Enhanced Low-temperature Catalytic Decomposition Performance of Naphthalene over Hydrothermal Carbon-based Nanomaterials with a Hierarchical Heterostructure. ACS Applied Energy Materials, 2022, 5, 8717-8730.	5.1	2
2	Ni/Hydrochar Nanostructures Derived from Biomass as Catalysts for H2 Production through Aqueous-Phase Reforming of Methanol. ACS Applied Nano Materials, 2021, 4, 8958-8971.	5.0	6
3	Facile and green synthesis of highly dispersed tar-based heterogeneous Fenton catalytic nanoparticles for the degradation of methylene blue. Journal of Cleaner Production, 2020, 246, 119033.	9.3	22
4	Thermal behavior of hydrochar from co-hydrothermal carbonization of swine manure and sawdust: effect of process water recirculation. Sustainable Energy and Fuels, 2019, 3, 2329-2336.	4.9	17
5	Immobilization of heavy metals in contaminated soils by modified hydrochar: Efficiency, risk assessment and potential mechanisms. Science of the Total Environment, 2019, 685, 1201-1208.	8.0	58
6	Formation and toxicity of polycyclic aromatic hydrocarbons during CaO assisted hydrothermal carbonization of swine manure. Waste Management, 2019, 100, 84-90.	7.4	16
7	Hydrochar-Supported Bimetallic Ni–Cu Nanocatalysts for Sustainable H ₂ Production. ACS Applied Nano Materials, 2019, 2, 7279-7289.	5.0	12
8	Highly dispersed nickel nanoparticles supported on hydrochar for hydrogen-rich syngas production from catalytic reforming of biomass. Energy Conversion and Management, 2019, 183, 474-484.	9.2	48
9	Enhanced adsorption of Pb(II) onto modified hydrochar: Modeling and mechanism analysis. Bioresource Technology, 2019, 288, 121593.	9.6	125
10	Pyrolysis kinetics and thermodynamic parameters of the hydrochars derived from co-hydrothermal carbonization of sawdust and sewage sludge using thermogravimetric analysis. Bioresource Technology, 2019, 282, 133-141.	9.6	75
11	Synthesis of biomass tar-derived foams through spontaneous foaming for ultra-efficient herbicide removal from aqueous solution. Science of the Total Environment, 2019, 673, 110-119.	8.0	12
12	Gasification performance of the hydrochar derived from co-hydrothermal carbonization of sewage sludge and sawdust. Energy, 2019, 173, 732-739.	8.8	50
13	Properties of hydrochars derived from swine manure by CaO assisted hydrothermal carbonization. Journal of Environmental Management, 2019, 233, 440-446.	7.8	63
14	Co-hydrothermal carbonization of corn stalk and swine manure: Combustion behavior of hydrochar by thermogravimetric analysis. Bioresource Technology, 2019, 271, 75-83.	9.6	97
15	Hydrochar supported bimetallic Ni–Fe nanocatalysts with tailored composition, size and shape for improved biomass steam reforming performance. Green Chemistry, 2018, 20, 2788-2800.	9.0	85
16	Heteroatom tri-doped porous carbon derived from waste biomass as Pt-free counter electrode in dye-sensitized solar cells. RSC Advances, 2018, 8, 18427-18433.	3.6	29
17	Co-hydrothermal carbonization of lignocellulosic biomass and swine manure: Hydrochar properties and heavy metal transformation behavior. Bioresource Technology, 2018, 266, 242-248.	9.6	122
18	Facile one-pot synthesis of iron nanoparticles immobilized into the porous hydrochar for catalytic decomposition of phenol. Applied Catalysis B: Environmental, 2017, 204, 566-576.	20.2	129

#	Article	IF	CITATIONS
19	Removal of azo dye by a highly graphitized and heteroatom doped carbon derived from fish waste: Adsorption equilibrium and kinetics. Journal of Environmental Management, 2016, 182, 446-454.	7.8	48
20	Hydrogen-rich gas production by steam gasification of hydrochar derived from sewage sludge. International Journal of Hydrogen Energy, 2016, 41, 3363-3372.	7.1	125