

Libiao Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8342170/publications.pdf>

Version: 2024-02-01

58
papers

470
citations

1039406

9
h-index

1058022

14
g-index

58
all docs

58
docs citations

58
times ranked

391
citing authors

#	ARTICLE	IF	CITATIONS
1	Gray matter volume alterations in patients with strabismus and amblyopia: voxel-based morphometry study. <i>Scientific Reports</i> , 2022, 12, 458.	1.6	4
2	Functional connectivity density alterations in children with strabismus and amblyopia based on resting-state functional magnetic resonance imaging (fMRI). <i>BMC Ophthalmology</i> , 2022, 22, 49.	0.6	3
3	Altered spontaneous brain activity patterns in patients with diabetic retinopathy using amplitude of low-frequency fluctuation. <i>World Journal of Diabetes</i> , 2022, 13, 97-109.	1.3	1
4	Study of normal-tension glaucoma based on OCTA and VBM-DARTEL analysis. <i>Experimental and Therapeutic Medicine</i> , 2022, 23, 335.	0.8	0
5	Neuron-Specific Enolase and Hemoglobin as Risk Factors of Intraocular Metastasis in Patients with Renal Cell Carcinoma. <i>Disease Markers</i> , 2022, 2022, 1-8.	0.6	0
6	Use of rsfMRI-fALFF for the detection of changes in brain activity in patients with normal-tension glaucoma. <i>Acta Radiologica</i> , 2021, 62, 414-422.	0.5	10
7	Altered brain network centrality in middle-aged patients with retinitis pigmentosa: A resting-state functional magnetic resonance imaging study. <i>Brain and Behavior</i> , 2021, 11, e01983.	1.0	4
8	Apolipoprotein A1 and Low-Density Lipoprotein as Risk Factors for Intraocular Metastases in Postmenopausal Breast Cancer. <i>Technology in Cancer Research and Treatment</i> , 2021, 20, 153303382098418.	0.8	4
9	Altered spontaneous brain activity patterns in patients with neovascular glaucoma using amplitude of low-frequency fluctuations: A functional magnetic resonance imaging study. <i>Brain and Behavior</i> , 2021, 11, e02018.	1.0	11
10	Risk factors for intraocular metastasis of primary liver cancer in diabetic patients: Alpha-fetoprotein and cancer antigen 125. <i>World Journal of Diabetes</i> , 2021, 12, 158-169.	1.3	2
11	Surgical correction of recurrent epiblepharon in Chinese children using modified skin re-draping epicanthoplasty. <i>International Journal of Ophthalmology</i> , 2021, 14, 217-222.	0.5	1
12	Functional connectivity density alterations in middle-age retinal detachment patients. <i>Brain and Behavior</i> , 2021, 11, e01783.	1.0	4
13	Altered spontaneous brain activity in patients with diabetic optic neuropathy: A resting-state functional magnetic resonance imaging study using regional homogeneity. <i>World Journal of Diabetes</i> , 2021, 12, 278-291.	1.3	8
14	Brain Functional Connectivity Changes in Patients with Acute Eye Pain: A Resting-State Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , 2021, 27, e930588.	0.5	3
15	Regional brain changes in patients with diabetic optic neuropathy: a resting-state functional magnetic resonance imaging study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2021, 11, 2125-2137.	1.1	9
16	Abnormal interhemispheric functional connectivity in patients with strabismic amblyopia: a resting-state fMRI study using voxel-mirrored homotopic connectivity. <i>BMC Ophthalmology</i> , 2021, 21, 255.	0.6	8
17	Serum markers change for intraocular metastasis in renal cell carcinoma. <i>Bioscience Reports</i> , 2021, 41, .	1.1	3
18	Risk factors and their diagnostic values for ocular metastases in invasive ductal carcinoma. <i>Cancer Medicine</i> , 2021, 10, 824-832.	1.3	4

#	ARTICLE	IF	CITATIONS
19	Diagnostic value of CA153 and CYFRA 211 in predicting intraocular metastasis in patients with metastatic lung cancer. <i>Cancer Medicine</i> , 2020, 9, 1279-1286.	1.3	9
20	Reduced gray matter volume in patients with retinal detachment: evidence from a voxel-based morphometry study. <i>Acta Radiologica</i> , 2020, 61, 395-403.	0.5	4
21	CEA as a risk factor in predicting ocular metastasis from colorectal cancer. <i>Journal of Cancer</i> , 2020, 11, 51-56.	1.2	5
22	<p>Resting-State Functional MRI Study Demonstrates That the Density of Functional Connectivity Density Mapping Changes in Patients with Acute Eye Pain</p>. <i>Journal of Pain Research</i> , 2020, Volume 13, 2103-2112.	0.8	2
23	Assessment of Serum Tumor Markers for Predicting Ocular Metastasis in Lung Adenocarcinoma: A Retrospective Study. <i>Disease Markers</i> , 2020, 2020, 1-7.	0.6	2
24	Altered Brain Network Centrality in Patients with Diabetic Optic Neuropathy: A Resting-State fMRI Study. <i>Endocrine Practice</i> , 2020, 26, 1399-1405.	1.1	9
25	<p>Altered Spontaneous Brain Activity Patterns in Patients After Lasik Surgery Using Amplitude of Low-Frequency Fluctuation: A Resting-State Functional MRI Study</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1907-1917.	1.0	8
26	Intrinsic functional connectivity alterations of the primary visual cortex in patients with proliferative diabetic retinopathy: a seed-based resting-state fMRI study. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2020, 11, 204201882096029.	1.4	13
27	The Prognostic Significance of Combined Pretreatment Fibrinogen and Neutrophil-Lymphocyte Ratio in Various Cancers: A Systematic Review and Meta-Analysis. <i>Disease Markers</i> , 2020, 2020, 1-10.	0.6	8
28	The Combination of CA125 and NSE Is Useful for Predicting Liver Metastasis of Lung Cancer. <i>Disease Markers</i> , 2020, 2020, 1-10.	0.6	22
29	Altered intrinsic functional connectivity of the primary visual cortex in patients with retinal vein occlusion: a resting-state fMRI study. <i>Quantitative Imaging in Medicine and Surgery</i> , 2020, 10, 958-969.	1.1	11
30	Ocular Metastasis in Elderly Male Bladder Cancer Patients: Potential Risk Factors. <i>American Journal of Men's Health</i> , 2020, 14, 155798832090899.	0.7	3
31	<p>Ocular Metastasis in Elderly Lung Cancer Patients: Potential Risk Factors of CA-125, CA-153 and TPSA</p>. <i>Cancer Management and Research</i> , 2020, Volume 12, 1801-1808.	0.9	3
32	<p>Altered Intrinsic Functional Connectivity of the Primary Visual Cortex in Patients with Corneal Ulcer: A Resting-State fMRI Study</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1571-1581.	1.0	2
33	Altered white matter integrity in patients with monocular blindness: A diffusion tensor imaging and tract-based spatial statistics study. <i>Brain and Behavior</i> , 2020, 10, e01720.	1.0	7
34	<p>Altered Intrinsic Functional Connectivity of the Primary Visual Cortex in Patients with Neovascular Glaucoma: A Resting-State Functional Magnetic Resonance Imaging Study</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 25-33.	1.0	10
35	CA-125, CA-153, and CYFRA21-1 as clinical indicators in male lung cancer with ocular metastasis. <i>Journal of Cancer</i> , 2020, 11, 2730-2736.	1.2	7
36	Carbohydrate antigen-125, calcium, and hemoglobin as predictive clinical indicator for ocular metastasis in male liver cancer patients. <i>Bioscience Reports</i> , 2020, 40, .	1.1	5

#	ARTICLE	IF	CITATIONS
37	Altered spontaneous brain activity patterns in diabetic patients with vitreous hemorrhage using amplitude of low-frequency fluctuation: A resting-state fMRI study. <i>Molecular Medicine Reports</i> , 2020, 22, 2291-2299.	1.1	9
38	Altered regional homogeneity in patients with diabetic vitreous hemorrhage. <i>World Journal of Diabetes</i> , 2020, 11, 501-513.	1.3	7
39	Three-year clinical observation of the outcomes of transepithelial and epithelial-off accelerated corneal collagen crosslinking treatment for different types of progressive keratoconus. <i>Experimental and Therapeutic Medicine</i> , 2020, 20, 786-795.	0.8	2
40	Abnormal Fractional Amplitude of Low-Frequency Fluctuation Changes in Patients with Monocular Blindness: A Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , 2020, 26, e926224.	0.5	8
41	Altered spontaneous brain activity pattern in patients with ophthalmectomy: an resting-state fMRI study. <i>International Journal of Ophthalmology</i> , 2020, 13, 263-270.	0.5	5
42	Altered Brain Network Centrality in Patients with Adult Strabismus with Amblyopia: A Resting-State Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , 2020, 26, e925856.	0.5	1
43	Altered Brain Network Centrality in Patients with Adult Strabismus with Amblyopia: A Resting-State Functional Magnetic Resonance Imaging (fMRI) Study. <i>Medical Science Monitor</i> , 2020, 26, e925856.	0.5	9
44	Altered Regional Homogeneity in Patients With Corneal Ulcer: A Resting-State Functional MRI Study. <i>Frontiers in Neuroscience</i> , 2019, 13, 743.	1.4	17
45	Resting-state functional magnetic resonance imaging (fMRI) and functional connectivity density mapping in patients with corneal ulcer. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1833-1844.	1.0	11
46	Application of amplitude of low-frequency fluctuation to altered spontaneous neuronal activity in classical trigeminal neuralgia patients: A resting-state functional MRI study. <i>Molecular Medicine Reports</i> , 2019, 20, 1707-1715.	1.1	14
47	Altered spontaneous brain activity patterns in patients with corneal ulcer using amplitude of low-frequency fluctuation: An fMRI study. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 125-132.	0.8	9
48	Central network changes in patients with advanced monocular blindness: A voxel-based morphometric study. <i>Brain and Behavior</i> , 2019, 9, e01421.	1.0	7
49	Altered spontaneous brain activity patterns in patients with retinal vein occlusion indicated by the amplitude of low-frequency fluctuation: A functional magnetic resonance imaging study. <i>Experimental and Therapeutic Medicine</i> , 2019, 18, 2063-2071.	0.8	11
50	Gray Matter Volume Changes in Patients With Acute Eye Pain: A Voxel-Based Morphometry Study. <i>Translational Vision Science and Technology</i> , 2019, 8, 1.	1.1	14
51	Apolipoprotein A1 and B as risk factors for development of intraocular metastasis in patients with breast cancer. <i>Cancer Management and Research</i> , 2019, Volume 11, 2881-2888.	0.9	25
52	The predictive value of high-density lipoprotein for ocular metastases in colorectal cancer patients. <i>Cancer Management and Research</i> , 2019, Volume 11, 3511-3519.	0.9	8
53	Altered brain activity in patients with strabismus and amblyopia detected by analysis of regional homogeneity: A resting-state functional magnetic resonance imaging study. <i>Molecular Medicine Reports</i> , 2019, 19, 4832-4840.	1.1	27
54	Altered spontaneous brain activity in retinal vein occlusion as determined by regional homogeneity: a resting-state fMRI study. <i>Acta Radiologica</i> , 2019, 60, 1695-1702.	0.5	5

#	ARTICLE	IF	CITATIONS
55	The Cerebellum Posterior Lobe Associates with the Exophthalmos of Primary Hyperthyroidism: A Resting-State fMRI Study. International Journal of Endocrinology, 2019, 2019, 1-8.	0.6	14
56	Association between Helicobacter pylori infection and nonalcoholic fatty liver. Medicine (United Tj ETQq0 0 0 rgBT/Overlock, 10 Tf 50 7	0.4	28
57	Alternations of interhemispheric functional connectivity in corneal ulcer patients using voxel-mirrored homotopic connectivity: a resting state fMRI study. Acta Radiologica, 2019, 60, 1159-1166.	0.5	9
58	Reduction in interhemispheric functional connectivity in the dorsal visual pathway in unilateral acute open globe injury patients: a resting-state fMRI study. International Journal of Ophthalmology, 2018, 11, 1056-1060.	0.5	21