

Gen Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8342991/publications.pdf>

Version: 2024-02-01

101
papers

1,285
citations

394421

19
h-index

377865

34
g-index

103
all docs

103
docs citations

103
times ranked

1113
citing authors

#	ARTICLE	IF	CITATIONS
1	Numerical analysis on influence of surface structures of cathode catalyst layers on performance of polymer electrolyte fuel cells. <i>Electrochemical Science Advances</i> , 2023, 3, .	2.8	0
2	Impedance-Based Performance Analysis of Micropatterned Polymer Electrolyte Membrane Fuel Cells. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2022, 19, .	2.1	6
3	Effect of Double-Sided 3D Patterned Cathode Catalyst Layers on Polymer Electrolyte Fuel Cell Performance. <i>Energies</i> , 2022, 15, 1179.	3.1	1
4	Design of porous metal collector via bubble template-assisted electrochemical deposition using numerical simulation. <i>Chemical Engineering Journal Advances</i> , 2022, 10, 100266.	5.2	2
5	Sample-efficient parameter exploration of the powder film drying process using experiment-based Bayesian optimization. <i>Scientific Reports</i> , 2022, 12, 1615.	3.3	7
6	Importance of Mass Transport in High Energy Density Lithium-Sulfur Batteries Under Lean Electrolyte Conditions. <i>Batteries and Supercaps</i> , 2022, 5, .	4.7	6
7	Simulation of All-Solid-State Lithium-Ion Batteries With Fastening Stress and Volume Expansion. <i>Journal of Electrochemical Energy Conversion and Storage</i> , 2022, 19, .	2.1	2
8	Microscale simulations of reaction and mass transport in cathode catalyst layer of polymer electrolyte fuel cell. <i>International Journal of Hydrogen Energy</i> , 2022, 47, 12665-12683.	7.1	4
9	3D generation and reconstruction of the fuel cell catalyst layer using 2D images based on deep learning. <i>Journal of Power Sources Advances</i> , 2022, 14, 100084.	5.1	4
10	Stress Prediction of the Particle Structure of All-Solid-State Batteries by Numerical Simulation and Machine Learning. <i>Frontiers in Chemical Engineering</i> , 2022, 4, .	2.7	2
11	Ionomer-free electrocatalyst using acid-grafted carbon black as a proton-conductive support. <i>Journal of Power Sources</i> , 2022, 529, 231192.	7.8	7
12	Simulation to estimate the correlation of porous structure properties of secondary batteries determined through machine learning. <i>Journal of Power Sources Advances</i> , 2022, 15, 100094.	5.1	3
13	Simulation of the compaction of an all-solid-state battery cathode with coated particles using the discrete element method. <i>Journal of Power Sources</i> , 2022, 530, 231279.	7.8	6
14	Evaluation of ionomer distribution on porous carbon aggregates in catalyst layers of polymer electrolyte fuel cells. <i>Journal of Power Sources Advances</i> , 2022, 15, 100096.	5.1	0
15	Design of Interfaces and Phase Interfaces on Cathode Catalysts for Polymer Electrolyte Fuel Cells. <i>Chemistry Letters</i> , 2021, 50, 136-143.	1.3	5
16	Simulation of Fabrication and Degradation of All-Solid-State Batteries with Ductile Particles. <i>Journal of the Electrochemical Society</i> , 2021, 168, 030538.	2.9	13
17	Identifying Parameters from Discharging and Relaxation Curves of Lithium-Ion Batteries Using Porous Electrode Theory. <i>Journal of Chemical Engineering of Japan</i> , 2021, 54, 207-212.	0.6	4
18	Numerical Analysis of Silica Coating Effect on Pt Cathode Catalyst in Polymer Electrolyte Fuel Cells. <i>Journal of Chemical Engineering of Japan</i> , 2021, 54, 226-231.	0.6	4

#	ARTICLE	IF	CITATIONS
19	Effect of a polybenzimidazole coating on carbon supports for ionomer content optimization in polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , 2021, 496, 229855.	7.8	13
20	Parameter Optimization in the Drying Process of Catalyst Ink for PEFC Electrode Films with Few Cracks. <i>ECS Transactions</i> , 2021, 104, 17-23.	0.5	2
21	Effect of mold pressure on compaction and ion conductivity of all-solid-state batteries revealed by the discrete element method. <i>Journal of Power Sources</i> , 2021, 508, 230344.	7.8	19
22	Simulation for All-Solid State Batteries with Multi-Element Network Model. <i>MATEC Web of Conferences</i> , 2021, 333, 17002.	0.2	2
23	Influence of Cathode Catalyst Layer with SiO ₂ -Coated Pt/Ketjen Black Catalysts on Performance for Polymer Electrolyte Fuel Cells. <i>Catalysts</i> , 2021, 11, 1517.	3.5	2
24	Honeycomb-carbon-fiber-supported amine-containing nanogel particles for CO ₂ capture using a rotating column TVSA. <i>Chemical Engineering Journal</i> , 2020, 383, 123123.	12.7	19
25	Improvement of cell performance in catalyst layers with silica-coated Pt/carbon catalysts for polymer electrolyte fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 1867-1877.	7.1	23
26	Polyamine nanogel particles spray-coated on carbon paper for efficient CO ₂ capture in a milli-channel reactor. <i>Chemical Engineering Journal</i> , 2020, 401, 126059.	12.7	11
27	A Particle Based Ionomer Attachment Model for a Fuel Cell Catalyst Layer. <i>Journal of the Electrochemical Society</i> , 2020, 167, 013544.	2.9	17
28	Influence of the Diffusion Media Structure for the Bubble Distribution in Direct Formic Acid Fuel Cells. <i>Journal of the Electrochemical Society</i> , 2020, 167, 134502.	2.9	3
29	Amine-containing nanogel particles supported on porous carriers for enhanced carbon dioxide capture. <i>Applied Energy</i> , 2019, 253, 113567.	10.1	14
30	The effect of solvent and ionomer on agglomeration in fuel cell catalyst inks: Simulation by the Discrete Element Method. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 28984-28995.	7.1	43
31	Simulation of carbon black aggregate and evaluation of ionomer structure on carbon in catalyst layer of polymer electrolyte fuel cell. <i>Journal of Power Sources</i> , 2019, 439, 227060.	7.8	41
32	Energetic Minimization of Liquefied Natural Gas Single Nitrogen Expander Process Using Real Coded Genetic Algorithm. <i>Journal of Chemical Engineering of Japan</i> , 2019, 52, 130-137.	0.6	3
33	Nano/Microscale Simulation of Proton Transport in Catalyst Layer. <i>ECS Transactions</i> , 2019, 92, 515-522.	0.5	0
34	The Effect of CO ₂ Bubble Distribution on Power Generation Performance of a Direct Formic Acid Fuel Cell. <i>ECS Transactions</i> , 2019, 92, 335-340.	0.5	0
35	A discrete particle packing model for the formation of a catalyst layer in polymer electrolyte fuel cells. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 32170-32183.	7.1	17
36	Effects of Pt and ionomer ratios on the structure of catalyst layer: A theoretical model for polymer electrolyte fuel cells. <i>Journal of Power Sources</i> , 2018, 374, 196-204.	7.8	60

#	ARTICLE	IF	CITATIONS
37	Performance of Carbon-Supported Pt Nanoparticles Covered by Silica Layers with Low Ionomer in Polymer Electrolyte Fuel Cells. ECS Transactions, 2018, 86, 453-460.	0.5	3
38	Molecular Dynamics Study of the Thickness Dependence of Structure and Mass Transport in Ionomer Thin Film. ECS Transactions, 2018, 86, 469-474.	0.5	1
39	Development of novel three-dimensional reconstruction method for porous media for polymer electrolyte fuel cells using focused ion beam-scanning electron microscope tomography. Journal of Power Sources, 2017, 347, 108-113.	7.8	40
40	Electrode Designs of Lithium Ion Batteries Utilizing the Simulation of Porous Structures. ECS Transactions, 2017, 75, 165-172.	0.5	2
41	Numerical and experimental evaluation of the relationship between porous electrode structure and effective conductivity of ions and electrons in lithium-ion batteries. Journal of Power Sources, 2017, 342, 476-488.	7.8	97
42	Electrochemical reaction engineering of polymer electrolyte fuel cell. AIChE Journal, 2017, 63, 249-256.	3.6	22
43	Simulation of Optimization and Utilization for LiB with Multi-Element Network. ECS Transactions, 2017, 80, 251-258.	0.5	1
44	Simulation of Lithium-Ion Battery with Effect of Volume Expansion of Active Materials. ECS Transactions, 2017, 80, 275-282.	0.5	2
45	Dimensionless Model Analysis of PEFC Cathode. ECS Transactions, 2016, 75, 147-156.	0.5	2
46	Understanding formation mechanism of heterogeneous porous structure of catalyst layer in polymer electrolyte fuel cell. International Journal of Hydrogen Energy, 2016, 41, 21352-21365.	7.1	40
47	Theoretical examination of effective oxygen diffusion coefficient and electrical conductivity of polymer electrolyte fuel cell porous components. Journal of Power Sources, 2016, 327, 610-621.	7.8	97
48	Effect of porous structure of catalyst layer on effective oxygen diffusion coefficient in polymer electrolyte fuel cell. Journal of Power Sources, 2016, 327, 1-10.	7.8	93
49	Reaction and Mass Transport Simulation of Polymer Electrolyte Fuel Cell for the Analysis of the Key Factors Affecting the Output Performance in the Catalyst Layer. ECS Transactions, 2016, 75, 385-392.	0.5	5
50	Hydrogen Production. , 2016, , 147-165.		0
51	Reaction and Mass Transport Simulation of 3-Dimensional All-Solid-State Lithium-Ion Batteries for the Optimum Structural Design. ECS Transactions, 2015, 69, 83-90.	0.5	2
52	Investigation on Effect of PTFE Treatment on GDL Micro-structure by High-resolution X-ray CT. ECS Transactions, 2013, 50, 735-744.	0.5	8
53	Understanding Mechanism of PTFE Distribution in Fibrous Porous Media. ECS Transactions, 2013, 50, 461-468.	0.5	17
54	Reversible Absorption of CO ₂ Triggered by Phase Transition of Amine-Containing Micro- and Nanogel Particles. Journal of the American Chemical Society, 2012, 134, 18177-18180.	13.7	129

#	ARTICLE	IF	CITATIONS
55	Effect of Binder Distribution in LIB Electrode on Mass Transport Performance. ECS Meeting Abstracts, 2012, , .	0.0	0
56	Simulation of Liquid Water Evaporation in GDL for PEMFC Under Gas Purge Condition. , 2011, , .		1
57	Effect of Carbon Black Aggregate Structure on Transport Phenomena of PEFC. ECS Meeting Abstracts, 2011, , .	0.0	0
58	Numerical Simulations of Droplets on Porous Structures by Use of Lattice Boltzmann Method. , 2011, , .		0
59	Study on the Drag Force Coefficient between Gas and Liquid on the Gas-Lift System to Recover the Methane Hydrate. Journal of Power and Energy Systems, 2011, 5, 388-399.	0.5	1
60	The Direct Numerical Simulation of the Rising Gas Bubble With the Volume of Fluid (VOF) Method. , 2011, , .		0
61	Numerical Simulations of Droplets on the Hydrophobic and Hydrophilic Walls by Lattice Boltzmann Method. , 2011, , .		0
62	Modeling Carbon Black Aggregate Structure and Ionomer Coat for Optimum Design of PEFC Catalyst Layer. , 2011, , .		0
63	Effect of Internal and Interface Structure of GDL on Liquid Water and Oxygen Transport in PEFC. , 2010, , .		0
64	Numerical Analysis of Two-Phase Condition in GDL with Pore Network Model(<Special Issue>The 14th) Tj ETQq0 0 0 rgBT /Overlock 10 T of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 415-417.	0.2	0
65	Numerical Simulations of Droplet Upwelling into Gas Channel of PEFC(<Special Issue>The 14th) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 420-422.	0.2	1
66	Numerical Simulations of Methane Hydrate Particles around the Bottom of the Recovery Pipe of the Gas-Lift Method. Kagaku Kogaku Ronbunshu, 2010, 36, 149-156.	0.3	0
67	Evaluation of Gas Diffusion Performance in Wet GDL with 3D Pore Network Model. ECS Transactions, 2009, 25, 1519-1527.	0.5	14
68	Numerical Analysis of Liquid and Heat Transfer in Heterogeneous GDL. ECS Transactions, 2009, 16, 769-777.	0.5	0
69	Evaluation of Two-Phase Condition and Mass Transfer in GDL With Pore Network Model. , 2009, , .		0
70	Prevention of Degradation of a Polymer Electrolyte Fuel Cell. Kagaku Kogaku Ronbunshu, 2009, 35, 304-311.	0.3	4
71	Study on Automated Porous Plate Design for Uniformization of Flow through a Honeycomb Structure. Kagaku Kogaku Ronbunshu, 2009, 35, 582-588.	0.3	0
72	Study on Deterioration Mechanism of Polymer Electrolyte Fuel Cell. Kagaku Kogaku Ronbunshu, 2009, 35, 184-190.	0.3	1

#	ARTICLE	IF	CITATIONS
73	Uniformization of Flow through a Honeycomb Structure by the Lattice Boltzmann Method. Kagaku Kogaku Ronbunshu, 2009, 35, 573-581.	0.3	2
74	Development of simulated gas diffusion layer of polymer electrolyte fuel cells and evaluation of its structure. Journal of Power Sources, 2008, 175, 145-158.	7.8	89
75	Evaluation of Liquid and Mass Transfer in GDL by Direct Network Simulation. ECS Transactions, 2008, 16, 1661-1671.	0.5	6
76	System Optimization by Augmented Lagrangian Function Method for CO ₂ Recovery System. Kagaku Kogaku Ronbunshu, 2008, 34, 402-409.	0.3	4
77	Gas Hydrate Decomposition Rate in Flowing Water. Journal of Energy Resources Technology, Transactions of the ASME, 2007, 129, 102-106.	2.3	13
78	Effect of Two-phase Flow Condition in Gas Channel and GDL on Cell Performance of Polymer Electrolyte Fuel Cell. ECS Transactions, 2007, 5, 261-268.	0.5	0
79	Optimization and System Control of a Wet Flue Gas Desulfurization System. Kagaku Kogaku Ronbunshu, 2007, 33, 544-552.	0.3	1
80	Inlet Configuration of a Recovery System for Methane Hydrate using Gas Lift. Kagaku Kogaku Ronbunshu, 2007, 33, 599-605.	0.3	3
81	Study on Optimization of a CO ₂ Recovery System from Flue Gas by Use of Honeycomb-Type Adsorbent. Kagaku Kogaku Ronbunshu, 2007, 33, 218-226.	0.3	4
82	Experimental Study and Performance Simulation of a Wet Flue Gas Desulfurization System. Kagaku Kogaku Ronbunshu, 2007, 33, 534-543.	0.3	1
83	Mass Transfer Analysis in PEFC Diffusion Layer by Lattice Gas Automata Method. JSME International Journal Series B, 2006, 49, 653-659.	0.3	1
84	Evaluation of the optimal separator shape with reaction and flow analysis of polymer electrolyte fuel cell. Journal of Power Sources, 2006, 154, 18-34.	7.8	20
85	Evaluation of the thickness of membrane and gas diffusion layer with simplified two-dimensional reaction and flow analysis of polymer electrolyte fuel cell. Journal of Power Sources, 2006, 154, 8-17.	7.8	26
86	Examination of optimal separator shape of polymer electrolyte fuel cell with numerical analysis including the effect of gas flow through gas diffusion layer. Journal of Power Sources, 2006, 157, 153-165.	7.8	19
87	Effect of gas channel depth on current density distribution of polymer electrolyte fuel cell by numerical analysis including gas flow through gas diffusion layer. Journal of Power Sources, 2006, 157, 136-152.	7.8	52
88	Numerical analysis of relative humidity distribution in polymer electrolyte fuel cell stack including cooling water. Journal of Power Sources, 2006, 162, 81-93.	7.8	21
89	Effect of flow pattern of gas and cooling water on relative humidity distribution in polymer electrolyte fuel cell. Journal of Power Sources, 2006, 162, 94-104.	7.8	21
90	Study on CO ₂ Recovery System from Flue Gas by Honeycomb Type Adsorbent: I (Results of Tests and) Tj ETQq0 0 0,rgBT /Overlock 10 T	0.3	13

#	ARTICLE	IF	CITATIONS
91	Simulation of CO2 Recovery System from Flue Gas by Honeycomb Type Adsorbent: II (Optimization of) Tj ETQq1 1 0.784314 rgBT /Over	0.3	17
92	Optimization of Rotor-Type Solvent Recovery System for Low-Concentration Solvent. Kagaku Kogaku Ronbunshu, 2006, 32, 402-408.	0.3	3
93	Optimization of Rotor-Type Solvent Recovery System for Low Concentration Solvent (Optimization) Tj ETQq1 1 0.784314 rgBT /Over 2006, 32, 477-483.	0.3	2
94	Microscopic Analysis of Polymer Electrolyte Fuel Cell by Lattice Gas Automata. Journal of Chemical Engineering of Japan, 2006, 39, 537-544.	0.6	0
95	Mass Transfer Analysis in PEFC Diffusion Layer by Lattice Gas Automata Method. 880-02 Nihon Kikai Gakkai RonbunshÅ« Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2005, 71, 2642-2648.	0.2	0
96	Modeling of Power Generation Performance for Polymer Electrolyte Fuel Cell.. Kagaku Kogaku Ronbunshu, 2003, 29, 191-196.	0.3	2
97	Examination of the Optimal Separator Shape by PEFC Reaction and Flow Analysis.. Kagaku Kogaku Ronbunshu, 2003, 29, 823-828.	0.3	4
98	Design of Uniform Flow in Equipments by Lattice Gas Automata Method and an Evaluation of Its Adaptability to Parallel Processing. Kagaku Kogaku Ronbunshu, 2003, 29, 421-426.	0.3	3
99	Reaction and Flow Analysis for Polymer Electrolyte Fuel Cell.. Kagaku Kogaku Ronbunshu, 2003, 29, 197-203.	0.3	3
100	507 Design of Uniform Flow in Fuel Cell by Lattice Gas Automata Method. The Proceedings of the Computational Mechanics Conference, 2001, 2001.14, 547-548.	0.0	1
101	Influence of Surface Structure on Performance of Inkjet Printed Cathode Catalyst Layers for Polymer Electrolyte Fuel Cells. Journal of Electrochemical Energy Conversion and Storage, 0, , 1-26.	2.1	4