

# Kikuko Hotta

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8343239/kikuko-hotta-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

15  
papers

4,282  
citations

12  
h-index

16  
g-index

16  
ext. papers

4,561  
ext. citations

4.9  
avg, IF

4.29  
L-index

#	Paper	IF	Citations
15	A novel compound heterozygous mutation in identified in a Japanese patient. <i>Human Genome Variation</i> , <b>2019</b> , 6, 14	1.8	5
14	Identification of the genomic region under epigenetic regulation during non-alcoholic fatty liver disease progression. <i>Hepatology Research</i> , <b>2018</b> , 48, E320-E334	5.1	23
13	Identification of differentially methylated region (DMR) networks associated with progression of nonalcoholic fatty liver disease. <i>Scientific Reports</i> , <b>2018</b> , 8, 13567	4.9	21
12	Identification of core gene networks and hub genes associated with progression of non-alcoholic fatty liver disease by RNA sequencing. <i>Hepatology Research</i> , <b>2017</b> , 47, 1445-1458	5.1	10
11	Characteristics of non-obese non-alcoholic fatty liver disease: Effect of genetic and environmental factors. <i>Hepatology Research</i> , <b>2016</b> , 46, 1011-8	5.1	39
10	Targeted-bisulfite sequence analysis of the methylation of CpG islands in genes encoding PNPLA3, SAMM50, and PARVB of patients with non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , <b>2015</b> , 63, 494-502	13.4	53
9	Targeted next-generation sequencing and fine linkage disequilibrium mapping reveals association of PNPLA3 and PARVB with the severity of nonalcoholic fatty liver disease. <i>Journal of Human Genetics</i> , <b>2014</b> , 59, 241-6	4.3	14
8	Association of polymorphisms in GCKR and TRIB1 with nonalcoholic fatty liver disease and metabolic syndrome traits. <i>Endocrine Journal</i> , <b>2014</b> , 61, 683-9	2.9	41
7	Genome-wide scan revealed that polymorphisms in the PNPLA3, SAMM50, and PARVB genes are associated with development and progression of nonalcoholic fatty liver disease in Japan. <i>Human Genetics</i> , <b>2013</b> , 132, 783-92	6.3	138
6	Association of the rs738409 polymorphism in PNPLA3 with liver damage and the development of nonalcoholic fatty liver disease. <i>BMC Medical Genetics</i> , <b>2010</b> , 11, 172	2.1	110
5	Gene expression profiling of non-alcoholic steatohepatitis using gene set enrichment analysis. <i>Hepatology Research</i> , <b>2008</b> , 38, 1204-12	5.1	22
4	The expression of SPARC in adipose tissue and its increased plasma concentration in patients with coronary artery disease. <i>Obesity</i> , <b>2001</b> , 9, 388-93		37
3	Hypoadiponectinemia in obesity and type 2 diabetes: close association with insulin resistance and hyperinsulinemia. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1930-5	5.6	2703
2	Adipocyte-derived plasma protein, adiponectin, suppresses lipid accumulation and class A scavenger receptor expression in human monocyte-derived macrophages. <i>Circulation</i> , <b>2001</b> , 103, 1057-63	16.7	1066
1	Cell Biology of Visceral Fat <b>1999</b> , 48, 963-970,1194		