
Takashi Takeda

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8343514/publications.pdf Version: 2024-02-01



Τλέλομι Τλέρλ

#	Article	IF	CITATIONS
1	Prevalence of premenstrual syndrome and premenstrual dysphoric disorder in Japanese high school students. Archives of Women's Mental Health, 2010, 13, 535-537.	1.2	52
2	Psychological distress during pregnancy in Miyagi after the Great East Japan Earthquake: The Japan Environment and Children's Study. Journal of Affective Disorders, 2016, 190, 341-348.	2.0	49
3	The anti-diabetic drug metformin inhibits vascular endothelial growth factor expression via the mammalian target of rapamycin complex 1/hypoxia-inducible factor-11± signaling pathway in ELT-3 cells. Molecular and Cellular Endocrinology, 2015, 399, 1-8.	1.6	47
4	Curcumin disrupts uterine leiomyosarcoma cells through AKT-mTOR pathway inhibition. Gynecologic Oncology, 2011, 122, 141-148.	0.6	42
5	Relationship between premenstrual symptoms and dysmenorrhea in Japanese high school students. Archives of Women's Mental Health, 2012, 15, 131-133.	1.2	41
6	Premenstrual Syndrome and Premenstrual Dysphoric Disorder in Japanese Collegiate Athletes. Journal of Pediatric and Adolescent Gynecology, 2015, 28, 215-218.	0.3	39
7	Premenstrual Symptoms and Posttraumatic Stress Disorder in Japanese High School Students 9 Months after the Great East-Japan Earthquake. Tohoku Journal of Experimental Medicine, 2013, 230, 151-154.	0.5	32
8	Relationship between Dysmenorrhea and Posttraumatic Stress Disorder in Japanese High School Students 9 Months after the Great East Japan Earthquake. Journal of Pediatric and Adolescent Gynecology, 2013, 26, 355-357.	0.3	29
9	The prevalence and risk factors of school absenteeism due to premenstrual disorders in Japanese high school students—a school-based cross-sectional study. BioPsychoSocial Medicine, 2016, 10, 13.	0.9	29
10	Lifestyle Factors Associated with Premenstrual Syndrome: AÂCross-sectional Study of Japanese High School Students. Journal of Pediatric and Adolescent Gynecology, 2019, 32, 590-595.	0.3	28
11	Changes of Blood Flow Volume in the Superior Mesenteric Artery and Brachial Artery with Abdominal Thermal Stimulation. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-10.	0.5	24
12	TheKampoMedicine Yokukansan Decreases MicroRNA-18 Expression and Recovers Glucocorticoid Receptors Protein Expression in the Hypothalamus of Stressed Mice. BioMed Research International, 2015, 2015, 1-8.	0.9	23
13	Stress fracture and premenstrual syndrome in Japanese adolescent athletes: a cross-sectional study. BMJ Open, 2016, 6, e013103.	0.8	23
14	Establishment of a Novel Xenograft Model for Human Uterine Leiomyoma in Immunodeficient Mice. Tohoku Journal of Experimental Medicine, 2010, 222, 55-61.	0.5	21
15	Epigallocatechin-3-gallate potentiates curcumin's ability to suppress uterine leiomyosarcoma cell growth and induce apoptosis. International Journal of Clinical Oncology, 2013, 18, 380-388.	1.0	21
16	Curcumin targets the AKT–mTOR pathway for uterine leiomyosarcoma tumor growth suppression. International Journal of Clinical Oncology, 2014, 19, 354-363.	1.0	20
17	Fish Consumption and Premenstrual Syndrome and Dysphoric Disorder in Japanese Collegiate Athletes. Journal of Pediatric and Adolescent Gynecology, 2016, 29, 386-389.	0.3	18
18	Royal Jelly Supplementation Improves Menopausal Symptoms Such as Backache, Low Back Pain, and Anxiety in Postmenopausal Japanese Women. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-7.	0.5	18

Τακάσηι Τάκεδα

#	Article	IF	CITATIONS
19	Antidepressive Effects of Kamishoyosan through 5-HT1AReceptor and PKA-CREB-BDNF Signaling in the Hippocampus in Postmenopausal Depression-Model Mice. Evidence-based Complementary and Alternative Medicine, 2019, 2019, 1-11.	0.5	18
20	The antidiabetic drug metformin inhibits uterine leiomyoma cell proliferation via an AMP-activated protein kinase signaling pathway. Gynecological Endocrinology, 2013, 29, 87-90.	0.7	16
21	sychometric Testing of the Premenstrual Symptoms Questionnaire and the Association Between Perceived Injustice and Premenstrual Symptoms: A Cross-Sectional Study Among Japanese High School Students. International Journal of Women's Health, 2020, Volume 12, 755-763.	1.1	14
22	Effectiveness of natural S-equol supplement for premenstrual symptoms: protocol of a randomised, double-blind, placebo-controlled trial. BMJ Open, 2018, 8, e023314.	0.8	12
23	The delivery of a placenta/fetus with high gonadal steroid production contributes to postpartum depressive symptoms. Depression and Anxiety, 2021, 38, 422-430.	2.0	12
24	Relation between premenstrual syndrome and equolâ€production status. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1575-1580.	0.6	9
25	Developing a Japanese version of the Injustice Experience Questionnaire-chronic and the contribution of perceived injustice to severity of menstrual pain: a web-based cross-sectional study. BioPsychoSocial Medicine, 2019, 13, 17.	0.9	9
26	Association between Premenstrual Symptoms and Posttraumatic Stress Symptoms by COVID-19: A Cross-Sectional Study with Japanese High School Students. Tohoku Journal of Experimental Medicine, 2021, 255, 71-77.	0.5	8
27	Evaluation of a natural Sâ€equol supplement in treating premenstrual symptoms and the effect of the gut microbiota: An open″abel pilot study. Neuropsychopharmacology Reports, 2022, 42, 127-134.	1.1	8
28	Association Between Serious Psychological Distress and Loneliness During the COVID-19 Pandemic: A Cross-Sectional Study with Pregnant Japanese Women. International Journal of Women's Health, 2021, Volume 13, 1087-1093.	1.1	7
29	Premenstrual symptoms interference and equol production status in Japanese collegiate athletes: A crossâ€sectional study. Journal of Obstetrics and Gynaecology Research, 2018, 44, 488-494.	0.6	6
30	Effect of an educational program on adolescent premenstrual syndrome: lessons from the Great East Japan Earthquake. Adolescent Health, Medicine and Therapeutics, 2018, Volume 9, 95-101.	0.7	6
31	Preconception dysmenorrhea as a risk factor for psychological distress in pregnancy: The Japan Environment and Children's Study. Journal of Affective Disorders, 2019, 245, 475-483.	2.0	6
32	Effectiveness of ethinylestradiol/drospirenone for premenstrual symptoms in Japanese patients with dysmenorrhea: Open″abel pilot study. Journal of Obstetrics and Gynaecology Research, 2015, 41, 1584-1590.	0.6	5
33	Low Proportion of Dietary Plant Protein among Athletes with Premenstrual Syndrome-Related Performance Impairment. Tohoku Journal of Experimental Medicine, 2018, 244, 119-122.	0.5	5
34	Psychometric Testing of the Japanese Version of the Daily Record of Severity of Problems Among Japanese Women. International Journal of Women's Health, 2021, Volume 13, 361-367.	1.1	5
35	Characteristics of the gut microbiota in women with premenstrual symptoms: A cross-sectional study. PLoS ONE, 2022, 17, e0268466.	1.1	5
36	Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: A Randomized, Placebo-Controlled, Double-Blind Clinical Trial. Evidence-based Complementary and Alternative Medicine, 2020, 2020, 1-9.	0.5	4

Takashi Takeda

#	Article	IF	CITATIONS
37	Associations between sleep habits and interference of premenstrual symptoms in athletic performance in Japanese adolescent athletes: a cohort study over a 2-year period. Gynecological Endocrinology, 2020, 36, 885-889.	0.7	4
38	A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial to Investigate the Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: The KOSMOS Study. Evidence-based Complementary and Alternative Medicine, 2021, 2021, 1-9.	0.5	4
39	When and how do adolescent girls in Japan become aware of premenstrual symptoms from menarche? A cross-sectional study among senior high school students. BMJ Open, 2021, 11, e045215.	0.8	2
40	Pain medications during pregnancy: data from the Japan environment and children's study. Journal of Anesthesia, 2020, 34, 202-210.	0.7	1
41	Internet addiction belief, but not Internet use time, is independently associated with menstrual pain severity and interference to social life among adolescents: a cross-sectional study. British Journal of Pain, 2021, 15, 204946372095937.	0.7	1
42	Prevalence of Premenstrual Syndrome and Premenstrual Dysphoric Disorder among Mongolian College Students. Kitakanto Medical Journal, 2022, 72, 43-48.	0.0	1
43	Development and Psychometric Testing of a New Short-Form of the Premenstrual Symptoms Questionnaire (PSQ-S). International Journal of Women's Health, 0, Volume 14, 899-911.	1.1	1
44	Additional data to †Relation between premenstrual syndrome and equolâ€production status'. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1631-1631.	0.6	0
45	Dysmenorrhea and PTSD. , 2015, , 1-11.		0
46	Dysmenorrhea and PTSD. , 2016, , 1315-1327.		0