

# Takashi Takeda

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8343514/takashi-takeda-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44  
papers

454  
citations

13  
h-index

20  
g-index

47  
ext. papers

595  
ext. citations

2.8  
avg, IF

3.62  
L-index

#	Paper	IF	Citations
44	Prevalence of premenstrual syndrome and premenstrual dysphoric disorder in Japanese high school students. <i>Archives of Womens Mental Health</i> , <b>2010</b> , 13, 535-7	5	41
43	Psychological distress during pregnancy in Miyagi after the Great East Japan Earthquake: The Japan Environment and Children's Study. <i>Journal of Affective Disorders</i> , <b>2016</b> , 190, 341-348	6.6	39
42	Curcumin disrupts uterine leiomyosarcoma cells through AKT-mTOR pathway inhibition. <i>Gynecologic Oncology</i> , <b>2011</b> , 122, 141-8	4.9	33
41	The anti-diabetic drug metformin inhibits vascular endothelial growth factor expression via the mammalian target of rapamycin complex 1/hypoxia-inducible factor-1 signaling pathway in ELT-3 cells. <i>Molecular and Cellular Endocrinology</i> , <b>2015</b> , 399, 1-8	4.4	31
40	Relationship between premenstrual symptoms and dysmenorrhea in Japanese high school students. <i>Archives of Womens Mental Health</i> , <b>2012</b> , 15, 131-3	5	31
39	Premenstrual Syndrome and Premenstrual Dysphoric Disorder in Japanese Collegiate Athletes. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2015</b> , 28, 215-8	2	26
38	Premenstrual symptoms and posttraumatic stress disorder in Japanese high school students 9 months after the great East-Japan earthquake. <i>Tohoku Journal of Experimental Medicine</i> , <b>2013</b> , 230, 151-4	2.4	25
37	Relationship between dysmenorrhea and posttraumatic stress disorder in Japanese high school students 9 months after the Great East Japan Earthquake. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2013</b> , 26, 355-7	2	20
36	The Kampo Medicine Yokukansan Decreases MicroRNA-18 Expression and Recovers Glucocorticoid Receptors Protein Expression in the Hypothalamus of Stressed Mice. <i>BioMed Research International</i> , <b>2015</b> , 2015, 797280	3	20
35	Epigallocatechin-3-gallate potentiates curcumin's ability to suppress uterine leiomyosarcoma cell growth and induce apoptosis. <i>International Journal of Clinical Oncology</i> , <b>2013</b> , 18, 380-8	4.2	17
34	Establishment of a novel xenograft model for human uterine leiomyoma in immunodeficient mice. <i>Tohoku Journal of Experimental Medicine</i> , <b>2010</b> , 222, 55-61	2.4	17
33	Curcumin targets the AKT-mTOR pathway for uterine leiomyosarcoma tumor growth suppression. <i>International Journal of Clinical Oncology</i> , <b>2014</b> , 19, 354-63	4.2	16
32	Changes of blood flow volume in the superior mesenteric artery and brachial artery with abdominal thermal stimulation. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2011</b> , 2011, 214089	2.3	15
31	The prevalence and risk factors of school absenteeism due to premenstrual disorders in Japanese high school students-a school-based cross-sectional study. <i>BioPsychoSocial Medicine</i> , <b>2016</b> , 10, 13	2.8	13
30	Stress fracture and premenstrual syndrome in Japanese adolescent athletes: a cross-sectional study. <i>BMJ Open</i> , <b>2016</b> , 6, e013103	3	12
29	The antidiabetic drug metformin inhibits uterine leiomyoma cell proliferation via an AMP-activated protein kinase signaling pathway. <i>Gynecological Endocrinology</i> , <b>2013</b> , 29, 87-90	2.4	12
28	Lifestyle Factors Associated with Premenstrual Syndrome: A Cross-sectional Study of Japanese High School Students. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2019</b> , 32, 590-595	2	10

27	Antidepressive Effects of Kamishoyosan through 5-HT1A Receptor and PKA-CREB-BDNF Signaling in the Hippocampus in Postmenopausal Depression-Model Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2019</b> , 2019, 9475384	2.3	10
26	Fish Consumption and Premenstrual Syndrome and Dysphoric Disorder in Japanese Collegiate Athletes. <i>Journal of Pediatric and Adolescent Gynecology</i> , <b>2016</b> , 29, 386-389	2	9
25	Royal Jelly Supplementation Improves Menopausal Symptoms Such as Backache, Low Back Pain, and Anxiety in Postmenopausal Japanese Women. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2018</b> , 2018, 4868412	2.3	8
24	Effectiveness of natural S-equol supplement for premenstrual symptoms: protocol of a randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , <b>2018</b> , 8, e023314	3	7
23	Relation between premenstrual syndrome and equol-production status. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2016</b> , 42, 1575-1580	1.9	6
22	Psychometric Testing of the Premenstrual Symptoms Questionnaire and the Association Between Perceived Injustice and Premenstrual Symptoms: A Cross-Sectional Study Among Japanese High School Students. <i>International Journal of Womens Health</i> , <b>2020</b> , 12, 755-763	2.8	5
21	Developing a Japanese version of the Injustice Experience Questionnaire-chronic and the contribution of perceived injustice to severity of menstrual pain: a web-based cross-sectional study. <i>BioPsychoSocial Medicine</i> , <b>2019</b> , 13, 17	2.8	5
20	Preconception dysmenorrhea as a risk factor for psychological distress in pregnancy: The Japan Environment and Children's Study. <i>Journal of Affective Disorders</i> , <b>2019</b> , 245, 475-483	6.6	4
19	Premenstrual symptoms interference and equol production status in Japanese collegiate athletes: A cross-sectional study. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2018</b> , 44, 488-494	1.9	3
18	Effectiveness of ethinylestradiol/drospirenone for premenstrual symptoms in Japanese patients with dysmenorrhea: Open-label pilot study. <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2015</b> , 41, 1584-90	1.9	3
17	Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: A Randomized, Placebo-Controlled, Double-Blind Clinical Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2020</b> , 2020, 9285317	2.3	3
16	The delivery of a placenta/fetus with high gonadal steroid production contributes to postpartum depressive symptoms. <i>Depression and Anxiety</i> , <b>2021</b> , 38, 422-430	8.4	3
15	Associations between sleep habits and interference of premenstrual symptoms in athletic performance in Japanese adolescent athletes: a cohort study over a 2-year period. <i>Gynecological Endocrinology</i> , <b>2020</b> , 36, 885-889	2.4	2
14	A Multicenter, Randomized, Double-Blind, Placebo-Controlled Trial to Investigate the Effects of Kamishoyosan, a Traditional Japanese Medicine, on Menopausal Symptoms: The KOSMOS Study. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2021</b> , 2021, 8856149	2.3	2
13	Effect of an educational program on adolescent premenstrual syndrome: lessons from the Great East Japan Earthquake. <i>Adolescent Health, Medicine and Therapeutics</i> , <b>2018</b> , 9, 95-101	2.7	2
12	Low Proportion of Dietary Plant Protein among Athletes with Premenstrual Syndrome-Related Performance Impairment. <i>Tohoku Journal of Experimental Medicine</i> , <b>2018</b> , 244, 119-122	2.4	1
11	Internet addiction belief, but not Internet use time, is independently associated with menstrual pain severity and interference to social life among adolescents: a cross-sectional study. <i>British Journal of Pain</i> , <b>2021</b> , 15, 302-311	2.1	1
10	Psychometric Testing of the Japanese Version of the Daily Record of Severity of Problems Among Japanese Women. <i>International Journal of Womens Health</i> , <b>2021</b> , 13, 361-367	2.8	1

9	Association between Premenstrual Symptoms and Posttraumatic Stress Symptoms by COVID-19: A Cross-Sectional Study with Japanese High School Students. <i>Tohoku Journal of Experimental Medicine</i> , <b>2021</b> , 255, 71-77	2.4	1
8	Association Between Serious Psychological Distress and Loneliness During the COVID-19 Pandemic: A Cross-Sectional Study with Pregnant Japanese Women. <i>International Journal of Womens Health</i> , <b>2021</b> , 13, 1087-1093	2.8	0
7	Pain medications during pregnancy: data from the Japan environment and children's study. <i>Journal of Anesthesia</i> , <b>2020</b> , 34, 202-210	2.2	0
6	When and how do adolescent girls in Japan become aware of premenstrual symptoms from menarche? A cross-sectional study among senior high school students. <i>BMJ Open</i> , <b>2021</b> , 11, e045215	3	0
5	Characteristics of the gut microbiota in women with premenstrual symptoms: A cross-sectional study. <i>PLoS ONE</i> , <b>2022</b> , 17, e0268466	3.7	0
4	Dysmenorrhea and PTSD <b>2015</b> , 1-11		
3	Dysmenorrhea and PTSD <b>2016</b> , 1315-1327		
2	Additional data to Relation between premenstrual syndrome and equol-production status <i>Journal of Obstetrics and Gynaecology Research</i> , <b>2016</b> , 42, 1631	1.9	
1	Prevalence of Premenstrual Syndrome and Premenstrual Dysphoric Disorder among Mongolian College Students. <i>Kitakanto Medical Journal</i> , <b>2022</b> , 72, 43-48		0