

# Subir Biswas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8343722/publications.pdf>

Version: 2024-02-01

27  
papers

1,027  
citations

516215

16  
h-index

580395

25  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1595  
citing authors

#	ARTICLE	IF	CITATIONS
1	TGF- $\beta$ -mediated silencing of genomic organizer SATB1 promotes Tfh cell differentiation and formation of intra-tumoral tertiary lymphoid structures. <i>Immunity</i> , 2022, 55, 115-128.e9.	6.6	62
2	IgA-Dominated Humoral Immune Responses Govern Patients' Outcome in Endometrial Cancer. <i>Cancer Research</i> , 2022, 82, 859-871.	0.4	21
3	Ovarian cancer immunogenicity is governed by a narrow subset of progenitor tissue-resident memory T $\alpha$ cells. <i>Cancer Cell</i> , 2022, 40, 545-557.e13.	7.7	53
4	Olfactory Receptor OR2H1 Is an Effective Target for CAR T Cells in Human Epithelial Tumors. <i>Molecular Cancer Therapeutics</i> , 2022, 21, 1184-1194.	1.9	12
5	IgA transcytosis and antigen recognition govern ovarian cancer immunity. <i>Nature</i> , 2021, 591, 464-470.	13.7	99
6	Methyltransferase inhibitors restore SATB1 protective activity against cutaneous T cell lymphoma in mice. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	6
7	Effects of massively multiplayer online roleplaying games on psychological health and inter-personal relationships of the male youth: A cross-sectional study in sub-urban Kolkata, West Bengal, India. <i>Anthropological Review</i> , 2021, 84, 163-179.	0.2	0
8	Humoral immune responses: Unsung heroes of the war on cancer. <i>Seminars in Immunology</i> , 2020, 49, 101419.	2.7	11
9	BTN3A1 governs antitumor responses by coordinating $\hat{1}\hat{2}$ and $\hat{3}\hat{1}$ T cells. <i>Science</i> , 2020, 369, 942-949.	6.0	83
10	The Unfolded Protein Response Mediator PERK Governs Myeloid Cell-Driven Immunosuppression in Tumors through Inhibition of STING Signaling. <i>Immunity</i> , 2020, 52, 668-682.e7.	6.6	107
11	Effects of menstrual characteristics, symptoms and hygiene-related practices on menstrual experience: A comparative study between freeholder and tenant adolescent schoolgirls of North 24 Parganas, West Bengal, India. <i>Anthropologischer Anzeiger</i> , 2020, 77, 183-193.	0.2	1
12	Comparison of histopathological grading and staging of breast cancer with p53-positive and transforming growth factor-beta receptor 2-negative immunohistochemical marker expression cases. <i>Cancer Translational Medicine</i> , 2020, 6, 30.	0.2	0
13	A Nuclear Zip Code in SKS1 mRNA Promotes Its Slow Export, Nuclear Retention, and Degradation by the Nuclear Exosome/DRN in <i>Saccharomyces cerevisiae</i> . <i>Journal of Molecular Biology</i> , 2019, 431, 3626-3646.	2.0	8
14	Exosomes Produced by Mesenchymal Stem Cells Drive Differentiation of Myeloid Cells into Immunosuppressive M2-Polarized Macrophages in Breast Cancer. <i>Journal of Immunology</i> , 2019, 203, 3447-3460.	0.4	126
15	RelA driven co-expression of CXCL13 and CXCR5 is governed by a multifaceted transcriptional program regulating breast cancer progression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019, 1865, 502-511.	1.8	19
16	Heterodimer formation by Oct4 and Smad3 differentially regulates epithelial-to-mesenchymal transition-associated factors in breast cancer progression. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 2053-2066.	1.8	9
17	Frontline Science: Microbiota reconstitution restores intestinal integrity after cisplatin therapy. <i>Journal of Leukocyte Biology</i> , 2018, 103, 799-805.	1.5	72
18	CCL2 conditionally determines CCL22-dependent Th2-accumulation during TGF- $\beta$ -induced breast cancer progression. <i>Immunobiology</i> , 2018, 223, 151-161.	0.8	31

#	ARTICLE	IF	CITATIONS
19	miR-216b suppresses breast cancer growth and metastasis by targeting SDCBP. <i>Biochemical and Biophysical Research Communications</i> , 2017, 482, 126-133.	1.0	50
20	Aggregation induced emission enhancement of pyrene-appended Schiff base luminophore and its photovoltaic effect. <i>Journal of Luminescence</i> , 2016, 175, 44-49.	1.5	5
21	p53-dependent expression of CXCR5 chemokine receptor in MCF-7 breast cancer cells. <i>Scientific Reports</i> , 2015, 5, 9330.	1.6	43
22	Low fucose containing bacterial polysaccharide facilitate mitochondria-dependent ROS-induced apoptosis of human lung epithelial carcinoma via controlled regulation of MAPKs-mediated Nrf2/Keap1 homeostasis signaling. <i>Molecular Carcinogenesis</i> , 2015, 54, 1636-1655.	1.3	25
23	CXCL13-CXCR5 co-expression regulates epithelial to mesenchymal transition of breast cancer cells during lymph node metastasis. <i>Breast Cancer Research and Treatment</i> , 2014, 143, 265-276.	1.1	106
24	Bacterial Fucose-Rich Polysaccharide Stabilizes MAPK-Mediated Nrf2/Keap1 Signaling by Directly Scavenging Reactive Oxygen Species during Hydrogen Peroxide-Induced Apoptosis of Human Lung Fibroblast Cells. <i>PLoS ONE</i> , 2014, 9, e113663.	1.1	39
25	Cooperative involvement of NFAT and SnoN mediates transforming growth factor- $\beta^2$ (TGF- $\beta^2$ ) induced EMT in metastatic breast cancer (MDA-MB 231) cells. <i>Clinical and Experimental Metastasis</i> , 2013, 30, 1019-1031.	1.7	28
26	Finger and Palmar Dermatoglyphic Study among the Dhimals of North Bengal, India. <i>Anthropologist</i> , 2011, 13, 235-238.	0.1	5
27	SATB1 Expression Governs Follicular Helper T-cell-Triggered Tertiary Lymphoid Structure Assembly. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0