
Cecilie L Bager

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8344836/publications.pdf Version: 2024-02-01



CECILIE | BACED

#	Article	IF	CITATIONS
1	Novel insights into the function and dynamics of extracellular matrix in liver fibrosis. American Journal of Physiology - Renal Physiology, 2015, 308, G807-G830.	3.4	200
2	Collagen biology and nonâ€invasive biomarkers of liver fibrosis. Liver International, 2020, 40, 736-750.	3.9	107
3	Serum biomarkers reflecting specific tumor tissue remodeling processes are valuable diagnostic tools for lung cancer. Cancer Medicine, 2014, 3, 1136-1145.	2.8	64
4	Quantification of altered tissue turnover in a liquid biopsy: a proposed precision medicine tool to assess chronic inflammation and desmoplasia associated with a pro-cancerous niche and response to immuno-therapeutic anti-tumor modalities. Cancer Immunology, Immunotherapy, 2018, 67, 1-12.	4.2	40
5	Nidogen-1 Degraded by Cathepsin S can be Quantified in Serum and is Associated with Non–Small Cell Lung Cancer. Neoplasia, 2017, 19, 271-278.	5.3	30
6	Matrix Metalloprotease Generated Fragments of Type VI Collagen Have Serum Biomarker Potential in Cancer – A Proof of Concept Study. Translational Oncology, 2019, 12, 693-698.	3.7	29
7	Endotrophin is associated with chronic multimorbidity and all-cause mortality in a cohort of elderly women. EBioMedicine, 2021, 68, 103391.	6.1	20
8	Remodeling of the Tumor Microenvironment Predicts Increased Risk of Cancer in Postmenopausal Women: The Prospective Epidemiologic Risk Factor (PERF I) Study. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1348-1355.	2.5	13
9	Bone and Soft Tissue Turnover in Relation to All-cause Mortality in Postmenopausal Women. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1098-1104.	3.6	12
10	Excessive matrix metalloprotease-mediated degradation of interstitial tissue (type I collagen) independently predicts short-term survival in an observational study of postmenopausal women diagnosed with cancer. Oncotarget, 2017, 8, 52501-52510.	1.8	10
11	Incidence of total hip and total knee replacements from the prospective epidemiologic risk factor study: considerations for event driven clinical trial design. BMC Musculoskeletal Disorders, 2019, 20, 303.	1.9	8
12	Low bone turnover levels predict increased risk of cancer. Bone, 2019, 127, 75-81.	2.9	6
13	Matrix metalloproteinase-degraded type I collagen is associated with <i>APOE/TOMM40</i> variants and preclinical dementia. Neurology: Genetics, 2020, 6, e508.	1.9	6
14	Unique insight into microenvironmental changes in colorectal cancer: Ex vivo assessment of matrix metalloprotease-mediated molecular changes in human colorectal tumor tissue and corresponding non-neoplastic adjacent tissue. Oncology Letters, 2017, 13, 3774-3780.	1.8	6