
Zebo Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8345025/publications.pdf Version: 2024-02-01



ZEBO HUANC

#	Article	IF	CITATIONS
1	Modulation of Redox and Aging-Related Signaling Pathways and Biomarkers by Naturally Derived Peptides. Healthy Ageing and Longevity, 2022, , 229-254.	0.2	2
2	Identification of polyphenols from Rosa roxburghii Tratt pomace and evaluation of in vitro and in vivo antioxidant activity. Food Chemistry, 2022, 377, 131922.	8.2	47
3	Enzymatic preparation of Crassostrea oyster peptides and their promoting effect on male hormone production. Journal of Ethnopharmacology, 2021, 264, 113382.	4.1	19
4	Physicochemical and geroprotective comparison of Nostoc sphaeroides polysaccharides across colony growth stages and with derived oligosaccharides. Journal of Applied Phycology, 2021, 33, 939-952.	2.8	9
5	Sea Cucumber-Derived Peptides Alleviate Oxidative Stress in Neuroblastoma Cells and Improve Survival in C. elegans Exposed to Neurotoxic Paraquat. Oxidative Medicine and Cellular Longevity, 2021, 2021, 1-14.	4.0	17
6	Antioxidant and antiaging effect of traditional Thai rejuvenation medicines in Caenorhabditis elegans. Journal of Integrative Medicine, 2021, 19, 362-373.	3.1	7
7	Caenorhabditis elegans as a Model System for Discovering Bioactive Compounds Against Polyglutamine-Mediated Neurotoxicity. Journal of Visualized Experiments, 2021, , .	0.3	5
8	Antioxidant and anti-aging effects of a sea cucumber protein hydrolyzate and bioinformatic characterization of its composing peptides. Food and Function, 2020, 11, 5004-5016.	4.6	46
9	The Traditional Formula Kai-Xin-San Alleviates Polyglutamine-Mediated Neurotoxicity by Modulating Proteostasis Network in <i>Caenorhabditis elegans</i> . Rejuvenation Research, 2020, 23, 207-216.	1.8	5
10	Omics Insights into Metabolic Stress and Resilience of Rats in Response to Shortâ€ŧerm Fructose Overfeeding. Molecular Nutrition and Food Research, 2019, 63, e1900773.	3.3	8
11	Rosmarinic Acid Ameliorates H ₂ O ₂ -Induced Oxidative Stress in LO2 Cells Through MAPK and Nrf2 Pathways. Rejuvenation Research, 2019, 22, 289-298.	1.8	31
12	Inhibition of Abeta Proteotoxicity by Paeoniflorin in <i>Caenorhabditis elegans</i> Through Regulation of Oxidative and Heat Shock Stress Responses. Rejuvenation Research, 2018, 21, 304-312.	1.8	22
13	Novel Bioactive Peptides from Meretrix meretrix Protect Caenorhabditis elegans against Free Radical-Induced Oxidative Stress through the Stress Response Factor DAF-16/FOXO. Marine Drugs, 2018, 16, 444.	4.6	33
14	Physicochemical Characterization and Functional Analysis of the Polysaccharide from the Edible Microalga Nostoc sphaeroides. Molecules, 2018, 23, 508.	3.8	40
15	Antioxidant peptides derived from the hydrolyzate of purple sea urchin (Strongylocentrotus nudus) gonad alleviate oxidative stress in Caenorhabditis elegans. Journal of Functional Foods, 2018, 48, 594-604.	3.4	47
16	Ophiopogon japonicus herbal tea ameliorates oxidative stress and extends lifespan in caenorhabditis elegans. Pharmacognosy Magazine, 2018, 14, 617.	0.6	2
17	<i>Epimedium</i> Polysaccharide Alleviates Polyglutamine-Induced Neurotoxicity in <i>Caenorhabditis elegans</i> by Reducing Oxidative Stress. Rejuvenation Research, 2017, 20, 32-41.	1.8	34
18	Feeding recombinant E. coli with GST-mBmKTX fusion protein increases the fecundity and lifespan of Caenorhabditis elegans. Peptides, 2017, 89, 1-8.	2.4	8

ZEBO HUANG

#	Article	IF	CITATIONS
19	The phylogenetic analysis of <i>Dalbergia</i> (Fabaceae: Papilionaceae) based on different DNA barcodes. Holzforschung, 2017, 71, 939-949.	1.9	26
20	Food-Derived Antioxidant Polysaccharides and Their Pharmacological Potential in Neurodegenerative Diseases. Nutrients, 2017, 9, 778.	4.1	58
21	Tanshinone IIA Inhibits Glutamate-Induced Oxidative Toxicity through Prevention of Mitochondrial Dysfunction and Suppression of MAPK Activation in SH-SY5Y Human Neuroblastoma Cells. Oxidative Medicine and Cellular Longevity, 2017, 2017, 1-13.	4.0	38
22	<i>Astragalus</i> Polysaccharide Suppresses 6-Hydroxydopamine-Induced Neurotoxicity in <i>Caenorhabditis elegans</i> . Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-10.	4.0	48
23	Bioactive Peptides from <i>Angelica sinensis</i> Protein Hydrolyzate Delay Senescence in <i>Caenorhabditis elegans</i> through Antioxidant Activities. Oxidative Medicine and Cellular Longevity, 2016, 2016, 1-10.	4.0	35
24	rBmαTX14 Increases the Life Span and Promotes the Locomotion of Caenorhabditis Elegans. PLoS ONE, 2016, 11, e0161847.	2.5	5
25	Antioxidant and neuroprotective effects of Dictyophora indusiata polysaccharide in Caenorhabditis elegans. Journal of Ethnopharmacology, 2016, 192, 413-422.	4.1	79
26	Preclinical Evaluation of an Epidermal Growth Factor Receptor–Targeted Doxorubicin–Peptide Conjugate: Toxicity, Biodistribution, and Efficacy in Mice. Journal of Pharmaceutical Sciences, 2016, 105, 639-649.	3.3	10
27	Extracts of Tsai Tai (Brassica chinensis): enhanced antioxidant activity and anti-aging effects both in vitro and in Caenorhabditis elegans. Food and Function, 2016, 7, 943-952.	4.6	30
28	Tetrandrine induces G1/S cell cycle arrest through the ROS/Akt pathway in EOMA cells and inhibits angiogenesis in vivo. International Journal of Oncology, 2015, 46, 360-368.	3.3	46
29	Characterization of the transcriptional activation domains of human TEF3-1 (transcription enhancer) Tj ETQq1 1	0.784314 3.0	⊦rg₽T /Overla
30	Transcriptomic screening for cyclotides and other cysteine-rich proteins in the metallophyte Viola baoshanensis. Journal of Plant Physiology, 2015, 178, 17-26.	3.5	30
31	Two Blast-independent tools, CyPerl and CyExcel, for harvesting hundreds of novel cyclotides and analogues from plant genomes and protein databases. Planta, 2015, 241, 929-940.	3.2	18
32	Overview of Beverages with Anti-Aging Functions in Chinese Market. Rejuvenation Research, 2014, 17, 197-200.	1.8	3
33	Purification and Identification of Anti-Oxidant Soybean Peptides by Consecutive Chromatography and Electrospray Ionization-Mass Spectrometry. Rejuvenation Research, 2014, 17, 209-211.	1.8	13
34	Polysaccharides from Medicinal Herbs As Potential Therapeutics for Aging and Age-Related Neurodegeneration. Rejuvenation Research, 2014, 17, 201-204.	1.8	20
35	Health benefits of wine: Don't expect resveratrol too much. Food Chemistry, 2014, 156, 258-263.	8.2	49
36	<i>Caenorhabditis elegans</i> in Chinese Medicinal Studies: Making the Case for Aging and Neurodegeneration. Rejuvenation Research, 2014, 17, 205-208.	1.8	26

ZEBO HUANG

#	Article	IF	CITATIONS
37	Salidroside Protects Caenorhabditis elegans Neurons from Polyglutamine-Mediated Toxicity by Reducing Oxidative Stress. Molecules, 2014, 19, 7757-7769.	3.8	48
38	Polysaccharides from Angelica sinensis alleviate neuronal cell injury caused by oxidative stress. Neural Regeneration Research, 2014, 9, 260.	3.0	43
39	Reproductive and Locomotory Capacities of <i>Caenorhabditis elegans</i> Were Not Affected by Simulated Variable Gravities and Spaceflight During the Shenzhou-8 Mission. Astrobiology, 2013, 13, 617-625.	3.0	21
40	Targeted delivery of doxorubicin through conjugation with <scp>EGF</scp> receptor–binding peptide overcomes drug resistance in human colon cancer cells. British Journal of Pharmacology, 2013, 168, 1719-1735.	5.4	28
41	Macromolecular and small-molecule modulation of intracellular AÎ ² 42 aggregation and associated toxicity. Biochemical Journal, 2012, 442, 507-515.	3.7	41
42	Autophagy-related Gene 7 (ATG7) and Reactive Oxygen Species/Extracellular Signal-regulated Kinase Regulate Tetrandrine-induced Autophagy in Human Hepatocellular Carcinoma. Journal of Biological Chemistry, 2012, 287, 35576-35588.	3.4	119
43	Inhibition of polyglutamine-mediated proteotoxicity by <i>Astragalus membranaceus</i> polysaccharide through the DAF-16/FOXO transcription factor in <i>Caenorhabditis elegans</i> . Biochemical Journal, 2012, 441, 417-424.	3.7	78
44	The neuroprotective and lifespan-extension activities of Damnacanthus officinarum extracts in Caenorhabditis elegans. Journal of Ethnopharmacology, 2012, 141, 41-47.	4.1	31
45	Ethanolic extract and water-soluble polysaccharide from Chaenomeles speciosa fruit modulate lipopolysaccharide-induced nitric oxide production in RAW264.7 macrophage cells. Journal of Ethnopharmacology, 2012, 144, 441-447.	4.1	19
46	Biological Evaluation of a Novel Doxorubicinâ `Peptide Conjugate for Targeted Delivery to EGF Receptor-Overexpressing Tumor Cells. Molecular Pharmaceutics, 2011, 8, 375-386.	4.6	49
47	Pilot-scale isolation of bioactive extracellular polymeric substances from cell-free media of mass microalgal cultures using tangential-flow ultrafiltration. Process Biochemistry, 2011, 46, 1104-1109.	3.7	46
48	Cyanobacteria-/cyanotoxin-contaminations and eutrophication status before Wuxi Drinking Water Crisis in Lake Taihu, China. Journal of Environmental Sciences, 2011, 23, 575-581.	6.1	93
49	Polyproline II structure is critical for the enzyme protective function of soybean Em (LEA1) conserved domains. Biotechnology Letters, 2011, 33, 1667-1673.	2.2	8
50	Antioxidant and moisture-retention activities of the polysaccharide from Nostoc commune. Carbohydrate Polymers, 2011, 83, 1821-1827.	10.2	112
51	Raman Spectroscopic Analysis of a Desert Cyanobacterium <i>Nostoc</i> sp. in Response to UVB Radiation. Astrobiology, 2010, 10, 783-788.	3.0	27
52	Modeling anhydrobiosis: activation of the mitogenâ€activated protein kinase ERK by dehydration in both human cells and nematodes. Journal of Experimental Zoology, 2010, 313A, 660-670.	1.2	11
53	Mouse toxicity of <i>Anabaena flosâ€aquae</i> from Lake Dianchi, China. Environmental Toxicology, 2009, 24, 10-18.	4.0	11
54	Trehalose, a Novel mTOR-independent Autophagy Enhancer, Accelerates the Clearance of Mutant Huntingtin and α-Synuclein. Journal of Biological Chemistry, 2007, 282, 5641-5652.	3.4	971

ZEBO HUANG

#	Article	IF	CITATIONS
55	Desiccation Response of Mammalian Cells: Anhydrosignaling. Methods in Enzymology, 2007, 428, 269-277.	1.0	14
56	Cryptobiosis, Aging, and Cancer: Yin-Yang Balancing of Signaling Networks. Rejuvenation Research, 2006, 9, 292-296.	1.8	14
57	Heparan 2-O-sulfotransferase, hst-2, is essential for normal cell migration in Caenorhabditis elegans. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 1507-1512.	7.1	78
58	Gene induction by desiccation stress in human cell cultures. FEBS Letters, 2005, 579, 4973-4977.	2.8	23
59	Response of human cells to desiccation: comparison with hyperosmotic stress response. Journal of Physiology, 2004, 558, 181-191.	2.9	61
60	The vertical microdistribution of cyanobacteria and green algae within desert crusts and the development of the algal crusts. Plant and Soil, 2003, 257, 97-111.	3.7	120
61	Heparan sulphate sulphotransferase expression in mice and Caenorhabditis elegans. Biochemical Society Transactions, 2003, 31, 343-348.	3.4	24
62	The use of the 2-aminobenzoic acid tag for oligosaccharide gel electrophoresis. Carbohydrate Research, 2000, 328, 77-83.	2.3	21
63	STUDIES OF POLYSACCHARIDES FROM THREE EDIBLE SPECIES OF NOSTOC (CYANOBACTERIA) WITH DIFFERENT COLONY MORPHOLOGIES: STRUCTURAL CHARACTERIZATION AND EFFECT ON THE COMPLEMENT SYSTEM OF POLYSACCHARIDES FROM NOSTOC COMMUNE. Journal of Phycology, 2000, 36, 871-881.	2.3	69
64	Structural Characterization of the Released Polysaccharide of Desiccation-Tolerant Nostoc commune DRH-1. Journal of Bacteriology, 2000, 182, 974-982.	2.2	150
65	STUDIES ON POLYSACCHARIDES FROM THREE EDIBLE SPECIES OF NOSTOC (CYANOBACTERIA) WITH DIFFERENT COLONY MORPHOLOGIES: COMPARISON OF MONOSACCHARIDE COMPOSITIONS AND VISCOSITIES OF POLYSACCHARIDES FROM FIELD COLONIES AND SUSPENSION CULTURES. Journal of Phycology, 1998, 34, 962-968.	2.3	110