

Giancarlo Ottaviano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8346038/giancarlo-ottaviano-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

798
citations

16
h-index

21
g-index

92
ext. papers

988
ext. citations

3.6
avg, IF

3.82
L-index

#	Paper	IF	Citations
85	Clinical Evidence of Type 2 Inflammation in Non-allergic Rhinitis with Eosinophilia Syndrome: a Systematic Review.. <i>Current Allergy and Asthma Reports</i> , 2022 , 22, 29	5.6	1
84	Correlation between olfactory function, age, sex, and cognitive reserve index in the Italian population.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	0
83	Survey on Use of Local and Systemic Corticosteroids in the Management of Chronic Rhinosinusitis with Nasal Polyps: Identification of Unmet Clinical Needs. <i>Journal of Personalized Medicine</i> , 2022 , 12, 897	3.6	3
82	Combined Endoscopic and Intraoral Approach or Intraoral Alone in Surgical Management of Odontogenic Sinusitis. <i>Surgeries</i> , 2021 , 2, 399-408	0.4	
81	Characteristics of taste dysfunction in COVID-19 subjects coming from two different countries. <i>Journal of NeuroVirology</i> , 2021 , 27, 482-485	3.9	1
80	Olfactory dysfunction in antineutrophil cytoplasmic antibody-associated vasculitides: A review of the literature. <i>World Journal of Methodology</i> , 2021 , 11, 15-22	1.2	1
79	Comparison of self-reported symptoms and psychophysical tests in coronavirus disease 2019 (COVID-19) subjects experiencing long-term olfactory dysfunction: a 6-month follow-up study. <i>International Forum of Allergy and Rhinology</i> , 2021 , 11, 1592-1595	6.3	5
78	Epithelial-to-Mesenchymal Transition and Neangiogenesis in Laryngeal Squamous Cell Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	2
77	Otitis media in children: Which phenotypes are most linked to allergy? A systematic review. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 524-534	4.2	6
76	Impact of renal replacement therapies on olfactory ability: results of a cross-sectional case control study. <i>Journal of Nephrology</i> , 2021 , 1	4.8	3
75	A systematic review of the clinical evidence and biomarkers linking allergy to adeno-tonsillar disease. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2021 , 147, 110799	1.7	2
74	Olfactory and taste dysfunction among mild-to-moderate symptomatic COVID-19 positive health care workers: An international survey. <i>Laryngoscope Investigative Otolaryngology</i> , 2020 , 5, 1019-1028	2.8	14
73	Effectiveness of micronized nasal irrigations with hyaluronic acid/isotonic saline solution in non-polypoid chronic rhinosinusitis: A prospective, randomized, double-blind, controlled study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102502	2.8	6
72	Prognostic role of programmed death ligand 1 (PD-L1) and the immune microenvironment in laryngeal carcinoma. <i>Oral Oncology</i> , 2020 , 108, 104836	4.4	12
71	Maspin expression and anti-apoptotic pathway regulation by bcl2 in laryngeal cancer. <i>Annals of Diagnostic Pathology</i> , 2020 , 45, 151471	2.2	7
70	Nasal Function Changes at High Altitude. <i>American Journal of Rhinology and Allergy</i> , 2020 , 34, 618-625	2.4	0
69	Loss of smell in COVID-19 patients: a critical review with emphasis on the use of olfactory tests. <i>Acta Otorhinolaryngologica Italica</i> , 2020 , 40, 241-247	2.8	9

68	Expression of maspin tumor suppressor and mTOR in laryngeal carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020 , 41, 102322	2.8	7
67	Postoperative radiotherapy for laryngeal cancer. The prognostic role of programmed death-ligand 1: An immune microenvironment-based cluster analysis. <i>Pathology Research and Practice</i> , 2020 , 216, 153120	3.4	7
66	Prognostic Significance of CD105- and CD31-Assessed Microvessel Density in Paired Biopsies and Surgical Samples of Laryngeal Carcinoma. <i>Cancers</i> , 2020 , 12,	6.6	7
65	Upper and Lower Respiratory Signs and Symptoms in Workers Occupationally Exposed to Flour Dust. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
64	Clinical Evidence and Biomarkers Linking Allergy and Acute or Chronic Rhinosinusitis in Children: a Systematic Review. <i>Current Allergy and Asthma Reports</i> , 2020 , 20, 68	5.6	7
63	A pilot study to determine the effects of nasal co-phenylcaine on drug-induced sleep endoscopy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019 , 276, 2603-2609	3.5	3
62	Are panels of clinical, laboratory, radiological, and microbiological variables of prognostic value in deep neck infections? An analysis of 301 consecutive cases. <i>Acta Oto-Laryngologica</i> , 2019 , 139, 214-218	1.6	1
61	Peak nasal inspiratory flow measurement and visual analogue scale in a large adult population. <i>Clinical Otolaryngology</i> , 2019 , 44, 541-548	1.8	13
60	Arrestin-1 expression and epithelial-to-mesenchymal transition in laryngeal carcinoma. <i>International Journal of Biological Markers</i> , 2019 , 34, 33-40	2.8	4
59	Social Networks and the Rhinoplasty Patient. <i>JAMA Facial Plastic Surgery</i> , 2019 , 21, 264-265	3.2	1
58	Nuclear expression of onco-suppressors nm23-H1 and maspin are associated with lower recurrence rate in laryngeal carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2019 , 40, 224-229	2.8	4
57	Relationship Between Nasal Cycle, Nasal Symptoms and Nasal Cytology. <i>American Journal of Rhinology and Allergy</i> , 2019 , 33, 644-649	2.4	9
56	Cortactin and phosphorylated cortactin tyr and tyr expression in supraglottic laryngeal carcinomas and lymph node metastases. <i>International Journal of Biological Markers</i> , 2018 , 33, 79-86	2.8	6
55	Survivin and cortactin expression in sinonasal schneiderian (inverted) papilloma and associated carcinoma. <i>American Journal of Rhinology and Allergy</i> , 2018 , 32, 78-81	2.4	8
54	Nasal function before and after rapid maxillary expansion in children: A randomized, prospective, controlled study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018 , 115, 133-138	1.7	10
53	Nuclear nonmetastatic protein 23-H1 expression and epithelial-mesenchymal transition in laryngeal carcinoma: A pilot investigation. <i>Head and Neck</i> , 2018 , 40, 2020-2028	4.2	3
52	Nuclear survivin expression correlates with endoglin-assessed microvascularisation in laryngeal carcinoma. <i>Journal of Clinical Pathology</i> , 2017 , 70, 1033-1037	3.9	8
51	Breathing parameters associated to two different external nasal dilator strips in endurance athletes. <i>Auris Nasus Larynx</i> , 2017 , 44, 713-718	2.2	7

50	Pleasantness of olfactory and trigeminal stimulants in different Italian regions. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 3907-3913	3.5	1
49	Giant rhinophyma in low-resource setting: a case report. <i>International Journal of Dermatology</i> , 2017 , 56, 875-877	1.7	0
48	Olfactory dysfunction in acute rhinosinusitis: intranasal sodium hyaluronate as adjuvant treatment. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017 , 274, 803-808	3.5	6
47	Recurrent Kaposi sarcoma associated with Koebner phenomenon in two HIV-seronegative patients: Two case reports and a review of the literature. <i>Medicine (United States)</i> , 2017 , 96, e9467	1.8	3
46	Olfaction deterioration in cognitive disorders in the elderly. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 37-45	4.8	35
45	Peak nasal inspiratory flow and peak expiratory flow. Upright and sitting values in an adult population. <i>Rhinology</i> , 2016 , 54, 160-3	7	7
44	Relaxin-2 expression in oral squamous cell carcinoma. <i>International Journal of Biological Markers</i> , 2016 , 31, e324-9	2.8	3
43	miR-19a and SOCS-1 expression in the differential diagnosis of laryngeal (glottic) verrucous squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016 , 69, 415-21	3.9	11
42	Woodworkers and the inflammatory effects of softwood/hardwood dust: evidence from nasal cytology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016 , 273, 3195-200	3.5	10
41	Deep neck infections originating from the major salivary glands. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015 , 36, 559-64	2.8	4
40	Immunohistochemical and HPV-related features of laryngeal adenosquamous carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015 , 36, 442-5	2.8	5
39	Endoglin (CD105) expression in sinonasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 3367-73	3.5	23
38	Olfactory threshold for bourgeonal and sexual desire in young adult males. <i>Medical Hypotheses</i> , 2015 , 84, 437-41	3.8	6
37	Silver sucrose octasulfate nasal applications and wound healing after endoscopic sinus surgery: a prospective, randomized, double-blind, placebo-controlled study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015 , 36, 625-31	2.8	5
36	Brain anatomical substrates of mirror movements in Kallmann syndrome. <i>NeuroImage</i> , 2015 , 104, 52-8	7.9	7
35	SniffinTSticks and olfactory system imaging in patients with Kallmann syndrome. <i>International Forum of Allergy and Rhinology</i> , 2015 , 5, 855-61	6.3	20
34	Prognostic Significance of Serine-Phosphorylated STAT3 Expression in pT1-T2 Oral Tongue Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015 , 8, 275-80	3.4	9
33	Multivariate approach to investigating prognostic factors in deep neck infections. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2061-7	3.5	16

32	Indications for postoperative radiotherapy in laryngeal carcinoma: a panel of tumor tissue markers for predicting locoregional recurrence in surgically treated carcinoma. A pilot study. <i>Head and Neck</i> , 2014 , 36, 1534-40	4.2	23
31	N-butanol olfactory threshold and nasal patency before and after palatal expansion in children. A preliminary study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014 , 78, 1618-23	1.7	7
30	Peak nasal inspiratory flow: a useful and handy tool for the diagnosis of nasal obstruction in the elderly. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014 , 271, 2427-31	3.5	6
29	Burkholderia cepacia complex isolation in non-polypoid chronic rhinosinusitis. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2014 , 35, 598-602	2.8	4
28	A panel of biomarkers for predicting response to postoperative RT for laryngeal cancer?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2014 , 35, 771-8	2.8	4
27	Human olfactory sensitivity for bourgeonal and male infertility: a preliminary investigation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013 , 270, 3079-86	3.5	10
26	Prognostic value of hypoxia-inducible factors (angiogenin and endoglin) in open partial laryngectomies: uni- and multivariate analyses. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2013 , 34, 3-9	2.8	3
25	A high nuclear nm23-H1 expression is associated with a better prognosis in elderly patients with laryngeal carcinoma. <i>Acta Oto-Laryngologica</i> , 2013 , 133, 874-80	1.6	11
24	Relationship between anti-apoptotic proteins survivin and Bcl-2, and response to treatment in patients undergoing post-operative RT for laryngeal cancer: a pilot study. <i>Journal of Oral Pathology and Medicine</i> , 2013 , 42, 339-44	3.3	14
23	Olfactory sensitivity and sexual desire in young adult and elderly men: an introductory investigation. <i>American Journal of Rhinology and Allergy</i> , 2013 , 27, 157-61	2.4	20
22	Nm23-H1 nuclear expression is associated with a more favourable prognosis in laryngeal carcinoma: univariate and multivariate analysis. <i>Histopathology</i> , 2012 , 61, 1057-64	7.3	15
21	Smoking and chronic rhinitis: effects of nasal irrigations with sulfurous-arsenical-ferruginous thermal water: A prospective, randomized, double-blind study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2012 , 33, 657-62	2.8	16
20	High mTOR expression is associated with a worse oncological outcome in laryngeal carcinoma treated with postoperative radiotherapy: a pilot study. <i>Journal of Oral Pathology and Medicine</i> , 2012 , 41, 136-40	3.3	14
19	Unilateral peak nasal inspiratory flow, normal values in adult population. <i>Rhinology</i> , 2012 , 50, 386-92	7	7
18	Nasal dysfunction induced by chlorinate water in competitive swimmers. <i>Rhinology</i> , 2012 , 50, 294-8	7	9
17	Effects of sulfurous, salty, bromic, iodine thermal water nasal irrigations in nonallergic chronic rhinosinusitis: a prospective, randomized, double-blind, clinical, and cytological study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2011 , 32, 235-9	2.8	31
16	Radiology quiz case 1. Bilateral laryngomucocele. <i>JAMA Otolaryngology</i> , 2011 , 137, 717, 720		
15	Laryngeal carcinoma lymph node metastasis and disease-free survival correlate with MASPIN nuclear expression but not with EGFR expression: a series of 108 cases. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010 , 267, 1103-10	3.5	22

14	Intraoperative modification of a supracricoid laryngectomy to a subtotal laryngectomy with tracheohyoidoepiglottopexy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009 , 266, 2005-8	3.5	1
13	MASPIN $\bar{\text{T}}$ prognostic role in patients with advanced head and neck carcinoma treated with primary chemotherapy (carboplatin plus vinorelbine) and radiotherapy: preliminary evidence. <i>Acta Oto-Laryngologica</i> , 2009 , 129, 786-92	1.6	10
12	Does peak nasal inspiratory flow relate to peak expiratory flow?. <i>Rhinology</i> , 2008 , 46, 200-3	7	5
11	Pediatric sudden sensorineural hearing loss after diving. <i>Auris Nasus Larynx</i> , 2007 , 34, 361-4	2.2	3
10	High nuclear expression of the apoptosis inhibitor protein survivin is associated with disease recurrence and poor prognosis in laryngeal basaloid squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 197-203	1.6	24
9	Extranodal Rosai-Dorfman disease: involvement of eye, nose and trachea. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 657-60	1.6	35
8	Laryngeal metastasis from sigmoid colon adenocarcinoma followed by peristomal recurrence. <i>Acta Oto-Laryngologica</i> , 2006 , 126, 661-3	1.6	16
7	Cervical necrotizing fasciitis: a novel clinical presentation of Burkholderia cepacia infection. <i>Journal of Infection</i> , 2006 , 53, e219-22	18.9	27
6	Peak nasal inspiratory flow; normal range in adult population. <i>Rhinology</i> , 2006 , 44, 32-5	7	18
5	Parotitis due to ritodrine tocolytic treatment for preterm labor. <i>Otolaryngology - Head and Neck Surgery</i> , 2005 , 132, 665-6	5.5	22
4	Simultaneous tumours of the larynx with the same histology: a case report and review of the literature. <i>Journal of Laryngology and Otology</i> , 2005 , 119, 230-2	1.8	
3	MALT-type lymphoma and Warthin $\bar{\text{T}}$ tumour presenting in the same parotid gland. <i>Acta Oto-Laryngologica</i> , 2004 , 124, 318-23	1.6	24
2	Supracricoid laryngectomy: is it time to define guidelines to evaluate functional results? a review. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2004 , 25, 98-104	2.8	35
1	Sudden hyposmia as a prevalent symptom of COVID-19 infection		10