Moosa Mohammadi

List of Publications by Citations

Source: https://exaly.com/author-pdf/8346749/moosa-mohammadi-publications-by-citations.pdf

Version: 2024-04-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23,905 154 139 72 h-index g-index citations papers 26,110 6.59 11.5 179 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
139	The FGF family: biology, pathophysiology and therapy. <i>Nature Reviews Drug Discovery</i> , 2009 , 8, 235-53	64.1	1255
138	Endocrine regulation of the fasting response by PPARalpha-mediated induction of fibroblast growth factor 21. <i>Cell Metabolism</i> , 2007 , 5, 415-25	24.6	1103
137	Structures of the tyrosine kinase domain of fibroblast growth factor receptor in complex with inhibitors. <i>Science</i> , 1997 , 276, 955-60	33.3	971
136	Crystal structure of a ternary FGF-FGFR-heparin complex reveals a dual role for heparin in FGFR binding and dimerization. <i>Molecular Cell</i> , 2000 , 6, 743-50	17.6	919
135	Catalytic specificity of protein-tyrosine kinases is critical for selective signalling. <i>Nature</i> , 1995 , 373, 536-	. \$0.4	876
134	Receptor specificity of the fibroblast growth factor family. The complete mammalian FGF family. Journal of Biological Chemistry, 2006 , 281, 15694-700	5.4	826
133	The parathyroid is a target organ for FGF23 in rats. <i>Journal of Clinical Investigation</i> , 2007 , 117, 4003-8	15.9	678
132	Cloning of PI3 kinase-associated p85 utilizing a novel method for expression/cloning of target proteins for receptor tyrosine kinases. <i>Cell</i> , 1991 , 65, 83-90	56.2	627
131	The function of GRB2 in linking the insulin receptor to Ras signaling pathways. <i>Science</i> , 1993 , 260, 1953	- 5 3.3	562
130	Structural basis for fibroblast growth factor receptor activation. <i>Cytokine and Growth Factor Reviews</i> , 2005 , 16, 107-37	17.9	557
129	Tissue-specific expression of betaKlotho and fibroblast growth factor (FGF) receptor isoforms determines metabolic activity of FGF19 and FGF21. <i>Journal of Biological Chemistry</i> , 2007 , 282, 26687-26	69 5	542
128	Structural basis for FGF receptor dimerization and activation. <i>Cell</i> , 1999 , 98, 641-50	56.2	505
127	FGF21 induces PGC-1alpha and regulates carbohydrate and fatty acid metabolism during the adaptive starvation response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 10853-8	11.5	503
126	Research resource: Comprehensive expression atlas of the fibroblast growth factor system in adult mouse. <i>Molecular Endocrinology</i> , 2010 , 24, 2050-64		470
125	BetaKlotho is required for metabolic activity of fibroblast growth factor 21. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7432-7	11.5	428
124	Point mutation in FGF receptor eliminates phosphatidylinositol hydrolysis without affecting mitogenesis. <i>Nature</i> , 1992 , 358, 681-4	50.4	411
123	Molecular insights into the klotho-dependent, endocrine mode of action of fibroblast growth factor 19 subfamily members. <i>Molecular and Cellular Biology</i> , 2007 , 27, 3417-28	4.8	397

(2009-1998)

122	Crystal structure of an angiogenesis inhibitor bound to the FGF receptor tyrosine kinase domain. <i>EMBO Journal</i> , 1998 , 17, 5896-904	13	396	
121	Exploring mechanisms of FGF signalling through the lens of structural biology. <i>Nature Reviews Molecular Cell Biology</i> , 2013 , 14, 166-80	48.7	367	
120	Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding. <i>Diabetes</i> , 2014 , 63, 4057-63	0.9	349	
119	Structure of the FGF receptor tyrosine kinase domain reveals a novel autoinhibitory mechanism. <i>Cell</i> , 1996 , 86, 577-87	56.2	347	
118	A homozygous missense mutation in human KLOTHO causes severe tumoral calcinosis. <i>Journal of Clinical Investigation</i> , 2007 , 117, 2684-91	15.9	335	
117	Identification of six novel autophosphorylation sites on fibroblast growth factor receptor 1 and elucidation of their importance in receptor activation and signal transduction. <i>Molecular and Cellular Biology</i> , 1996 , 16, 977-89	4.8	334	
116	Crystal structures of two FGF-FGFR complexes reveal the determinants of ligand-receptor specificity. <i>Cell</i> , 2000 , 101, 413-24	56.2	329	
115	SU6668 is a potent antiangiogenic and antitumor agent that induces regression of established tumors. <i>Cancer Research</i> , 2000 , 60, 4152-60	10.1	328	
114	Inhibition of growth hormone signaling by the fasting-induced hormone FGF21. <i>Cell Metabolism</i> , 2008 , 8, 77-83	24.6	316	
113	FGF23 decreases renal NaPi-2a and NaPi-2c expression and induces hypophosphatemia in vivo predominantly via FGF receptor 1. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F282-91	4.3	313	
112	Decreased FGF8 signaling causes deficiency of gonadotropin-releasing hormone in humans and mice. <i>Journal of Clinical Investigation</i> , 2008 , 118, 2822-31	15.9	298	
111	Fibroblast growth factor 21 promotes bone loss by potentiating the effects of peroxisome proliferator-activated receptor [Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3143-8	11.5	291	
110	Digenic mutations account for variable phenotypes in idiopathic hypogonadotropic hypogonadism. Journal of Clinical Investigation, 2007 , 117, 457-63	15.9	289	
109	Isolated C-terminal tail of FGF23 alleviates hypophosphatemia by inhibiting FGF23-FGFR-Klotho complex formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 407-12	11.5	277	
108	Frequent activating FGFR2 mutations in endometrial carcinomas parallel germline mutations associated with craniosynostosis and skeletal dysplasia syndromes. <i>Oncogene</i> , 2007 , 26, 7158-62	9.2	254	
107	EKlotho is a non-enzymatic molecular scaffold for FGF23 hormone signalling. <i>Nature</i> , 2018 , 553, 461-466	50.4	248	
106	Autoregulatory mechanisms in protein-tyrosine kinases. <i>Journal of Biological Chemistry</i> , 1998 , 273, 1198	8 75. 940	228	
105	In vivo genetic evidence for klotho-dependent, fibroblast growth factor 23 (Fgf23) -mediated regulation of systemic phosphate homeostasis. <i>FASEB Journal</i> , 2009 , 23, 433-41	0.9	212	

104	Impaired FGF signaling contributes to cleft lip and palate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 4512-7	11.5	209
103	Mutations in fibroblast growth factor receptor 1 cause both Kallmann syndrome and normosmic idiopathic hypogonadotropic hypogonadism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 6281-6	11.5	190
102	Tyr phosphorylation of PDP1 toggles recruitment between ACAT1 and SIRT3 to regulate the pyruvate dehydrogenase complex. <i>Molecular Cell</i> , 2014 , 53, 534-48	17.6	184
101	Fibroblast growth factor (FGF) homologous factors share structural but not functional homology with FGFs. <i>Journal of Biological Chemistry</i> , 2003 , 278, 34226-36	5.4	183
100	A molecular brake in the kinase hinge region regulates the activity of receptor tyrosine kinases. <i>Molecular Cell</i> , 2007 , 27, 717-30	17.6	181
99	Mutations in FGF17, IL17RD, DUSP6, SPRY4, and FLRT3 are identified in individuals with congenital hypogonadotropic hypogonadism. <i>American Journal of Human Genetics</i> , 2013 , 92, 725-43	11	178
98	Analysis of the biochemical mechanisms for the endocrine actions of fibroblast growth factor-23. <i>Endocrinology</i> , 2005 , 146, 4647-56	4.8	178
97	Structural basis for fibroblast growth factor receptor 2 activation in Apert syndrome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 7182-7	11.5	168
96	Insights into the molecular basis for fibroblast growth factor receptor autoinhibition and ligand-binding promiscuity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 935-40	11.5	152
95	Molecular mechanisms of fibroblast growth factor signaling in physiology and pathology. <i>Cold Spring Harbor Perspectives in Biology</i> , 2013 , 5,	10.2	151
94	Endocrinization of FGF1 produces a neomorphic and potent insulin sensitizer. <i>Nature</i> , 2014 , 513, 436-9	50.4	150
93	Structural basis by which alternative splicing modulates the organizer activity of FGF8 in the brain. <i>Genes and Development</i> , 2006 , 20, 185-98	12.6	149
92	Mutations in fibroblast growth factor receptor 1 cause Kallmann syndrome with a wide spectrum of reproductive phenotypes. <i>Molecular and Cellular Endocrinology</i> , 2006 , 254-255, 60-9	4.4	144
91	Structural basis by which alternative splicing confers specificity in fibroblast growth factor receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 2266-71	11.5	141
90	FGF23 acts directly on renal proximal tubules to induce phosphaturia through activation of the ERK1/2-SGK1 signaling pathway. <i>Bone</i> , 2012 , 51, 621-8	4.7	140
89	Differential interactions of FGFs with heparan sulfate control gradient formation and branching morphogenesis. <i>Science Signaling</i> , 2009 , 2, ra55	8.8	134
88	Kinetic model for FGF, FGFR, and proteoglycan signal transduction complex assembly. <i>Biochemistry</i> , 2004 , 43, 4724-30	3.2	134
87	FGF23 promotes renal calcium reabsorption through the TRPV5 channel. <i>EMBO Journal</i> , 2014 , 33, 229-4	l6 3	132

(2018-2014)

86	Development of covalent inhibitors that can overcome resistance to first-generation FGFR kinase inhibitors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4869-77	11.5	125
85	Biochemical analysis of pathogenic ligand-dependent FGFR2 mutations suggests distinct pathophysiological mechanisms for craniofacial and limb abnormalities. <i>Human Molecular Genetics</i> , 2004 , 13, 2313-24	5.6	121
84	SH2 domains prevent tyrosine dephosphorylation of the EGF receptor: identification of Tyr992 as the high-affinity binding site for SH2 domains of phospholipase C gamma. <i>EMBO Journal</i> , 1992 , 11, 559-	-67	120
83	A protein canyon in the FGF-FGF receptor dimer selects from an l la carte menu of heparan sulfate motifs. <i>Current Opinion in Structural Biology</i> , 2005 , 15, 506-16	8.1	117
82	Parathyroid-specific deletion of Klotho unravels a novel calcineurin-dependent FGF23 signaling pathway that regulates PTH secretion. <i>PLoS Genetics</i> , 2013 , 9, e1003975	6	112
81	Genetic overlap in Kallmann syndrome, combined pituitary hormone deficiency, and septo-optic dysplasia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E694-9	5.6	110
80	Arterial klotho expression and FGF23 effects on vascular calcification and function. <i>PLoS ONE</i> , 2013 , 8, e60658	3.7	105
79	Pregnane X receptor activation induces FGF19-dependent tumor aggressiveness in humans and mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 3220-32	15.9	102
78	Proline to arginine mutations in FGF receptors 1 and 3 result in Pfeiffer and Muenke craniosynostosis syndromes through enhancement of FGF binding affinity. <i>Human Molecular Genetics</i> , 2004 , 13, 69-78	5.6	101
77	Loss-of-function fibroblast growth factor receptor-2 mutations in melanoma. <i>Molecular Cancer Research</i> , 2009 , 7, 41-54	6.6	100
76	FGF-23-Klotho signaling stimulates proliferation and prevents vitamin D-induced apoptosis. <i>Journal of Cell Biology</i> , 2008 , 182, 459-65	7.3	99
75	The N550K/H mutations in FGFR2 confer differential resistance to PD173074, dovitinib, and ponatinib ATP-competitive inhibitors. <i>Neoplasia</i> , 2013 , 15, 975-88	6.4	98
74	The demonstration of Klotho deficiency in human chronic kidney disease with a novel synthetic antibody. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 223-33	4.3	96
73	Crystal structure of a fibroblast growth factor homologous factor (FHF) defines a conserved surface on FHFs for binding and modulation of voltage-gated sodium channels. <i>Journal of Biological Chemistry</i> , 2009 , 284, 17883-96	5.4	93
72	Internalization of fibroblast growth factor receptor is inhibited by a point mutation at tyrosine 766. Journal of Biological Chemistry, 1994 , 269, 17056-61	5.4	88
71	Reduced activation of RAF-1 and MAP kinase by a fibroblast growth factor receptor mutant deficient in stimulation of phosphatidylinositol hydrolysis. <i>Journal of Biological Chemistry</i> , 1995 , 270, 5065-72	5.4	82
70	Regulation of serum 1,25(OH)2 vitamin D3 levels by fibroblast growth factor 23 is mediated by FGF receptors 3 and 4. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F371-7	4.3	78
69	Fibroblast growth factor 1 ameliorates diabetic nephropathy by an anti-inflammatory mechanism. Kidney International, 2018 , 93, 95-109	9.9	7 ²

68	Impaired fibroblast growth factor receptor 1 signaling as a cause of normosmic idiopathic hypogonadotropic hypogonadism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 4380-90	5.6	72
67	Conversion of a paracrine fibroblast growth factor into an endocrine fibroblast growth factor. <i>Journal of Biological Chemistry</i> , 2012 , 287, 29134-46	5.4	68
66	Point mutation in the fibroblast growth factor receptor eliminates phosphatidylinositol hydrolysis without affecting neuronal differentiation of PC12 cells. <i>Journal of Biological Chemistry</i> , 1994 , 269, 144	1 5 -23	62
65	Nonsense mutations in FGF8 gene causing different degrees of human gonadotropin-releasing deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3491-6	5.6	61
64	Compositional analysis of heparin/heparan sulfate interacting with fibroblast growth factor.fibroblast growth factor receptor complexes. <i>Biochemistry</i> , 2009 , 48, 8379-86	3.2	61
63	A single amino acid substitution in the activation loop defines the decoy characteristic of VEGFR-1/FLT-1. <i>Journal of Biological Chemistry</i> , 2006 , 281, 867-75	5.4	61
62	Inhibition of fibroblast growth factor 23 (FGF23) signaling rescues renal anemia. <i>FASEB Journal</i> , 2018 , 32, 3752-3764	0.9	59
61	Identification of receptor and heparin binding sites in fibroblast growth factor 4 by structure-based mutagenesis. <i>Molecular and Cellular Biology</i> , 2001 , 21, 5946-57	4.8	59
60	Klotho coreceptors inhibit signaling by paracrine fibroblast growth factor 8 subfamily ligands. <i>Molecular and Cellular Biology</i> , 2012 , 32, 1944-54	4.8	58
59	The structural biology of the FGF19 subfamily. <i>Advances in Experimental Medicine and Biology</i> , 2012 , 728, 1-24	3.6	55
58	Crystal structure of fibroblast growth factor 9 reveals regions implicated in dimerization and autoinhibition. <i>Journal of Biological Chemistry</i> , 2001 , 276, 4322-9	5.4	53
57	FGF21 mediates alcohol-induced adipose tissue lipolysis by activation of systemic release of catecholamine in mice. <i>Journal of Lipid Research</i> , 2015 , 56, 1481-91	6.3	52
56	Analysis of mutations in fibroblast growth factor (FGF) and a pathogenic mutation in FGF receptor (FGFR) provides direct evidence for the symmetric two-end model for FGFR dimerization. <i>Molecular and Cellular Biology</i> , 2005 , 25, 671-84	4.8	52
55	Aggregation-induced activation of the epidermal growth factor receptor protein tyrosine kinase. <i>Biochemistry</i> , 1993 , 32, 8742-8	3.2	52
54	Grb2, a double-edged sword of receptor tyrosine kinase signaling. Science Signaling, 2012, 5, pe49	8.8	51
53	The alternatively spliced acid box region plays a key role in FGF receptor autoinhibition. <i>Structure</i> , 2012 , 20, 77-88	5.2	50
52	Uncoupling the Mitogenic and Metabolic Functions of FGF1 by Tuning FGF1-FGF Receptor Dimer Stability. <i>Cell Reports</i> , 2017 , 20, 1717-1728	10.6	50
51	A crystallographic snapshot of tyrosine trans-phosphorylation in action. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19660-5	11.5	49

(2017-2005)

50	Understanding the molecular basis of Apert syndrome. <i>Plastic and Reconstructive Surgery</i> , 2005 , 115, 264-70	2.7	48
49	, encoding EKlotho, is mutated in patients with congenital hypogonadotropic hypogonadism. <i>EMBO Molecular Medicine</i> , 2017 , 9, 1379-1397	12	47
48	Congenital hypogonadotropic hypogonadism with split hand/foot malformation: a clinical entity with a high frequency of FGFR1 mutations. <i>Genetics in Medicine</i> , 2015 , 17, 651-9	8.1	46
47	Structural basis for activation of fibroblast growth factor signaling by sucrose octasulfate. <i>Molecular and Cellular Biology</i> , 2002 , 22, 7184-92	4.8	46
46	Identification of phosphopeptides by MALDI Q-TOF MS in positive and negative ion modes after methyl esterification. <i>Molecular and Cellular Proteomics</i> , 2005 , 4, 809-18	7.6	41
45	Fibroblast growth factor 21 deficiency exacerbates chronic alcohol-induced hepatic steatosis and injury. <i>Scientific Reports</i> , 2016 , 6, 31026	4.9	39
44	DFG-out mode of inhibition by an irreversible type-1 inhibitor capable of overcoming gate-keeper mutations in FGF receptors. <i>ACS Chemical Biology</i> , 2015 , 10, 299-309	4.9	36
43	FGF6 and FGF9 regulate UCP1 expression independent of brown adipogenesis. <i>Nature Communications</i> , 2020 , 11, 1421	17.4	36
42	Cracking the molecular origin of intrinsic tyrosine kinase activity through analysis of pathogenic gain-of-function mutations. <i>Cell Reports</i> , 2013 , 4, 376-84	10.6	34
41	A threshold model for receptor tyrosine kinase signaling specificity and cell fate determination. <i>F1000Research</i> , 2018 , 7,	3.6	34
40	Homodimerization controls the fibroblast growth factor 9 subfamily receptor binding and heparan sulfate-dependent diffusion in the extracellular matrix. <i>Molecular and Cellular Biology</i> , 2009 , 29, 4663-78	4.8	33
39	Two FGF Receptor Kinase Molecules Act in Concert to Recruit and Transphosphorylate Phospholipase C\(\textit{IMolecular Cell}\), 2016 , 61, 98-110	17.6	31
38	EKlotho deficiency protects against obesity through a crosstalk between liver, microbiota, and brown adipose tissue. <i>JCI Insight</i> , 2017 , 2,	9.9	31
37	Structural mimicry of a-loop tyrosine phosphorylation by a pathogenic FGF receptor 3 mutation. <i>Structure</i> , 2013 , 21, 1889-96	5.2	30
36	Plasticity in interactions of fibroblast growth factor 1 (FGF1) N terminus with FGF receptors underlies promiscuity of FGF1. <i>Journal of Biological Chemistry</i> , 2012 , 287, 3067-78	5.4	30
35	Fibroblast growth factor signalling in osteoarthritis and cartilage repair. <i>Nature Reviews Rheumatology</i> , 2020 , 16, 547-564	8.1	30
34	Influence of heparin mimetics on assembly of the FGF.FGFR4 signaling complex. <i>Journal of Biological Chemistry</i> , 2010 , 285, 26628-40	5.4	29
33	Elucidation of a four-site allosteric network in fibroblast growth factor receptor tyrosine kinases. <i>ELife</i> , 2017 , 6,	8.9	28

32	Somatic FGF9 mutations in colorectal and endometrial carcinomas associated with membranous beta-catenin. <i>Human Mutation</i> , 2008 , 29, 390-7	4.7	27
31	Different tyrosine autophosphorylation requirements in fibroblast growth factor receptor-1 mediate urokinase-type plasminogen activator induction and mitogenesis. <i>Molecular Biology of the Cell</i> , 1999 , 10, 23-33	3.5	26
30	Graded levels of FGF protein span the midbrain and can instruct graded induction and repression of neural mapping labels. <i>Neuron</i> , 2009 , 62, 773-80	13.9	25
29	Structural Biology of the FGF7 Subfamily. Frontiers in Genetics, 2019, 10, 102	4.5	21
28	Regulation of Receptor Binding Specificity of FGF9 by an Autoinhibitory Homodimerization. <i>Structure</i> , 2017 , 25, 1325-1336.e3	5.2	20
27	Therapeutic Effects of FGF23 c-tail Fc in a Murine Preclinical Model of X-Linked Hypophosphatemia Via the Selective Modulation of Phosphate Reabsorption. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 2062-2073	6.3	19
26	Induction of urokinase-type plasminogen activator by fibroblast growth factor (FGF)-2 is dependent on expression of FGF receptors and does not require activation of phospholipase Cgamma1. Journal of Biological Chemistry, 1996, 271, 31154-9	5.4	19
25	Molecular basis for receptor tyrosine kinase A-loop tyrosine transphosphorylation. <i>Nature Chemical Biology</i> , 2020 , 16, 267-277	11.7	18
24	A novel fibroblast growth factor-1 ligand with reduced heparin binding protects the heart against ischemia-reperfusion injury in the presence of heparin co-administration. <i>Cardiovascular Research</i> , 2017 , 113, 1585-1602	9.9	17
23	Differential pre- and postsynaptic modulation of chemical transmission in the squid giant synapse by tyrosine phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 1990-4	11.5	17
22	Urothelial tumor initiation requires deregulation of multiple signaling pathways: implications in target-based therapies. <i>Carcinogenesis</i> , 2012 , 33, 770-80	4.6	16
21	Activating Adenosine Monophosphate-Activated Protein Kinase Mediates Fibroblast Growth Factor 1 Protection From Nonalcoholic Fatty Liver Disease in Mice. <i>Hepatology</i> , 2021 , 73, 2206-2222	11.2	16
20	Role of SH2-containing proteins in cellular signaling by receptor tyrosine kinases. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1992 , 57, 67-74	3.9	14
19	C-FGF23 peptide alleviates hypoferremia during acute inflammation. <i>Haematologica</i> , 2021 , 106, 391-40	3 6.6	13
18	Genetic testing facilitates prepubertal diagnosis of congenital hypogonadotropic hypogonadism. <i>Clinical Genetics</i> , 2017 , 92, 213-216	4	12
17	Paracrine-endocrine FGF chimeras as potent therapeutics for metabolic diseases. <i>EBioMedicine</i> , 2019 , 48, 462-477	8.8	12
16	Structure-based mutational analyses in FGF7 identify new residues involved in specific interaction with FGFR2IIIb. <i>FEBS Letters</i> , 2003 , 552, 150-4	3.8	11
15	A G protein-coupled, IP3/protein kinase C pathway controlling the synthesis of phosphaturic hormone FGF23. <i>JCI Insight</i> , 2019 , 4,	9.9	11

LIST OF PUBLICATIONS

14	A Conserved Allosteric Pathway in Tyrosine Kinase Regulation. <i>Structure</i> , 2019 , 27, 1308-1315.e3	5.2	10
13	FGF23-induced hypophosphatemia persists in Hyp mice deficient in the WNT coreceptor Lrp6. <i>Contributions To Nephrology</i> , 2013 , 180, 124-37	1.6	9
12	Curtailing FGF19 U mitogenicity by suppressing its receptor dimerization ability. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 29025-29034	11.5	9
11	Fibulin-1 Binds to Fibroblast Growth Factor 8 with High Affinity: EFFECTS ON EMBRYO SURVIVAL. Journal of Biological Chemistry, 2016 , 291, 18730-9	5.4	6
10	Paracrine FGFs target skeletal muscle to exert potent anti-hyperglycemic effects <i>Nature Communications</i> , 2021 , 12, 7256	17.4	6
9	Fibroblast Growth Factor Binding Protein 3 (FGFBP3) impacts carbohydrate and lipid metabolism. <i>Scientific Reports</i> , 2018 , 8, 15973	4.9	6
8	Rhenium N-heterocyclic carbene complexes block growth of aggressive cancers by inhibiting FGFR-and SRC-mediated signalling. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020 , 39, 276	12.8	5
7	Synthesis of sulfosucrose derivatives for evaluation as regulators of fibroblast growth factor activity. <i>Tetrahedron Letters</i> , 2002 , 43, 8047-8049	2	4
7		11.5	2
	activity. <i>Tetrahedron Letters</i> , 2002 , 43, 8047-8049 Hedgehogs like it sweet, too. <i>Proceedings of the National Academy of Sciences of the United States</i>		
6	activity. <i>Tetrahedron Letters</i> , 2002 , 43, 8047-8049 Hedgehogs like it sweet, too. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17069-70 In vitro reconstitution reveals cooperative mechanisms of adapter protein-mediated activation of	11.5	2
6 5	Activity. Tetrahedron Letters, 2002, 43, 8047-8049 Hedgehogs like it sweet, too. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 17069-70 In vitro reconstitution reveals cooperative mechanisms of adapter protein-mediated activation of phospholipase C-I in T cells Journal of Biological Chemistry, 2022, 101680	11.5	2
6 5	Hedgehogs like it sweet, too. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 17069-70 In vitro reconstitution reveals cooperative mechanisms of adapter protein-mediated activation of phospholipase C-II in T cells <i>Journal of Biological Chemistry</i> , 2022 , 101680 FGF-FGFR Signaling in Cancer 2017 , 577-590	11.5	2