

Faraj W Abdallah

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8347069/faraj-w-abdallah-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

1,970
citations

25
h-index

43
g-index

76
ext. papers

2,444
ext. citations

4
avg, IF

5.27
L-index

#	Paper	IF	Citations
71	In reply to Schnabel. <i>Regional Anesthesia and Pain Medicine</i> , 2022 , 47, 72-73	3.4	
70	Reply: minimal clinically important difference: a context-specific metric. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 934	3.4	1
69	Does the addition of iPACK to adductor canal block in the presence or absence of periarticular local anesthetic infiltration improve analgesic and functional outcomes following total knee arthroplasty? A systematic review and meta-analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 713-721	3.4	9
68	Efficacy of perineural versus intravenous dexmedetomidine as a peripheral nerve block adjunct: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 704-712	3.4	2
67	Statistically significant but clinically unimportant: a systematic review and meta-analysis of the analgesic benefits of erector spinae plane block following breast cancer surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 3-12	3.4	20
66	The mornings after-periarticular liposomal bupivacaine infiltration does not improve analgesic outcomes beyond 24 hours following total knee arthroplasty: a systematic review and meta-analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2021 , 46, 61-72	3.4	9
65	Perineural Liposomal Bupivacaine Is Not Superior to Nonliposomal Bupivacaine for Peripheral Nerve Block Analgesia. <i>Anesthesiology</i> , 2021 , 134, 147-164	4.3	34
64	In reply to Dr Yi and colleagues and Dr Tang and colleagues. <i>Regional Anesthesia and Pain Medicine</i> , 2021 ,	3.4	
63	Opioid prescribing and utilization patterns in patients having elective hip and knee arthroplasty: association between prescription patterns and opioid consumption. <i>Canadian Journal of Anaesthesia</i> , 2021 , 1	3	1
62	Is Supraclavicular Block as Good as Interscalene Block for Acute Pain Control Following Shoulder Surgery? A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2020 , 130, 1304-1319	3.9	5
61	Analgesic efficacy of cannabinoids for acute pain management after surgery: a systematic review and meta-analysis. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 509-519	3.4	15
60	AAAPT Diagnostic Criteria for Acute Knee Arthroplasty Pain. <i>Pain Medicine</i> , 2020 , 21, 1049-1060	2.8	2
59	Short-term outcomes of combined neuraxial and general anaesthesia versus general anaesthesia alone for elective open abdominal aortic aneurysm repair: retrospective population-based cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 124, 544-552	5.4	3
58	Pectoralis-II Myofascial Block and Analgesia: Reply. <i>Anesthesiology</i> , 2020 , 132, 1604	4.3	
57	Subomohyoid Anterior Suprascapular Block versus Interscalene Block for Arthroscopic Shoulder Surgery: A Multicenter Randomized Trial. <i>Anesthesiology</i> , 2020 , 132, 839-853	4.3	13
56	Comparative analgesic efficacy and safety of intermittent local anaesthetic epidural bolus for labour: a systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , 2020 , 125, 560-579	5.4	5
55	Optimal local anesthetic regimen for saddle block in ambulatory anorectal surgery: an evidence-based systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 733-739	3.4	0

54	Anaesthetic interventions and long-term tumour recurrence. <i>Lancet, The</i> , 2019 , 394, 1781-1782	4.0	2
53	Dexamethasone Is Superior to Dexmedetomidine as a Perineural Adjunct for Supraclavicular Brachial Plexus Block: Systematic Review and Indirect Meta-analysis. <i>Anesthesia and Analgesia</i> , 2019 , 128, 543-554	3.9	33
52	Is Activity Tracker-Measured Ambulation an Accurate and Reliable Determinant of Postoperative Quality of Recovery? A Prospective Cohort Validation Study. <i>Anesthesia and Analgesia</i> , 2019 , 129, 1144-1152	3.9	9
51	Perineural versus systemic dexamethasone: lost in translation. <i>Regional Anesthesia and Pain Medicine</i> , 2019 , 44, 418-419	3.4	
50	Say what? Patients have poor immediate memory of major risks of interscalene block disclosed during the informed consent discussion. <i>Regional Anesthesia and Pain Medicine</i> , 2019 ,	3.4	1
49	Opioid- and Motor-sparing with Proximal, Mid-, and Distal Locations for Adductor Canal Block in Anterior Cruciate Ligament Reconstruction: A Randomized Clinical Trial. <i>Anesthesiology</i> , 2019 , 131, 619-629	4.3	17
48	Femoral Artery Dissection after Adductor Canal Block. <i>Anesthesiology</i> , 2019 , 130, 1037-1038	4.3	2
47	In Response. <i>Anesthesia and Analgesia</i> , 2019 , 129, e106	3.9	
46	Pain Management for Ambulatory Arthroscopic Anterior Cruciate Ligament Reconstruction: Evidence-Based Recommendations From the Society for Ambulatory Anesthesia. <i>Anesthesia and Analgesia</i> , 2019 , 128, 631-640	3.9	15
45	Pectoralis-II Myofascial Block and Analgesia in Breast Cancer Surgery: A Systematic Review and Meta-analysis. <i>Anesthesiology</i> , 2019 , 131, 630-648	4.3	35
44	Evidence Basis for Regional Anesthesia in Ambulatory Arthroscopic Knee Surgery and Anterior Cruciate Ligament Reconstruction: Part II: Adductor Canal Nerve Block-A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2019 , 128, 223-238	3.9	27
43	Evidence Basis for Regional Anesthesia in Ambulatory Anterior Cruciate Ligament Reconstruction: Part III: Local Instillation Analgesia-A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2019 , 128, 426-437	3.9	14
42	Evidence Basis for Regional Anesthesia in Ambulatory Anterior Cruciate Ligament Reconstruction: Part I-Femoral Nerve Block. <i>Anesthesia and Analgesia</i> , 2019 , 128, 58-65	3.9	12
41	Anterior Suprascapular Nerve Block Versus Interscalene Brachial Plexus Block for Shoulder Surgery in the Outpatient Setting. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 99-100	3.4	3
40	Too Deep or Not Too Deep?: A Propensity-Matched Comparison of the Analgesic Effects of a Superficial Versus Deep Serratus Fascial Plane Block for Ambulatory Breast Cancer Surgery. <i>Regional Anesthesia and Pain Medicine</i> , 2018 , 43, 480-487	3.4	23
39	Should thoracic paravertebral blocks be used to prevent chronic postsurgical pain after breast cancer surgery? A systematic analysis of evidence in light of IMMPACT recommendations. <i>Pain</i> , 2018 , 159, 1955-1971	8	28
38	Transient Neurologic Symptoms following Spinal Anesthesia with Isobaric Mepivacaine: A Decade of Experience at Toronto Western Hospital. <i>Anesthesiology Research and Practice</i> , 2018 , 2018, 1901426	1.1	4
37	Is Ultrasound a Valid and Reliable Imaging Modality for Airway Evaluation?: An Observational Computed Tomographic Validation Study Using Submandibular Scanning of the Mouth and Oropharynx. <i>Journal of Ultrasound in Medicine</i> , 2017 , 36, 49-59	2.9	9

36	Perineural Dexmedetomidine Is More Effective Than Clonidine When Added to Local Anesthetic for Supraclavicular Brachial Plexus Block: A Systematic Review and Meta-analysis. <i>Anesthesia and Analgesia</i> , 2017 , 124, 2008-2020	3.9	44
35	Pectoralis and Serratus Fascial Plane Blocks Each Provide Early Analgesic Benefits Following Ambulatory Breast Cancer Surgery: A Retrospective Propensity-Matched Cohort Study. <i>Anesthesia and Analgesia</i> , 2017 , 125, 294-302	3.9	42
34	Suprascapular and Interscalene Nerve Block for Shoulder Surgery: A Systematic Review and Meta-analysis. <i>Anesthesiology</i> , 2017 , 127, 998-1013	4.3	68
33	In Response. <i>Anesthesia and Analgesia</i> , 2016 , 123, 1641-1642	3.9	
32	In Reply. <i>Anesthesiology</i> , 2016 , 125, 1073-1074	4.3	
31	Is sciatic nerve block advantageous when combined with femoral nerve block for postoperative analgesia following total knee arthroplasty? a meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2016 , 63, 552-68	3	37
30	The Requisites of Needle-to-Nerve Proximity for Ultrasound-Guided Regional Anesthesia: A Scoping Review of the Evidence. <i>Regional Anesthesia and Pain Medicine</i> , 2016 , 41, 221-8	3.4	18
29	IV and Perineural Dexmedetomidine Similarly Prolong the Duration of Analgesia after Interscalene Brachial Plexus Block: A Randomized, Three-arm, Triple-masked, Placebo-controlled Trial. <i>Anesthesiology</i> , 2016 , 124, 683-95	4.3	92
28	Adductor Canal Block Provides Noninferior Analgesia and Superior Quadriceps Strength Compared with Femoral Nerve Block in Anterior Cruciate Ligament Reconstruction. <i>Anesthesiology</i> , 2016 , 124, 1053-64	4.3	75
27	Comparing the DN4 tool with the IASP grading system for chronic neuropathic pain screening after breast tumor resection with and without paravertebral blocks: a prospective 6-month validation study. <i>Pain</i> , 2015 , 156, 740-749	8	23
26	Preoperative Femoral Nerve Block for Hip Arthroscopy: A Randomized, Triple-Masked Controlled Trial. <i>American Journal of Sports Medicine</i> , 2015 , 43, 2680-7	6.8	45
25	Will the Real Benefits of Single-Shot Interscalene Block Please Stand Up? A Systematic Review and Meta-Analysis. <i>Anesthesia and Analgesia</i> , 2015 , 120, 1114-1129	3.9	140
24	Reply to Drs Bolin and Wilson. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 394	3.4	
23	In reply. <i>Anesthesiology</i> , 2015 , 123, 723	4.3	
22	Intravenous dexamethasone and perineural dexamethasone similarly prolong the duration of analgesia after supraclavicular brachial plexus block: a randomized, triple-arm, double-blind, placebo-controlled trial. <i>Regional Anesthesia and Pain Medicine</i> , 2015 , 40, 125-32	3.4	85
21	Proximal Sciatic Nerve Block-Ultrasound Guided 2015 , 801-809		1
20	Preoperative femoral nerve block in hip arthroscopic surgery: a retrospective review of 108 consecutive cases. <i>American Journal of Sports Medicine</i> , 2014 , 42, 144-9	6.8	29
19	From the journal archives: Practical applicability of the epidural electrical stimulation test. <i>Canadian Journal of Anaesthesia</i> , 2014 , 61, 881-5	3	2

18	Ultrasound-guided multilevel paravertebral blocks and total intravenous anesthesia improve the quality of recovery after ambulatory breast tumor resection. <i>Anesthesiology</i> , 2014 , 120, 703-13	4.3	105
17	Off side! A simple modification to the parasagittal in-plane approach for paravertebral block. <i>Regional Anesthesia and Pain Medicine</i> , 2014 , 39, 240-2	3.4	22
16	The analgesic effects of proximal, distal, or no sciatic nerve block on posterior knee pain after total knee arthroplasty: a double-blind placebo-controlled randomized trial. <i>Anesthesiology</i> , 2014 , 121, 1302-10	4.3	51
15	Analgesic benefits of preincisional transversus abdominis plane block for abdominal aortic aneurysm repair. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2013 , 27, 536-8	2.1	5
14	Ultrasound-guided sciatic nerve block in overweight and obese patients: a randomized comparison of performance time between the infragluteal and subgluteal space techniques. <i>Regional Anesthesia and Pain Medicine</i> , 2013 , 38, 547-52	3.4	10
13	The facilitatory effects of intravenous dexmedetomidine on the duration of spinal anesthesia: a systematic review and meta-analysis. <i>Anesthesia and Analgesia</i> , 2013 , 117, 271-8	3.9	72
12	The definition of block "success" in the contemporary literature: are we speaking the same language?. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 545-53	3.4	15
11	Transversus abdominis plane block: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 193-209	3.4	186
10	Sciatic nerve block for analgesia after total knee arthroplasty: the jury is still out. <i>Regional Anesthesia and Pain Medicine</i> , 2012 , 37, 122-3; author reply 123-4	3.4	12
9	Is sciatic nerve block advantageous when combined with femoral nerve block for postoperative analgesia following total knee arthroplasty? A systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2011 , 36, 493-8	3.4	68
8	Porcine carcass phantom for ultrasound imaging and hands-on practice in needle insertion in the thoracic paravertebral space. <i>Canadian Journal of Anaesthesia</i> , 2011 , 58, 875-7	3	1
7	Making sense of block "success" in ambulatory anesthesia practice. <i>International Anesthesiology Clinics</i> , 2011 , 49, 1-9	0.6	36
6	Femoral vein cannulation performed by residents: a comparison between ultrasound-guided and landmark technique in infants and children undergoing cardiac surgery. <i>Anesthesia and Analgesia</i> , 2010 , 111, 724-8	3.9	69
5	The analgesic efficacy of subarachnoid morphine in comparison with ultrasound-guided transversus abdominis plane block after cesarean delivery: a randomized controlled trial. <i>Anesthesia and Analgesia</i> , 2010 , 111, 475-81	3.9	114
4	Effect of labor analgesia on labor outcome. <i>Current Opinion in Anaesthesiology</i> , 2010 , 23, 317-22	2.9	44
3	Preoxygenation by 8 deep breaths in 60 seconds using the Mapleson A (Magill), the circle system, or the Mapleson D system. <i>Journal of Clinical Anesthesia</i> , 2009 , 21, 574-8	1.9	7
2	A randomized trial comparing colloid preload to coload during spinal anesthesia for elective cesarean delivery. <i>Anesthesia and Analgesia</i> , 2009 , 109, 1219-24	3.9	54
1	Thermal burns in three neonates associated with intraoperative use of Bair Hugger warming devices. <i>Paediatric Anaesthesia</i> , 2008 , 18, 337-9	1.8	21

