

Nicolomaria Buffi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8347672/nicolomaria-buffi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

2,476
citations

31
h-index

44
g-index

146
ext. papers

3,111
ext. citations

4.4
avg. IF

4.62
L-index

#	Paper	IF	Citations
113	Robot-assisted and laparoscopic repair of ureteropelvic junction obstruction: a systematic review and meta-analysis. <i>European Urology</i> , 2014 , 65, 430-52	10.2	142
112	Robot-assisted partial nephrectomy: an international experience. <i>European Urology</i> , 2010 , 57, 815-20	10.2	113
111	Predictors of warm ischemia time and perioperative complications in a multicenter, international series of robot-assisted partial nephrectomy. <i>European Urology</i> , 2012 , 61, 395-402	10.2	112
110	Preoperative prostate-specific antigen isoform p2PSA and its derivatives, %p2PSA and prostate health index, predict pathologic outcomes in patients undergoing radical prostatectomy for prostate cancer. <i>European Urology</i> , 2012 , 61, 455-66	10.2	90
109	Clinical performance of serum prostate-specific antigen isoform [-2]proPSA (p2PSA) and its derivatives, %p2PSA and the prostate health index (PHI), in men with a family history of prostate cancer: results from a multicentre European study, the PROMetheuS project. <i>BJU International</i> , 2012 , 112, 212-21	5.6	75
108	Margin, ischemia, and complications (MIC) score in partial nephrectomy: a new system for evaluating achievement of optimal outcomes in nephron-sparing surgery. <i>European Urology</i> , 2012 , 62, 617-8	10.2	75
107	Multicenter European external validation of a prostate health index-based nomogram for predicting prostate cancer at extended biopsy. <i>European Urology</i> , 2014 , 66, 906-12	10.2	65
106	Feasibility and preliminary clinical outcomes of robotic laparoendoscopic single-site (R-LESS) pyeloplasty using a new single-port platform. <i>European Urology</i> , 2012 , 62, 175-9	10.2	59
105	Oncologic results of laparoscopic renal cryoablation for clinical T1a tumors: 8 years of experience in a single institution. <i>Urology</i> , 2010 , 76, 624-9	1.6	59
104	Preoperative Prostate-specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer: Results from a Multicentric European Prospective Study. <i>European Urology</i> , 2015 , 68, 132-8	10.2	56
103	Ga-PSMA Positron Emission Tomography/Computerized Tomography for Primary Diagnosis of Prostate Cancer in Men with Contraindications to or Negative Multiparametric Magnetic Resonance Imaging: A Prospective Observational Study. <i>Journal of Urology</i> , 2018 , 200, 95-103	2.5	53
102	Ventral oral mucosal onlay graft urethroplasty in nontraumatic bulbar urethral strictures: surgical technique and multivariable analysis of results in 214 patients. <i>European Urology</i> , 2013 , 64, 440-7	10.2	53
101	Development and internal validation of a Prostate Health Index based nomogram for predicting prostate cancer at extended biopsy. <i>Journal of Urology</i> , 2012 , 188, 1144-50	2.5	49
100	Role of Restaging Transurethral Resection for T1 Non-muscle Invasive Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Focus</i> , 2018 , 4, 558-567	5.1	48
99	Serum index test %[-2]proPSA and Prostate Health Index are more accurate than prostate specific antigen and %fPSA in predicting a positive repeat prostate biopsy. <i>Journal of Urology</i> , 2012 , 188, 1137-43	2.5	46
98	"En Bloc" Resection of Nonmuscle Invasive Bladder Cancer: A Prospective Single-center Study. <i>Urology</i> , 2016 , 90, 126-30	1.6	41
97	Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>European Urology</i> , 2017 , 71, 945-951	10.2	41

96	Robot-assisted partial nephrectomy for renal tumors larger than 4 cm: results of a multicenter, international series. <i>World Journal of Urology</i> , 2012 , 30, 665-70	4	41
95	Application and Uses of Electronic Noses for Clinical Diagnosis on Urine Samples: A Review. <i>Sensors</i> , 2016 , 16,	3.8	41
94	Retroperitoneal and transperitoneal robot-assisted pyeloplasty in adults: techniques and results. <i>European Urology</i> , 2010 , 58, 711-8	10.2	40
93	Posterior and anterior fixation of the urethra during robotic prostatectomy improves early continence rates. <i>Scandinavian Journal of Urology and Nephrology</i> , 2010 , 44, 5-10		39
92	Margin, ischemia, and complications system to report perioperative outcomes of robotic partial nephrectomy: a European Multicenter Observational Study (EMOS project). <i>Urology</i> , 2015 , 85, 589-95	1.6	38
91	Long-term oncologic outcomes of laparoscopic renal cryoablation as primary treatment for small renal masses. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 22.e1-22.e9	2.8	38
90	Indication for and extension of pelvic lymph node dissection during robot-assisted radical prostatectomy: an analysis of five European institutions. <i>European Urology</i> , 2014 , 66, 635-43	10.2	38
89	Prediction of Complications Following Partial Nephrectomy: Implications for Ablative Techniques Candidates. <i>European Urology</i> , 2016 , 69, 676-682	10.2	35
88	A prospective randomized comparison among SWL, PCNL and RIRS for lower calyceal stones less than 2 cm: a multicenter experience : A better understanding on the treatment options for lower pole stones. <i>World Journal of Urology</i> , 2017 , 35, 1967-1975	4	35
87	Comparison of the Diagnostic Accuracy of Micro-ultrasound and Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies for the Diagnosis of Clinically Significant Prostate Cancer. <i>European Urology Oncology</i> , 2019 , 2, 329-332	6.7	33
86	Development and validation of a tool for non-technical skills evaluation in robotic surgery-the ICARS system. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 5403-5410	5.2	32
85	Robot-assisted, single-site, dismembered pyeloplasty for ureteropelvic junction obstruction with the new da Vinci platform: a stage 2a study. <i>European Urology</i> , 2015 , 67, 151-156	10.2	31
84	Relationship of chronic histologic prostatic inflammation in biopsy specimens with serum isoform [-2]proPSA (p2PSA), %p2PSA, and prostate health index in men with a total prostate-specific antigen of 4-10 ng/ml and normal digital rectal examination. <i>Urology</i> , 2014 , 83, 606-12	1.6	31
83	Robot-assisted versus open partial nephrectomy: comparison of outcomes. A systematic review. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 113-120	4.4	31
82	Assessing the Impact of Surgeon Experience on Urinary Continence Recovery After Robot-Assisted Radical Prostatectomy: Results of Four High-Volume Surgeons. <i>Journal of Endourology</i> , 2017 , 31, 872-877	7.7	30
81	Robot-assisted Partial Nephrectomy for Complex (PADUA Score ≥10) Tumors: Techniques and Results from a Multicenter Experience at Four High-volume Centers. <i>European Urology</i> , 2020 , 77, 95-100	10.2	30
80	Differential effect on survival of pelvic lymph node dissection at radical cystectomy for muscle invasive bladder cancer. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 353-60	3.6	28
79	Active Surveillance for Low Risk Nonmuscle Invasive Bladder Cancer: A Confirmatory and Resource Consumption Study from the BIAS Project. <i>Journal of Urology</i> , 2018 , 199, 401-406	2.5	27

78	Clinical performance of serum isoform [-2]proPSA (p2PSA), and its derivatives %p2PSA and the Prostate Health Index, in men aged . <i>BJU International</i> , 2015 , 115, 913-20	5.6	25
77	Thulium laser enucleation (ThuLEP) versus transurethral resection of the prostate in saline (TURis): A randomized prospective trial to compare intra and early postoperative outcomes. <i>Actas Urológicas Españolas</i> , 2017 , 41, 309-315	0.7	23
76	Robot-assisted uretero-ureterostomy for iatrogenic lumbar and iliac ureteral stricture: technical details and preliminary clinical results. <i>European Urology</i> , 2011 , 60, 1221-5	10.2	23
75	Active surveillance for low-risk non-muscle-invasive bladder cancer: mid-term results from the Bladder cancer Italian Active Surveillance (BIAS) project. <i>BJU International</i> , 2016 , 118, 935-939	5.6	21
74	Evaluation of positive surgical margins in patients undergoing robot-assisted and open radical prostatectomy according to preoperative risk groups. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 57.e1-7	2.8	20
73	Comparison of renal function detriments after local tumor ablation or partial nephrectomy for renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 383-9	4	20
72	Clinical performance of the Prostate Health Index (PHI) for the prediction of prostate cancer in obese men: data from the PROMetheuS project, a multicentre European prospective study. <i>BJU International</i> , 2015 , 115, 537-45	5.6	20
71	Radical prostatectomy represents an effective treatment in patients with specimen-confined high pathological Gleason score prostate cancer. <i>BJU International</i> , 2013 , 111, 723-30	5.6	20
70	Simplifying patient positioning and port placement during robotic-assisted laparoscopic prostatectomy. <i>European Urology</i> , 2010 , 57, 530-3	10.2	20
69	Da Vinci Robotic Surgery in a Pediatric Hospital. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 539-545	2.1	19
68	Managing chronic bladder diseases with the administration of exogenous glycosaminoglycans: an update on the evidence. <i>Therapeutic Advances in Urology</i> , 2016 , 8, 91-9	3.2	19
67	Clinical use of [-2]proPSA (p2PSA) and its derivatives (%p2PSA and Prostate Health Index) for the detection of prostate cancer: a review of the literature. <i>Korean Journal of Urology</i> , 2014 , 55, 436-45		19
66	Bladder cancer and urothelial impairment: the role of TRPV1 as potential drug target. <i>BioMed Research International</i> , 2014 , 2014, 987149	3	19
65	The Role of Intraoperative Indocyanine Green in Robot-assisted Partial Nephrectomy: Results from a Large, Multi-institutional Series. <i>European Urology</i> , 2020 , 78, 743-749	10.2	18
64	Competency based training in robotic surgery: benchmark scores for virtual reality robotic simulation. <i>BJU International</i> , 2017 , 119, 804-811	5.6	18
63	Cognitive training for technical and non-technical skills in robotic surgery: a randomised controlled trial. <i>BJU International</i> , 2018 , 122, 1075-1081	5.6	16
62	Evolution of Robot-assisted Partial Nephrectomy: Techniques and Outcomes from the Transatlantic Robotic Nephron-sparing Surgery Study Group. <i>European Urology</i> , 2019 , 76, 222-227	10.2	16
61	Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 415.e13-9 ^{2.8}		15

60	Surgery illustrated--Surgical Atlas. Robotic radical cystectomy in the male. <i>BJU International</i> , 2009 , 104, 726-45	5.6	14
59	Preoperative prostate health index is an independent predictor of early biochemical recurrence after radical prostatectomy: Results from a prospective single-center study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 337.e7-14	2.8	13
58	Clinical performance of Xpert Bladder Cancer (BC) Monitor, a mRNA-based urine test, in active surveillance (AS) patients with recurrent non-muscle-invasive bladder cancer (NMIBC): results from the Bladder Cancer Italian Active Surveillance (BIAS) project. <i>World Journal of Urology</i> , 2020 , 38, 2215-2220	4	13
57	Diagnostic Accuracy of Microultrasound in Patients with a Suspicion of Prostate Cancer at Magnetic Resonance Imaging: A Single-institutional Prospective Study. <i>European Urology Focus</i> , 2021 , 7, 1019-1026	5.1	13
56	Role of Penile Doppler US in the Preoperative Assessment of Penile Squamous Cell Carcinoma Patients: Results From a Large Prospective Multicenter European Study. <i>Urology</i> , 2016 , 90, 131-5	1.6	13
55	Robot-assisted partial nephrectomy in cystic tumours: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database. <i>BJU International</i> , 2016 , 117, 642-7	5.6	13
54	Prospective Evaluation of Ga-labeled Prostate-specific Membrane Antigen Ligand Positron Emission Tomography/Computed Tomography in Primary Prostate Cancer Diagnosis. <i>European Urology Focus</i> , 2021 , 7, 764-771	5.1	12
53	Oncological outcomes and complication rates after laparoscopic-assisted cryoablation: a European Registry for Renal Cryoablation (EuRECA) multi-institutional study. <i>BJU International</i> , 2017 , 119, 390-395	5.6	12
52	Endorectal multiparametric 3-tesla magnetic resonance imaging associated with systematic cognitive biopsies does not increase prostate cancer detection rate: a randomized prospective trial. <i>World Journal of Urology</i> , 2016 , 34, 797-803	4	11
51	Robotic-assisted laparoscopic repair of ureteral injury: an evidence-based review of techniques and outcomes. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 231-241	2.3	11
50	Urethral lift for benign prostatic hyperplasia: a comprehensive review of the literature. <i>Current Urology Reports</i> , 2013 , 14, 620-7	2.9	11
49	Best Practices in Robotic-assisted Repair of Vesicovaginal Fistula: A Consensus Report from the European Association of Urology Robotic Urology Section Scientific Working Group for Reconstructive Urology. <i>European Urology</i> , 2020 , 78, 432-442	10.2	10
48	Long-term outcomes of high-grade T1 bladder cancer treated with intravesical bacillus Calmette-Guérin: experience of a single center. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2018 , 70, 501-508	4.4	10
47	Laparoscopic Cryoablation of Small Renal Masses: Technique and Results after 6-Year Experience. <i>European Urology Supplements</i> , 2007 , 6, 646-652	0.9	8
46	PSMA-PET and micro-ultrasound potential in the diagnostic pathway of prostate cancer. <i>Clinical and Translational Oncology</i> , 2021 , 23, 172-178	3.6	8
45	Early Catheter Removal After Robot-assisted Radical Prostatectomy: Results from a Prospective Single-institutional Randomized Trial (Ripreca Study). <i>European Urology Focus</i> , 2020 , 6, 259-266	5.1	8
44	Assessing the Feasibility and Accuracy of High-resolution Microultrasound Imaging for Bladder Cancer Detection and Staging. <i>European Urology</i> , 2020 , 77, 727-732	10.2	8
43	Targeted 11C-choline PET-CT/TRUS software fusion-guided prostate biopsy in men with persistently elevated PSA and negative mpMRI after previous negative biopsy. <i>European Journal of Hybrid Imaging</i> , 2017 , 1, 9	1.7	7

42	Tumor enucleoresection in robot-assisted partial nephrectomy. <i>Journal of Robotic Surgery</i> , 2009 , 3, 65-9	2.9	7
41	Female robotic radical cystectomy. <i>BJU International</i> , 2009 , 104, 1024-35	5.6	7
40	Pathological Outcomes for Patients Who Failed To Remain Under Active Surveillance for Low-risk Non-muscle-invasive Bladder Cancer: Update and Results from the Bladder Cancer Italian Active Surveillance Project. <i>European Urology Oncology</i> , 2018 , 1, 437-442	6.7	7
39	Feasibility, safety, and efficacy of ultrasound-guided transperineal laser ablation for the treatment of benign prostatic hyperplasia: a single institutional experience. <i>World Journal of Urology</i> , 2021 , 39, 3867-3873	4	6
38	The use of 29 MHz transrectal micro-ultrasound to stratify the prostate cancer risk in patients with PI-RADS III lesions at multiparametric MRI: A single institutional analysis. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 832.e1-832.e7	2.8	6
37	Minimally Invasive Partial Nephrectomy Versus Laparoscopic Cryoablation for Patients Newly Diagnosed with a Single Small Renal Mass. <i>European Urology Focus</i> , 2015 , 1, 66-72	5.1	5
36	Reply to Sergey Tadtayev, Thomas A. McNicholas, and Gregory B. Boustead Letter to the Editor re: Giorgio Guazzoni, Massimo Lazzeri, Luciano Nava, et al. Preoperative Prostate-Specific Antigen Isoform p2PSA and Its Derivatives, %p2PSA and Prostate Health Index, Predict Pathologic Outcomes in Patients Undergoing Radical Prostatectomy for Prostate Cancer. <i>Eur Urol</i>	10.2	5
35	Use of 29-MHz Micro-ultrasound for Local Staging of Prostate Cancer in Patients Scheduled for Radical Prostatectomy: A Feasibility Study. <i>European Urology Open Science</i> , 2020 , 19, 20-23	0.9	5
34	Diagnostic Pathway of Patients with a Clinical Suspicion of Prostate Cancer: Does One Size Fit All?. <i>European Urology</i> , 2018 , 74, 400-401	10.2	5
33	An observational study of the use of beclomethasone dipropionate suppositories in the treatment of lower urinary tract inflammation in men. <i>BMC Urology</i> , 2016 , 16, 25	2.2	4
32	Two-dimensional neovascular complexity is significantly higher in nontumor prostate tissue than in low-risk prostate cancer. <i>Korean Journal of Urology</i> , 2015 , 56, 435-42		4
31	Predictive factors for progression of patients with carcinoma in situ of the bladder at long-term follow-up: pure versus non-pure CIS. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 406-412	4.4	4
30	Predicting intra-operative and postoperative consequential events using machine-learning techniques in patients undergoing robot-assisted partial nephrectomy: a Vattikuti Collective Quality Initiative database study. <i>BJU International</i> , 2020 , 126, 350-358	5.6	4
29	Re: "trifecta" in partial nephrectomy: A. J. Hung, j. Cai, M. N. Simmons and I. S. Gill <i>J Urol</i> 2013; 189: 36-42. <i>Journal of Urology</i> , 2013 , 190, 810-1	2.5	3
28	Re: Systematic review and meta-analysis of perioperative and oncologic outcomes of laparoscopic cryoablation versus laparoscopic partial nephrectomy for the treatment of small renal tumors: T. Klatte, S. F. Shariat and M. Remzi. <i>J Urol</i> 2014; 191: 1209-1217. <i>Journal of Urology</i> , 2014 , 192, 1887-8	2.5	3
27	Reply from authors re: Ricardo Brandina, Inderbir S. Gill. Robotic partial nephrectomy: new beginnings. <i>Eur Urol</i> 2010;57:778-9. <i>European Urology</i> , 2010 , 58, 53-6	10.2	3
26	p2PSA for predicting biochemical recurrence of prostate cancer earlier than total prostate-specific antigen after radical prostatectomy: an observational prospective cohort study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 273-279	4.4	3
25	Midterm follow-up (3 years) confirms and extends short-term results of intravesical gemcitabine as bladder-preserving treatment for non-muscle-invasive bladder cancer after BCG failure. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 195.e7-195.e13	2.8	3

24	Highly-trained dogs' olfactory system for detecting biochemical recurrence following radical prostatectomy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, e67-70	5.9	2
23	Robotic assisted radical prostatectomy in morbidly obese patients: how to create a cost-effective adequate optical trocar. <i>Journal of Robotic Surgery</i> , 2013 , 7, 47-51	2.9	2
22	Open to debate. The motion: A robot is necessary for laparoscopic enucleation of renal masses. <i>European Urology</i> , 2009 , 55, 1229-32	10.2	2
21	Xpert Bladder Cancer Monitor May Avoid Cystoscopies in Patients Under "Active Surveillance" for Recurrent Bladder Cancer (BIAS Project): Longitudinal Cohort Study.. <i>Frontiers in Oncology</i> , 2022 , 12, 832835	5.3	2
20	Multi-institutional Retrospective Validation and Comparison of the Simplified PADUA RENal Nephrometry System for the Prediction of Surgical Success of Robot-assisted Partial Nephrectomy. <i>European Urology Focus</i> , 2021 , 7, 1100-1106	5.1	2
19	Long-term Follow-up After En Bloc Transurethral Resection of Non-muscle-invasive Bladder Cancer: Results from a Single-center Experience. <i>European Urology Open Science</i> , 2021 , 26, 64-71	0.9	2
18	Post-Biopsy Cell-Free DNA From Blood: An Open Window on Primary Prostate Cancer Genetics and Biology. <i>Frontiers in Oncology</i> , 2021 , 11, 654140	5.3	2
17	Safety and Feasibility of Salvage Endoscopic Combined Intrarenal Surgery in Embolized Kidney. <i>Journal of Endourology Case Reports</i> , 2016 , 2, 127-30	0.3	2
16	MP20-01 REALISING A NEW MODEL TO TRAIN RESIDENTS IN NEPHROSTOMY TUBE PALCEMENT AND PCNL. <i>Journal of Urology</i> , 2016 , 195,	2.5	2
15	Reply to Marc A. Bjurlin, Lee C. Zhao, and Michael D. Stifelman's Letter to the Editor Re: Nicolò Maria Buffi, Giovanni Lughezzani, Rodolfo Hurle, et al. Robot-assisted Surgery for Benign Ureteral Strictures: Experience and Outcomes from Four Tertiary Care Institutions. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2016.07.022 https://doi.org/10.1016/j.eururo.2017.01.022	10.2	1
14	Head-to-Head Comparison between High-Resolution Microultrasound Imaging and Multiparametric MRI in Detecting and Local Staging of Bladder Cancer: The BUS-MISS Protocol. <i>Bladder Cancer</i> , 2022 , 1-9	1	1
13	Use of high-resolution micro-ultrasound to predict extraprostatic extension of prostate cancer prior to surgery: a prospective single-institutional study.. <i>World Journal of Urology</i> , 2022 , 1	4	1
12	Editorial Commentary referring to: "Is robot-assisted partial nephrectomy safe for highly complexity tumors?". <i>Translational Andrology and Urology</i> , 2020 , 9, 2323-2325	2.3	1
11	Intravesical gemcitabine as bladder-preserving treatment for BCG unresponsive non-muscle-invasive bladder cancer. Results from a single-arm, open-label study.. <i>BJUI Compass</i> , 2020 , 1, 126-132	0.9	1
10	MP16-07 SHOULD WE CONTINUE TO BIOPSY MEN WITH PI-RADS III AFTER PREVIOUS NEGATIVE BIOPSY?. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
9	PD11-02 EN BLOC RESECTION OF BLADDER TUMOURS (ERBT): MULTIVARIABLE ANALYSIS FOR PREDICTION OF RECURRENCE AT MID-TERM FOLLOW-UP. <i>Journal of Urology</i> , 2016 , 195,	2.5	1
8	Is Robotic Surgery Unnecessary for Adrenalectomy? Weighting the Pros and Cons of the Robotic Approach. <i>European Urology Focus</i> , 2016 , 1, 263-264	5.1	1
7	MP33-20 A PROSPECTIVE RANDOMIZED COMPARISON AMONG SWL, PCNL AND RIRS FOR LOWER CALYCEAL STONES LESS THAN 2 CM: A MULTICENTER EXPERIENCE. <i>Journal of Urology</i> , 2016 , 195,	2.5	1

- 6 Retrotrigonal muscular layer sling associated with total anatomical reconstruction in robot-assisted radical prostatectomy and early continence. *World Journal of Urology*, **2021**, 39, 2475-2481 4 0
- 5 Reply: To PMID 25733270. *Urology*, **2015**, 85, 595 1.6
- 4 Reply to Jacques Hubert and Richard M. Satava's letter to the editor re: Nicolmaria Buffi, Henk Van Der Poel, Giorgio Guazzoni, Alexander Mottrie, on behalf of the Junior European Association of Urology (EAU) Robotic Urology Section with the collaboration of the EAU Young Academic Urologists Robotic Section. Methods and priorities of robotic surgery training program. *Eur Urol* 2014;65:1-2. *European Urology* **2014**, 66, e11-2 10.2
- 3 Robot-Assisted Pyeloplasty **2018**, 465-474
- 2 Locally-advanced prostate cancer in the elderly: should we revisit our treatment paradigms?. *Asian Journal of Andrology*, **2015**, 17, 769-70 2.8
- 1 Management Aspects, Cost Analysis and Training **2017**, 9-14