

John Farhall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8348832/publications.pdf>

Version: 2024-02-01

81
papers

1,963
citations

236612

25
h-index

301761

39
g-index

99
all docs

99
docs citations

99
times ranked

2136
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 110-121.	1.6	115
2	Quality of Life and Social Isolation Among Caregivers of Adults with Schizophrenia: Policy and Outcomes. <i>Community Mental Health Journal</i> , 2015, 51, 591-597.	1.1	103
3	The voices acceptance and action scale (VAAS): Pilot data. <i>Journal of Clinical Psychology</i> , 2007, 63, 593-606.	1.0	101
4	Coping with hallucinated voices in schizophrenia: A review of self-initiated strategies and therapeutic interventions. <i>Clinical Psychology Review</i> , 2007, 27, 476-493.	6.0	81
5	Coping with hallucinations: Exploring stress and coping framework. <i>British Journal of Clinical Psychology</i> , 1997, 36, 259-261.	1.7	67
6	Acceptance and commitment therapy for psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 140-148.	1.7	64
7	Promoting Personal Recovery in People with Persisting Psychotic Disorders: Development and Pilot Study of a Novel Digital Intervention. <i>Frontiers in Psychiatry</i> , 2016, 7, 196.	1.3	58
8	Recovery After Psychosis: Qualitative Study of Service User Experiences of Lived Experience Videos on a Recovery-Oriented Website. <i>JMIR Mental Health</i> , 2018, 5, e37.	1.7	58
9	Predicting engagement with an online psychosocial intervention for psychosis: Exploring individual- and intervention-level predictors. <i>Internet Interventions</i> , 2019, 18, 100266.	1.4	49
10	Exploring cognitive heterogeneity in first-episode psychosis: What cluster analysis can reveal. <i>Psychiatry Research</i> , 2015, 229, 819-827.	1.7	48
11	From long-stay psychiatric hospital to Community Care Unit: evaluation at 1 year. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001, 36, 416-419.	1.6	47
12	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	1.1	46
13	Command Hallucinations and Violence: Implications for Detention and Treatment. <i>Psychiatry, Psychology and Law</i> , 2003, 10, 97-107.	0.9	44
14	Beliefs about Voices and Schemas about Self and Others in Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2015, 43, 209-223.	0.9	42
15	Life hassles, experiential avoidance and distressing delusional experiences. <i>Behaviour Research and Therapy</i> , 2011, 49, 260-266.	1.6	41
16	An effectiveness trial of cognitive behaviour therapy in a representative sample of outpatients with psychosis. <i>British Journal of Clinical Psychology</i> , 2009, 48, 47-62.	1.7	40
17	Pilot randomised controlled trial of a brief coping-focused intervention for hearing voices blended with smartphone-based ecological momentary assessment and intervention (SAVVy): Feasibility, acceptability and preliminary clinical outcomes. <i>Schizophrenia Research</i> , 2020, 216, 479-487.	1.1	40
18	Cognitive Behavioural Therapy for Auditory Hallucinations: Effectiveness and Predictors of Outcome in a Specialist Clinic. <i>Behavioural and Cognitive Psychotherapy</i> , 2011, 39, 129-138.	0.9	39

#	ARTICLE	IF	CITATIONS
19	Auditory hallucinations: a review of assessment tools. <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 524-534.	1.4	37
20	A phenomenological investigation of overvalued ideas and delusions in clinical and subclinical anorexia nervosa. <i>Psychiatry Research</i> , 2014, 220, 507-512.	1.7	35
21	Randomised controlled trial of a digitally assisted low intensity intervention to promote personal recovery in persisting psychosis: SMART-Therapy study protocol. <i>BMC Psychiatry</i> , 2016, 16, 312.	1.1	34
22	Developing a Hypothetical Implementation Framework of Expectations for Monitoring Early Signs of Psychosis Relapse Using a Mobile App: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14366.	2.1	33
23	Insight in body dysmorphic disorder (BDD) relative to obsessive-compulsive disorder (OCD) and psychotic disorders: Revisiting this issue in light of DSM-5. <i>Comprehensive Psychiatry</i> , 2017, 77, 100-108.	1.5	31
24	Training to Enhance Partnerships Between Mental Health Professionals and Family Caregivers: A Comparative Study. <i>Psychiatric Services</i> , 1998, 49, 1488-1490.	1.1	30
25	The Active Therapeutic Processes of Acceptance and Commitment Therapy for Persistent Symptoms of Psychosis: Clients' Perspectives. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 402-420.	0.9	30
26	Acting on Harmful Command Hallucinations in Psychotic Disorders. <i>Journal of Nervous and Mental Disease</i> , 2008, 196, 390-398.	0.5	28
27	Smartphone-based ecological momentary assessment and intervention in a blended coping-focused therapy for distressing voices: Development and case illustration. <i>Internet Interventions</i> , 2018, 14, 18-25.	1.4	28
28	Hospital Versus Home Care for the Acutely Mentally Ill? Preferences of Caregivers Who Have Experienced Both Forms of Service. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 619-625.	1.3	25
29	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. <i>JMIR Research Protocols</i> , 2020, 9, e15058.	0.5	24
30	Modelling the emergence of hallucinations: early acquired vulnerabilities, proximal life stressors and maladaptive psychological processes. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1367-1380.	1.6	23
31	The Effects of Imagined Versus Actual Contact With a Person With a Diagnosis of Schizophrenia. <i>Basic and Applied Social Psychology</i> , 2013, 35, 265-271.	1.2	23
32	Predictors of overall and mental health-related internet use in adults with psychosis. <i>Psychiatry Research</i> , 2019, 278, 12-18.	1.7	23
33	Minimizing Adverse Effects on Patients of Involuntary Relocation From Long-Stay Wards to Community Residences. <i>Psychiatric Services</i> , 2003, 54, 1022-1027.	1.1	22
34	A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: study protocol. <i>BMC Psychiatry</i> , 2014, 14, 198.	1.1	22
35	Smartphone-based ecological momentary assessment and intervention in a coping-focused intervention for hearing voices (SAVVy): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 262.	0.7	21
36	Neurocognitive and social cognitive predictors of cannabis use in first-episode psychosis. <i>Schizophrenia Research</i> , 2015, 168, 231-237.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Internet-based interventions to support recovery and self-management: A scoping review of their use by mental health service users and providers together. <i>BMC Psychiatry</i> , 2019, 19, 191.	1.1	20
38	Acceptance and Commitment Therapy for Voices. , 0, , 95-111.		20
39	Engagement with online psychosocial interventions for psychosis: A review and synthesis of relevant factors. <i>Internet Interventions</i> , 2021, 25, 100411.	1.4	19
40	Implementing psychological treatment for symptoms of psychosis in an area mental health service: The response of patients, therapists and managers. <i>Journal of Mental Health</i> , 2002, 11, 511-522.	1.0	16
41	An Evaluation of Well Ways, a Family Education Programme for Carers of People with a Mental Illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 45-53.	1.3	16
42	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	1.3	16
43	Persisting Auditory Hallucinations: Prospects for Non-medication Interventions in a Hospital Population. <i>Behaviour Change</i> , 1996, 13, 112-123.	0.6	14
44	Contribution of neurocognition to 18-month employment outcomes in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 453-460.	0.9	14
45	Going Online Together: The Potential for Mental Health Workers to Integrate Recovery Oriented E-Mental Health Resources Into Their Practice. <i>Psychiatry (New York)</i> , 2018, 81, 116-129.	0.3	13
46	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	3.7	13
47	Conditions Necessary for Best Practice in Interdisciplinary Teamwork. <i>Australasian Psychiatry</i> , 1998, 6, 257-259.	0.4	12
48	The role of metacognitive beliefs in the proneness to hallucinations and delusions: An analysis across clinical and non-clinical populations. <i>British Journal of Clinical Psychology</i> , 2013, 52, 330-346.	1.7	12
49	Receipt and targeting of evidence-based psychosocial interventions for people living with psychoses: findings from the second Australian national survey of psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 613-629.	1.8	12
50	Understanding Implementation of a Digital Self-Monitoring Intervention for Relapse Prevention in Psychosis: Protocol for a Mixed Method Process Evaluation. <i>JMIR Research Protocols</i> , 2019, 8, e15634.	0.5	12
51	Cognitive and behavioural therapies for psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 508-511.	1.3	11
52	An examination of auditory processing and affective prosody in relatives of patients with auditory hallucinations. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 531.	1.0	11
53	A Comparison of Vocational Engagement Among Young People with Psychosis, Depression and Borderline Personality Pathology. <i>Community Mental Health Journal</i> , 2018, 54, 831-841.	1.1	11
54	Impact of Jointly Using an e-Mental Health Resource (Self-Management And Recovery Technology) on Interactions Between Service Users Experiencing Severe Mental Illness and Community Mental Health Workers: Grounded Theory Study. <i>JMIR Mental Health</i> , 2021, 8, e25998.	1.7	11

#	ARTICLE	IF	CITATIONS
55	Relationship between duration of untreated psychosis and neurocognition and social cognition in first-episode psychosis. <i>Schizophrenia Research</i> , 2016, 176, 529-532.	1.1	10
56	Taking a closer look: A cross-sector audit of families where a parent has a mental illness. <i>Australian E-Journal for the Advancement of Mental Health</i> , 2009, 8, 242-249.	0.2	8
57	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	1.1	8
58	Clinical Psychology and The Common Good. <i>Australasian Psychiatry</i> , 2001, 9, 139-142.	0.4	7
59	Development and validation of a scale for self-efficacy for personal recovery in persisting mental illness. <i>Psychiatry Research</i> , 2018, 269, 354-360.	1.7	7
60	Factors associated with vocational disengagement among young people entering mental health treatment. <i>Microbial Biotechnology</i> , 2019, 13, 961-968.	0.9	7
61	Similarities and differences in people accessing prevention and recovery care services and inpatient units in Victoria, Australia. <i>BMC Health Services Research</i> , 2020, 20, 542.	0.9	7
62	Implementing cognitive behavioral therapy for psychosis: An international survey of clinicians' attitudes and obstacles.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 141-148.	0.8	7
63	Perceptions of mental health professionals and family caregivers about their collaborative relationships: A factor analytic study. <i>Australian Psychologist</i> , 2009, 44, 94-104.	0.9	6
64	Synergistic pathways to delusions: enduring vulnerabilities, proximal life stressors and maladaptive psychological coping. <i>Microbial Biotechnology</i> , 2011, 5, 122-131.	0.9	6
65	Perspectives of Trial Staff on the Barriers to Recruitment in a Digital Intervention for Psychosis and How to Work Around Them: Qualitative Study Within a Trial. <i>JMIR Human Factors</i> , 2021, 8, e24055.	1.0	6
66	Command Hallucinations and Violence: Implications for Detention and Treatment. , 0, .		6
67	An examination of the relationships among emotion management, interpersonal hassles, and depressive symptomatology. <i>Australian Journal of Psychology</i> , 2011, 63, 100-106.	1.4	5
68	Vocational engagement among young people entering mental health treatment compared with their general population peers. <i>Microbial Biotechnology</i> , 2019, 13, 692-696.	0.9	5
69	Adapting and implementing Acceptance and Commitment Therapy groups to support personal recovery of adults living with psychosis: a qualitative study of facilitators' experiences. <i>Psychosis</i> , 2022, 14, 322-332.	0.4	5
70	Outcomes and change processes of an established family education program for carers of adults diagnosed with a serious mental health condition. <i>Psychological Medicine</i> , 2020, 50, 1099-1109.	2.7	4
71	Outcomes of Victorian Prevention and Recovery Care Services: A matched pairs comparison. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 1178-1190.	1.3	4
72	Hospital Versus Home Care for the Acutely Mentally Ill? Preferences of Caregivers Who Have Experienced Both Forms of Service. , 0, .		4

#	ARTICLE	IF	CITATIONS
73	Understanding and shaping adaptive coping with voices. , 2010, , 205-232.		3
74	The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis.. Psychiatric Rehabilitation Journal, 2018, 41, 319-327.	0.8	2
75	Translating CBT for Voices into a Program for Carers: A Pilot Study. Behavioural and Cognitive Psychotherapy, 2012, 40, 117-123.	0.9	0
76	Poster #M99 AN EXAMINATION OF AUDITORY PROCESSING AND AFFECTIVE PROSODY IN RELATIVES OF PATIENTS WITH AUDITORY HALLUCINATIONS. Schizophrenia Research, 2014, 153, S225-S226.	1.1	0
77	F208. COGNITION, POSITIVE SYMPTOMS, AND INTERNET USE FOR MENTAL HEALTH IN PEOPLE WITH PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S302-S302.	2.3	0
78	Use of Psychics for Stress and Emotional Problems: A Descriptive Survey Comparison with Conventional Providers and Informal Helpers. Administration and Policy in Mental Health and Mental Health Services Research, 2022, 49, 326-342.	1.2	0
79	An evaluation of the Victorian community care units (CCUS): A 1-year follow up study of 125 long stay in-patients discharged to community care. Australian and New Zealand Journal of Psychiatry, 2000, 34, A47-A47.	1.3	0
80	Acceptance-Based CBT for Command Hallucinations. , 2015, , 108-149.		0
81	From evidence to realities: psychosocial intervention provision in Australian routine community mental health practice. Psychosis, 0, , 1-13.	0.4	0