

John Farhall

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8348832/publications.pdf>

Version: 2024-02-01

81
papers

1,963
citations

236925

25
h-index

302126

39
g-index

99
all docs

99
docs citations

99
times ranked

2136
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting and implementing Acceptance and Commitment Therapy groups to support personal recovery of adults living with psychosis: a qualitative study of facilitators' experiences. <i>Psychosis</i> , 2022, 14, 322-332.	0.8	5
2	Use of Psychics for Stress and Emotional Problems: A Descriptive Survey Comparison with Conventional Providers and Informal Helpers. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2022, 49, 326-342.	2.1	0
3	The EMPOWER blended digital intervention for relapse prevention in schizophrenia: a feasibility cluster randomised controlled trial in Scotland and Australia. <i>Lancet Psychiatry</i> , 2022, 9, 477-486.	7.4	13
4	Digital smartphone intervention to recognise and manage early warning signs in schizophrenia to prevent relapse: the EMPOWER feasibility cluster RCT. <i>Health Technology Assessment</i> , 2022, 26, 1-174.	2.8	16
5	Outcomes of Victorian Prevention and Recovery Care Services: A matched pairs comparison. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 1178-1190.	2.3	4
6	Perspectives of Trial Staff on the Barriers to Recruitment in a Digital Intervention for Psychosis and How to Work Around Them: Qualitative Study Within a Trial. <i>JMIR Human Factors</i> , 2021, 8, e24055.	2.0	6
7	Impact of Jointly Using an eMental Health Resource (Self-Management And Recovery Technology) on Interactions Between Service Users Experiencing Severe Mental Illness and Community Mental Health Workers: Grounded Theory Study. <i>JMIR Mental Health</i> , 2021, 8, e25998.	3.3	11
8	Engagement with online psychosocial interventions for psychosis: A review and synthesis of relevant factors. <i>Internet Interventions</i> , 2021, 25, 100411.	2.7	19
9	Outcomes and change processes of an established family education program for carers of adults diagnosed with a serious mental health condition. <i>Psychological Medicine</i> , 2020, 50, 1099-1109.	4.5	4
10	Pilot randomised controlled trial of a brief coping-focused intervention for hearing voices blended with smartphone-based ecological momentary assessment and intervention (SAVVy): Feasibility, acceptability and preliminary clinical outcomes. <i>Schizophrenia Research</i> , 2020, 216, 479-487.	2.0	40
11	Similarities and differences in people accessing prevention and recovery care services and inpatient units in Victoria, Australia. <i>BMC Health Services Research</i> , 2020, 20, 542.	2.2	7
12	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	2.0	8
13	Early Signs Monitoring to Prevent Relapse in Psychosis and Promote Well-Being, Engagement, and Recovery: Protocol for a Feasibility Cluster Randomized Controlled Trial Harnessing Mobile Phone Technology Blended With Peer Support. <i>JMIR Research Protocols</i> , 2020, 9, e15058.	1.0	24
14	Receipt and targeting of evidence-based psychosocial interventions for people living with psychoses: findings from the second Australian national survey of psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 613-629.	3.9	12
15	Factors associated with vocational disengagement among young people entering mental health treatment. <i>Microbial Biotechnology</i> , 2019, 13, 961-968.	1.7	7
16	Predicting engagement with an online psychosocial intervention for psychosis: Exploring individual- and intervention-level predictors. <i>Internet Interventions</i> , 2019, 18, 100266.	2.7	49
17	Predictors of overall and mental health-related internet use in adults with psychosis. <i>Psychiatry Research</i> , 2019, 278, 12-18.	3.3	23
18	Internet-based interventions to support recovery and self-management: A scoping review of their use by mental health service users and providers together. <i>BMC Psychiatry</i> , 2019, 19, 191.	2.6	20

#	ARTICLE	IF	CITATIONS
19	Vocational engagement among young people entering mental health treatment compared with their general population peers. <i>Microbial Biotechnology</i> , 2019, 13, 692-696.	1.7	5
20	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	2.0	46
21	Contribution of neurocognition to 18-month employment outcomes in first-episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 453-460.	1.7	14
22	Developing a Hypothetical Implementation Framework of Expectations for Monitoring Early Signs of Psychosis Relapse Using a Mobile App: Qualitative Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e14366.	4.3	33
23	Understanding Implementation of a Digital Self-Monitoring Intervention for Relapse Prevention in Psychosis: Protocol for a Mixed Method Process Evaluation. <i>JMIR Research Protocols</i> , 2019, 8, e15634.	1.0	12
24	A Comparison of Vocational Engagement Among Young People with Psychosis, Depression and Borderline Personality Pathology. <i>Community Mental Health Journal</i> , 2018, 54, 831-841.	2.0	11
25	Smartphone-based ecological momentary assessment and intervention in a blended coping-focused therapy for distressing voices: Development and case illustration. <i>Internet Interventions</i> , 2018, 14, 18-25.	2.7	28
26	Going Online Together: The Potential for Mental Health Workers to Integrate Recovery Oriented E-Mental Health Resources Into Their Practice. <i>Psychiatry (New York)</i> , 2018, 81, 116-129.	0.7	13
27	Development and validation of a scale for self-efficacy for personal recovery in persisting mental illness. <i>Psychiatry Research</i> , 2018, 269, 354-360.	3.3	7
28	F208. COGNITION, POSITIVE SYMPTOMS, AND INTERNET USE FOR MENTAL HEALTH IN PEOPLE WITH PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S302-S302.	4.3	0
29	Smartphone-based ecological momentary assessment and intervention in a coping-focused intervention for hearing voices (SAVVy): study protocol for a pilot randomised controlled trial. <i>Trials</i> , 2018, 19, 262.	1.6	21
30	Implementing cognitive behavioral therapy for psychosis: An international survey of clinicians' attitudes and obstacles.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 141-148.	1.1	7
31	The contribution of employment duration to 18-month neurocognitive outcomes in first-episode psychosis.. <i>Psychiatric Rehabilitation Journal</i> , 2018, 41, 319-327.	1.1	2
32	Recovery After Psychosis: Qualitative Study of Service User Experiences of Lived Experience Videos on a Recovery-Oriented Website. <i>JMIR Mental Health</i> , 2018, 5, e37.	3.3	58
33	Acceptance and commitment therapy for psychosis: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 140-148.	2.8	64
34	Insight in body dysmorphic disorder (BDD) relative to obsessive-compulsive disorder (OCD) and psychotic disorders: Revisiting this issue in light of DSM-5. <i>Comprehensive Psychiatry</i> , 2017, 77, 100-108.	3.1	31
35	Promoting Personal Recovery in People with Persisting Psychotic Disorders: Development and Pilot Study of a Novel Digital Intervention. <i>Frontiers in Psychiatry</i> , 2016, 7, 196.	2.6	58
36	Randomised controlled trial of a digitally assisted low intensity intervention to promote personal recovery in persisting psychosis: SMART-Therapy study protocol. <i>BMC Psychiatry</i> , 2016, 16, 312.	2.6	34

#	ARTICLE	IF	CITATIONS
37	Relationship between duration of untreated psychosis and neurocognition and social cognition in first-episode psychosis. Schizophrenia Research, 2016, 176, 529-532.	2.0	10
38	Quality of Life and Social Isolation Among Caregivers of Adults with Schizophrenia: Policy and Outcomes. Community Mental Health Journal, 2015, 51, 591-597.	2.0	103
39	Beliefs about Voices and Schemas about Self and Others in Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 209-223.	1.2	42
40	Exploring cognitive heterogeneity in first-episode psychosis: What cluster analysis can reveal. Psychiatry Research, 2015, 229, 819-827.	3.3	48
41	Neurocognitive and social cognitive predictors of cannabis use in first-episode psychosis. Schizophrenia Research, 2015, 168, 231-237.	2.0	20
42	Acceptance-Based CBT for Command Hallucinations. , 2015, , 108-149.		0
43	A randomised controlled trial of acceptance and commitment therapy (ACT) for psychosis: study protocol. BMC Psychiatry, 2014, 14, 198.	2.6	22
44	The Active Therapeutic Processes of Acceptance and Commitment Therapy for Persistent Symptoms of Psychosis: Clients' Perspectives. Behavioural and Cognitive Psychotherapy, 2014, 42, 402-420.	1.2	30
45	Poster #M99 AN EXAMINATION OF AUDITORY PROCESSING AND AFFECTIVE PROSODY IN RELATIVES OF PATIENTS WITH AUDITORY HALLUCINATIONS. Schizophrenia Research, 2014, 153, S225-S226.	2.0	0
46	A phenomenological investigation of overvalued ideas and delusions in clinical and subclinical anorexia nervosa. Psychiatry Research, 2014, 220, 507-512.	3.3	35
47	The role of metacognitive beliefs in the proneness to hallucinations and delusions: An analysis across clinical and non-clinical populations. British Journal of Clinical Psychology, 2013, 52, 330-346.	3.5	12
48	The Effects of Imagined Versus Actual Contact With a Person With a Diagnosis of Schizophrenia. Basic and Applied Social Psychology, 2013, 35, 265-271.	2.1	23
49	Cognitive and behavioural therapies for psychosis. Australian and New Zealand Journal of Psychiatry, 2013, 47, 508-511.	2.3	11
50	An examination of auditory processing and affective prosody in relatives of patients with auditory hallucinations. Frontiers in Human Neuroscience, 2013, 7, 531.	2.0	11
51	Translating CBT for Voices into a Program for Carers: A Pilot Study. Behavioural and Cognitive Psychotherapy, 2012, 40, 117-123.	1.2	0
52	Modelling the emergence of hallucinations: early acquired vulnerabilities, proximal life stressors and maladaptive psychological processes. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1367-1380.	3.1	23
53	A randomised controlled trial of acceptance-based cognitive behavioural therapy for command hallucinations in psychotic disorders. Behaviour Research and Therapy, 2012, 50, 110-121.	3.1	115
54	Life hassles, experiential avoidance and distressing delusional experiences. Behaviour Research and Therapy, 2011, 49, 260-266.	3.1	41

#	ARTICLE	IF	CITATIONS
55	An examination of the relationships among emotion management, interpersonal hassles, and depressive symptomatology. Australian Journal of Psychology, 2011, 63, 100-106.	2.8	5
56	Synergistic pathways to delusions: enduring vulnerabilities, proximal life stressors and maladaptive psychological coping. Microbial Biotechnology, 2011, 5, 122-131.	1.7	6
57	Auditory hallucinations: a review of assessment tools. Clinical Psychology and Psychotherapy, 2011, 18, 524-534.	2.7	37
58	Cognitive Behavioural Therapy for Auditory Hallucinations: Effectiveness and Predictors of Outcome in a Specialist Clinic. Behavioural and Cognitive Psychotherapy, 2011, 39, 129-138.	1.2	39
59	An Evaluation of Well Ways, a Family Education Programme for Carers of People with a Mental Illness. Australian and New Zealand Journal of Psychiatry, 2011, 45, 45-53.	2.3	16
60	Understanding and shaping adaptive coping with voices. , 2010, , 205-232.		3
61	Perceptions of mental health professionals and family caregivers about their collaborative relationships: A factor analytic study. Australian Psychologist, 2009, 44, 94-104.	1.6	6
62	An effectiveness trial of cognitive behaviour therapy in a representative sample of outpatients with psychosis. British Journal of Clinical Psychology, 2009, 48, 47-62.	3.5	40
63	Taking a closer look: A cross-sector audit of families where a parent has a mental illness. Australian E-Journal for the Advancement of Mental Health, 2009, 8, 242-249.	0.2	8
64	Acting on Harmful Command Hallucinations in Psychotic Disorders. Journal of Nervous and Mental Disease, 2008, 196, 390-398.	1.0	28
65	Coping with hallucinated voices in schizophrenia: A review of self-initiated strategies and therapeutic interventions. Clinical Psychology Review, 2007, 27, 476-493.	11.4	81
66	The voices acceptance and action scale (VAAS): Pilot data. Journal of Clinical Psychology, 2007, 63, 593-606.	1.9	101
67	Command Hallucinations and Violence: Implications for Detention and Treatment. Psychiatry, Psychology and Law, 2003, 10, 97-107.	1.2	44
68	Minimizing Adverse Effects on Patients of Involuntary Relocation From Long-Stay Wards to Community Residences. Psychiatric Services, 2003, 54, 1022-1027.	2.0	22
69	Command Hallucinations and Violence: Implications for Detention and Treatment. Psychiatry, Psychology and Law, 2003, 10, 97-107.	1.2	6
70	Implementing psychological treatment for symptoms of psychosis in an area mental health service: The response of patients, therapists and managers. Journal of Mental Health, 2002, 11, 511-522.	1.9	16
71	From long-stay psychiatric hospital to Community Care Unit: evaluation at 1 year. Social Psychiatry and Psychiatric Epidemiology, 2001, 36, 416-419.	3.1	47
72	Clinical Psychology and The Common Good. Australasian Psychiatry, 2001, 9, 139-142.	0.7	7

#	ARTICLE	IF	CITATIONS
73	Hospital Versus Home Care for the Acutely Mentally Ill? Preferences of Caregivers Who Have Experienced Both Forms of Service. Australian and New Zealand Journal of Psychiatry, 2001, 35, 619-625.	2.3	25
74	Hospital versus home care for the acutely mentally ill? Preferences of caregivers who have experienced both forms of service. Australian and New Zealand Journal of Psychiatry, 2001, 35, 619-625.	2.3	4
75	An evaluation of the Victorian community care units (CCUS): A 1-year follow up study of 125 long stay in-patients discharged to community care. Australian and New Zealand Journal of Psychiatry, 2000, 34, A47-A47.	2.3	0
76	Conditions Necessary for Best Practice in Interdisciplinary Teamwork. Australasian Psychiatry, 1998, 6, 257-259.	0.7	12
77	Training to Enhance Partnerships Between Mental Health Professionals and Family Caregivers: A Comparative Study. Psychiatric Services, 1998, 49, 1488-1490.	2.0	30
78	Coping with hallucinations: Exploring stress and coping framework. British Journal of Clinical Psychology, 1997, 36, 259-261.	3.5	67
79	Persisting Auditory Hallucinations: Prospects for Non-medication Interventions in a Hospital Population. Behaviour Change, 1996, 13, 112-123.	1.3	14
80	Acceptance and Commitment Therapy for Voices. , 0, , 95-111.		20
81	From evidence to realities: psychosocial intervention provision in Australian routine community mental health practice. Psychosis, 0, , 1-13.	0.8	0