

Jose alberola-ila

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8348972/jose-alberola-ila-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38 papers	1,851 citations	20 h-index	43 g-index
54 ext. papers	1,983 ext. citations	11.4 avg, IF	4.17 L-index

#	Paper	IF	Citations
38	Development of $\gamma\delta$ T Cells with Innate Functions.. <i>Advances in Experimental Medicine and Biology</i> , 2022 , 1365, 149-160	3.6	
37	Multifaceted effects of soluble human CD6 in experimental cancer models 2020 , 8,		4
36	Suppression of ILC2 differentiation from committed T cell precursors by E protein transcription factors. <i>Journal of Experimental Medicine</i> , 2019 , 216, 884-899	16.6	21
35	Development of Type 2 Innate Lymphoid Cells Is Selectively Inhibited by Sustained E Protein Activity. <i>ImmunoHorizons</i> , 2019 , 3, 593-605	2.7	3
34	Retroviral Transduction of T Cells and T Cell Precursors. <i>Methods in Molecular Biology</i> , 2016 , 1323, 99-108.	4	8
33	Transgenic expression of soluble human CD5 enhances experimentally-induced autoimmune and anti-tumoral immune responses. <i>PLoS ONE</i> , 2014 , 9, e84895	3.7	13
32	Increased level of E protein activity during invariant NKT development promotes differentiation of invariant NKT2 and invariant NKT17 subsets. <i>Journal of Immunology</i> , 2013 , 191, 5065-73	5.3	22
31	Control of early stages in invariant natural killer T-cell development. <i>Immunology</i> , 2011 , 134, 1-7	7.8	18
30	Regulation of GATA-3 expression during CD4 lineage differentiation. <i>Journal of Immunology</i> , 2011 , 186, 3892-8	5.3	19
29	The Ras/MAPK pathway is required for generation of iNKT cells. <i>PLoS ONE</i> , 2011 , 6, e19890	3.7	29
28	The transcription factor c-Myb primes CD4+CD8+ immature thymocytes for selection into the iNKT lineage. <i>Nature Immunology</i> , 2010 , 11, 435-41	19.1	61
27	Estrogen receptor signaling promotes dendritic cell differentiation by increasing expression of the transcription factor IRF4. <i>Blood</i> , 2010 , 115, 238-46	2.2	72
26	Egr2 is required for Bcl-2 induction during positive selection. <i>Journal of Immunology</i> , 2008 , 181, 7778-85	5.3	32
25	Phosphatidylinositol 3-kinase improves the efficiency of positive selection. <i>International Immunology</i> , 2006 , 18, 921-30	4.9	6
24	Development of ERK Activity Sensor, an in vitro, FRET-based sensor of Extracellular Regulated Kinase activity. <i>BMC Chemical Biology</i> , 2005 , 5, 1		26
23	Analysis of T-cell development by using short interfering RNA to knock down protein expression. <i>Methods in Enzymology</i> , 2005 , 392, 199-217	1.7	19
22	Phosphatidylinositol 3-kinase regulates thymic exit. <i>Journal of Immunology</i> , 2005 , 174, 1230-8	5.3	24

21	Kinase suppressor of Ras couples Ras to the ERK cascade during T cell development. <i>Journal of Immunology</i> , 2004 , 173, 986-92	5.3	8
20	A general approach to detect protein expression in vivo using fluorescent puromycin conjugates. <i>Chemistry and Biology</i> , 2004 , 11, 999-1008		60
19	The Ras/MAPK cascade and the control of positive selection. <i>Immunological Reviews</i> , 2003 , 191, 79-96	11.3	116
18	GATA-3 expression is controlled by TCR signals and regulates CD4/CD8 differentiation. <i>Immunity</i> , 2003 , 19, 83-94	32.3	201
17	A Notch so simple influence on T cell development. <i>Seminars in Cell and Developmental Biology</i> , 2003 , 14, 121-5	7.5	14
16	Disruption of T cell signaling networks and development by Grb2 haploid insufficiency. <i>Nature Immunology</i> , 2001 , 2, 29-36	19.1	137
15	Regulation of the helix-loop-helix proteins, E2A and Id3, by the Ras-ERK MAPK cascade. <i>Nature Immunology</i> , 2001 , 2, 165-71	19.1	226
14	Lck activity controls CD4/CD8 T cell lineage commitment. <i>Immunity</i> , 2000 , 12, 313-22	32.3	162
13	Distinct signals mediate maturation and allelic exclusion in lymphocyte progenitors. <i>Immunity</i> , 1999 , 10, 713-22	32.3	83
12	Conspiracy theory: RAS and RAF do not act alone. <i>Cell</i> , 1998 , 95, 447-50	56.2	68
11	Differential signaling by lymphocyte antigen receptors. <i>Annual Review of Immunology</i> , 1997 , 15, 125-54	34.7	235
10	Characterization of Lnk. An adaptor protein expressed in lymphocytes. <i>Journal of Biological Chemistry</i> , 1997 , 272, 14562-70	5.4	60
9	Isolation and characterisation of a CDw50 negative Jurkat T-cell line variant (PPL.1). <i>Leukemia Research</i> , 1993 , 17, 9-16	2.7	7
8	Different mechanisms regulate the monoclonal antibody-induced modulation of CD2, CD3, and CD5 in human lymphocytes. <i>Cellular Immunology</i> , 1993 , 147, 247-55	4.4	6
7	Effect of protein kinase C activators on the phosphorylation and the surface expression of the CDw50 leukocyte antigen. <i>FEBS Journal</i> , 1992 , 203, 321-6		13
6	Impaired post-transcriptional expression of interleukin-2 receptor in pokeweed mitogen-activated T cells. <i>European Journal of Immunology</i> , 1992 , 22, 897-902	6.1	9
5	Induction of interleukin 2 (IL 2) and interferon-gamma and enhancement of IL 2 receptor expression by a CD26 monoclonal antibody. <i>European Journal of Immunology</i> , 1991 , 21, 1085-8	6.1	27
4	The protein kinase C-independent human B cell proliferation induced via surface immunoglobulins is unaffected by CD45 monoclonal antibodies. <i>Immunobiology</i> , 1991 , 182, 152-60	3.4	

- 3 Changes on the Electrophoretic Mobility of CD5 Molecules Induced by PKC-Mediated Phosphorylation **1991**, 209-213
- 2 Involvement of the CDw50 molecule in allorecognition. *Tissue Antigens*, **1990**, 36, 203-10 30
- 1 Phosphorylation-mediated changes in the electrophoretic mobility of CD5 molecules. *FEBS Journal*, **1990**, 193, 469-77 12