

Nan Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8350258/publications.pdf>

Version: 2024-02-01

34
papers

1,036
citations

567281

15
h-index

434195

31
g-index

36
all docs

36
docs citations

36
times ranked

1320
citing authors

#	ARTICLE	IF	CITATIONS
1	Chinese Society of Allergy Guidelines for Diagnosis and Treatment of Allergic Rhinitis. <i>Allergy, Asthma and Immunology Research</i> , 2018, 10, 300.	2.9	198
2	Seleniumâ€“GPX4 axis protects follicular helper T cells from ferroptosis. <i>Nature Immunology</i> , 2021, 22, 1127-1139.	14.5	158
3	The activation and function of IL-36Î³ in neutrophilic inflammation in chronic rhinosinusitis. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1646-1658.	2.9	93
4	Allergen immunotherapy improves defective follicular regulatory T cells in patients with allergic rhinitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 118-128.	2.9	72
5	Nasal IL-4+CXCR5+CD4+ T follicular helper cell counts correlate with local IgE production in eosinophilic nasal polyps. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 462-473.	2.9	64
6	Predictors of fatality including radiographic findings in adults with COVID-19. <i>Respiratory Research</i> , 2020, 21, 146.	3.6	61
7	Chinese Guideline on allergen immunotherapy for allergic rhinitis. <i>Journal of Thoracic Disease</i> , 2017, 9, 4607-4650.	1.4	40
8	Correlation of allergen-specific T follicular helper cell counts with specific IgE levels and efficacy of allergen immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 321-324.e10.	2.9	39
9	CD23 expression on switched memory B cells bridges Tâ€“B cell interaction in allergic rhinitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 2599-2612.	5.7	34
10	<i>Portulaca</i> Extract Attenuates Development of Dextran Sulfate Sodium Induced Colitis in Mice through Activation of PPARÎ³. <i>PPAR Research</i> , 2018, 2018, 1-11.	2.4	27
11	Peroxisome Proliferator-Activated Receptors Associated with Nonalcoholic Fatty Liver Disease. <i>PPAR Research</i> , 2017, 2017, 1-8.	2.4	25
12	Deficiency in interleukinâ€“10 production by M2 macrophages in eosinophilic chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2018, 8, 1323-1333.	2.8	25
13	Increased expression of TIPE2 in alternatively activated macrophages is associated with eosinophilic inflammation and disease severity in chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2017, 7, 963-972.	2.8	24
14	The effects of Jiao-Tai-Wan on sleep, inflammation and insulin resistance in obesity-resistant rats with chronic partial sleep deprivation. <i>BMC Complementary and Alternative Medicine</i> , 2017, 17, 165.	3.7	22
15	Fenofibrate Exerts Antitumor Effects in Colon Cancer via Regulation of DNMT1 and CDKN2A. <i>PPAR Research</i> , 2021, 2021, 1-20.	2.4	21
16	Admission fasting plasma glucose is an independent risk factor for 28â€“day mortality in patients with COVIDâ€“19. <i>Journal of Medical Virology</i> , 2021, 93, 2168-2176.	5.0	20
17	Extrafollicular PD-1highCXCR5â€“CD4+ T cells participate in local immunoglobulin production in nasal polyps. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 610-623.	2.9	13
18	Sacubitril/valsartan attenuates atrial structural remodelling in atrial fibrillation patients. <i>ESC Heart Failure</i> , 2022, 9, 2428-2434.	3.1	13

#	ARTICLE	IF	CITATIONS
19	Fibrinolysis is a reasonable alternative for STEMI care during the COVID-19 pandemic. <i>Journal of International Medical Research</i> , 2020, 48, 030006052096615.	1.0	12
20	T _H 2 cells associate with enhanced humoral immunity to SARS-CoV-2 inactivated vaccine in patients with allergic rhinitis. <i>Clinical and Translational Medicine</i> , 2022, 12, e717.	4.0	10
21	Effect of human cytomegalovirus on invasive capability of early pregnant extravillous cytotrophoblasts. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2011, 31, 819-823.	1.0	9
22	Inflammatory Endotypes and Tissue Remodeling Features in Antrochoanal Polyps. <i>Allergy, Asthma and Immunology Research</i> , 2021, 13, 863.	2.9	9
23	Application of proton magnetic resonance spectroscopy and computerized tomography in the diagnosis and treatment of nonalcoholic fatty liver disease. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2008, 28, 295-298.	1.0	8
24	Ligand-activated PPAR γ expression promotes hepatocellular carcinoma progression by regulating the PI3K-AKT signaling pathway. <i>Journal of Translational Medicine</i> , 2022, 20, 86.	4.4	6
25	Wnt/ β -catenin signalling controls bile duct regeneration by regulating differentiation of ductular reaction cells. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 14050-14058.	3.6	5
26	PPAR-Alpha Agonist Fenofibrate Combined with Octreotide Acetate in the Treatment of Acute Hyperlipidemia Pancreatitis. <i>PPAR Research</i> , 2021, 2021, 1-9.	2.4	5
27	A Participant-assigned Interventional Research of Precesarean Internal Iliac Artery Balloon Catheterization for Managing Intraoperative Hemorrhage of Placenta Previa and Placenta Accreta Spectrum Disorders After Cesarean Section. <i>Current Medical Science</i> , 2021, 41, 336-341.	1.8	5
28	Oxygen-Challenge Blood Oxygen Level-Dependent Magnetic Resonance Imaging for Evaluation of Early Change of Hepatocellular Carcinoma to Chemoembolization: A Feasibility Study. <i>Academic Radiology</i> , 2021, 28, S13-S19.	2.5	3
29	Aberrant β -catenin activity in hepatoid adenocarcinoma of the stomach. <i>Current Molecular Medicine</i> , 2020, 20, 655-664.	1.3	3
30	Benign prostatic hyperplasia after prostatic arterial embolization in a canine model: A 3T multiparametric MRI and whole-mount step-section pathology correlated longitudinal study. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1220-1229.	3.4	2
31	Efficacy, safety, and prognostic factors of drug-eluting beads transarterial chemoembolization using CalliSpheres in treating huge hepatocellular carcinoma patients. <i>Irish Journal of Medical Science</i> , 2022, 191, 2493-2499.	1.5	2
32	Digital subtract angiography and lipiodol deposits following embolization in cirrhotic nodules of LIRADS category ≥ 3 . <i>European Journal of Radiology Open</i> , 2019, 6, 106-112.	1.6	1
33	Apparent Diffusion Coefficient as a Noninvasive Biomarker for the Early Response in Hepatocellular Carcinoma After Transcatheter Arterial Chemoembolization Using Drug-eluting Beads. <i>Current Medical Imaging</i> , 2022, 18, 1186-1194.	0.8	1
34	Societal and Individual Determinants of Patients' Radiation Safety Behavior: A Preliminary Investigation from China. <i>Journal of the American College of Radiology</i> , 2014, 11, 521-526.	1.8	0