## Giovanni Del Poeta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8350708/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Integrated mutational and cytogenetic analysis identifies new prognostic subgroups in chronic lymphocytic leukemia. Blood, 2013, 121, 1403-1412.	1.4	420
2	Amount of spontaneous apoptosis detected by Bax/Bcl-2 ratio predicts outcome in acute myeloid leukemia (AML). Blood, 2003, 101, 2125-2131.	1.4	309
3	Response to B-cell–depleting therapy with rituximab reverts the abnormalities of T-cell subsets in patients with idiopathic thrombocytopenic purpura. Blood, 2007, 110, 2924-2930.	1.4	267
4	Prognostic and therapeutic implications of minimal residual disease detection in acute myeloid leukemia. Blood, 2012, 119, 332-341.	1.4	246
5	Clinical significance of CD38 expression in chronic lymphocytic leukemia. Blood, 2001, 98, 2633-2639.	1.4	242
6	Relevance of CD49d protein expression as overall survival and progressive disease prognosticator in chronic lymphocytic leukemia. Blood, 2008, 111, 865-873.	1.4	226
7	Level of minimal residual disease after consolidation therapy predicts outcome in acute myeloid leukemia. Blood, 2000, 96, 3948-3952.	1.4	225
8	COVID-19 severity and mortality in patients with chronic lymphocytic leukemia: a joint study by ERIC, the European Research Initiative on CLL, and CLL Campus. Leukemia, 2020, 34, 2354-2363.	7.2	198
9	Molecular prediction of durable remission after first-line fludarabine-cyclophosphamide-rituximab in chronic lymphocytic leukemia. Blood, 2015, 126, 1921-1924.	1.4	197
10	Clinical significance of ZAP-70 protein expression in B-cell chronic lymphocytic leukemia. Blood, 2006, 108, 853-861.	1.4	171
11	Toward Optimization of Postremission Therapy for Residual Disease–Positive Patients With Acute Myeloid Leukemia. Journal of Clinical Oncology, 2008, 26, 4944-4951.	1.6	165
12	CD49d Is the Strongest Flow Cytometry–Based Predictor of Overall Survival in Chronic Lymphocytic Leukemia. Journal of Clinical Oncology, 2014, 32, 897-904.	1.6	162
13	CD38/CD31, the CCL3 and CCL4 Chemokines, and CD49d/Vascular Cell Adhesion Molecule-1 Are Interchained by Sequential Events Sustaining Chronic Lymphocytic Leukemia Cell Survival. Cancer Research, 2009, 69, 4001-4009.	0.9	153
14	Cytogenetic and molecular diagnostic characterization combined to postconsolidation minimal residual disease assessment by flow cytometry improves risk stratification in adult acute myeloid leukemia. Blood, 2010, 116, 2295-2303.	1.4	126
15	The kinetics of reduction of minimal residual disease impacts on duration of response and survival of patients with acute myeloid leukemia. Leukemia, 2006, 20, 1783-1789.	7.2	117
16	Association between molecular lesions and specific B-cell receptor subsets in chronic lymphocytic leukemia. Blood, 2013, 121, 4902-4905.	1.4	113
17	Molecular and clinical features of chronic lymphocytic leukaemia with stereotyped B cell receptors: results from an Italian multicentre study. British Journal of Haematology, 2009, 144, 492-506.	2.5	106
18	Chlorambucil plus rituximab with or without maintenance rituximab as firstâ€line treatment for elderly chronic lymphocytic leukemia patients. American Journal of Hematology, 2014, 89, 480-486.	4.1	104

#	Article	IF	CITATIONS
19	Consolidation and maintenance immunotherapy with rituximab improve clinical outcome in patients with Bâ€cell chronic lymphocytic leukemia. Cancer, 2008, 112, 119-128.	4.1	86
20	The CD49d/CD29 complex is physically and functionally associated with CD38 in B-cell chronic lymphocytic leukemia cells. Leukemia, 2012, 26, 1301-1312.	7.2	78
21	Incidence of chromosome abnormalities and clinical significance of karyotype in de novo acute myeloid leukemia. Cancer Genetics and Cytogenetics, 1993, 67, 28-34.	1.0	77
22	The miR-17â^¼92 family regulates the response to Toll-like receptor 9 triggering of CLL cells with unmutated IGHV genes. Leukemia, 2012, 26, 1584-1593.	7.2	77
23	Monitoring of minimal residual disease in adult acute myeloid leukemia using peripheral blood as an alternative source to bone marrow. Haematologica, 2007, 92, 605-611.	3.5	76
24	Minimally Differentiated Acute Myeloid Leukemia (AML-M0): Comparison of 25 Cases With Other French-American-British Subtypes. Blood, 1997, 89, 621-629.	1.4	75
25	Comparative study on the immunogenicity between an HLA-A24-restricted cytotoxic T-cell epitope derived from survivin and that from its splice variant survivin-2B in oral cancer patients. Journal of Translational Medicine, 2009, 7, 1.	4.4	74
26	NOTCH1 mutations associate with low CD20 level in chronic lymphocytic leukemia: evidence for a NOTCH1 mutation-driven epigenetic dysregulation. Leukemia, 2016, 30, 182-189.	7.2	74
27	CD49d expression is an independent risk factor of progressive disease in early stage chronic lymphocytic leukemia. Haematologica, 2008, 93, 1575-1579.	3.5	72
28	Pretransplant minimal residual disease level predicts clinical outcome in patients with acute myeloid leukemia receiving high-dose chemotherapy and autologous stem cell transplantation. Leukemia, 2003, 17, 2178-2182.	7.2	67
29	13q14 Deletion size and number of deleted cells both influence prognosis in chronic lymphocytic leukemia. Genes Chromosomes and Cancer, 2011, 50, 633-643.	2.8	67
30	Deregulation of the Mitochondrial Apoptotic Machinery and Development of Molecular Targeted Drugs in Acute Myeloid Leukemia. Current Cancer Drug Targets, 2008, 8, 207-222.	1.6	66
31	The prognostic value of cytogenetics is reinforced by the kind of induction/consolidation therapy in influencing the outcome of acute myeloid leukemia – analysis of 848 patients. Leukemia, 2001, 15, 903-909.	7.2	65
32	Functional and clinical relevance of VLA-4 (CD49d/CD29) in ibrutinib-treated chronic lymphocytic leukemia. Journal of Experimental Medicine, 2018, 215, 681-697.	8.5	65
33	Biological and clinical implications of <i>BIRC3</i> mutations in chronic lymphocytic leukemia. Haematologica, 2020, 105, 448-456.	3.5	64
34	Comprehensive characterization of IGHV3-21–expressing B-cell chronic lymphocytic leukemia: an Italian multicenter study. Blood, 2007, 109, 2989-2998.	1.4	62
35	Level of minimal residual disease after consolidation therapy predicts outcome in acute myeloid leukemia. Blood, 2000, 96, 3948-3952.	1.4	60
36	<i>&gt; IGLV3-21 <i>*</i> 01 </i> is an inherited risk factor for CLL through the acquisition of a single-point mutation enabling autonomous BCR signaling. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 4320-4327.	7.1	55

#	Article	IF	CITATIONS
37	Analysis of IgVH gene mutations in BÂcell chronic lymphocytic leukaemia according to antigen-driven selection identifies subgroups with different prognosis and usage of the canonical somatic hypermutation machinery. British Journal of Haematology, 2004, 126, 29-42.	2.5	54
38	Fulminant B hepatitis in a surface antigen-negative patient with B-cell chronic lymphocytic leukaemia after rituximab therapy. Leukemia, 2005, 19, 1840-1841.	7.2	53
39	Clinical significance of bax/bcl-2 ratio in chronic lymphocytic leukemia. Haematologica, 2016, 101, 77-85.	3.5	53
40	Angiopoietin-2 plasma dosage predicts time to first treatment and overall survival in chronic lymphocytic leukemia. Blood, 2010, 116, 584-592.	1.4	51
41	CENTRAL NERVOUS SYSTEM INVOLVEMENT IN ADULT ACUTE LYMPHOBLASTIC LEUKEMIA: DIAGNOSTIC TOOLS, PROPHYLAXIS AND THERAPY. Mediterranean Journal of Hematology and Infectious Diseases, 2014, 6, e2014075.	1.3	50
42	A scoring system based on the expression of six surface molecules allows the identification of three prognostic risk groups in B-cell chronic lymphocytic leukemia. Journal of Cellular Physiology, 2006, 207, 354-363.	4.1	49
43	CD49d is overexpressed by trisomy 12 chronic lymphocytic leukemia cells: evidence for a methylation-dependent regulation mechanism. Blood, 2013, 122, 3317-3321.	1.4	48
44	The coexistence of chronic lymphocytic leukemia and myeloproliperative neoplasms: A retrospective multicentric GIMEMA experience. American Journal of Hematology, 2011, 86, 1007-1012.	4.1	47
45	Minimally differentiated acute myeloid leukaemia (AML-MO): cytochemical, immunophenotypic and cytogenetic analysis of 19 cases. British Journal of Haematology, 1994, 88, 784-793.	2.5	46
46	The addition of rituximab to fludarabine improves clinical outcome in untreated patients with ZAP-70-negative chronic lymphocytic leukemia. Cancer, 2005, 104, 2743-2752.	4.1	45
47	The cumulative amount of serum-free light chain is a strong prognosticator in chronic lymphocytic leukemia. Blood, 2011, 118, 6353-6361.	1.4	45
48	Expression of Mutated <i>IGHV3-23</i> Genes in Chronic Lymphocytic Leukemia Identifies a Disease Subset with Peculiar Clinical and Biological Features. Clinical Cancer Research, 2010, 16, 620-628.	7.0	44
49	A cluster of <i>Geotrichum clavatum</i> ( <i>Saprochaete clavata</i> ) infection in haematological patients: a first Italian report and review of literature. Mycoses, 2016, 59, 594-601.	4.0	44
50	CD7 Expression in Acute Myeloid Leukemia. Leukemia and Lymphoma, 1995, 17, 111-119.	1.3	43
51	Tumor evolutionary directed graphs and the history of chronic lymphocytic leukemia. ELife, 2014, 3, .	6.0	43
52	Intrinsic and extrinsic factors influencing the clinical course of B-cell chronic lymphocytic leukemia: prognostic markers with pathogenetic relevance. Journal of Translational Medicine, 2009, 7, 76.	4.4	41
53	Infections increase the risk of central venous catheter-related thrombosis in adult acute myeloid leukemia. Thrombosis Research, 2013, 132, 511-514.	1.7	41
54	A Comparative Analysis of FISH, RT-PCR, and Cytogenetics for the Diagnosis of <i>bcr-abl</i> Positive Leukemias. American Journal of Clinical Pathology, 1998, 109, 24-31.	0.7	39

#	Article	IF	CITATIONS
55	Involvement of central nervous system in adult patients with acute myeloid leukemia: Incidence and impact on outcome. Seminars in Hematology, 2018, 55, 209-214.	3.4	39
56	HIF-1α is over-expressed in leukemic cells from <i>TP53</i> -disrupted patients and is a promising therapeutic target in chronic lymphocytic leukemia. Haematologica, 2020, 105, 1042-1054.	3.5	39
57	Intensive treatment of patients age 60 years and older with De novo acute myeloid leukemia: Analysis of prognostic factors. , 1996, 77, 2476-2488.		38
58	ZAP-70 expression in B-cell chronic lymphocytic leukemia: Evaluation by external (isotypic) or internal (T/NK cells) controls and correlation with IgVH mutations. Cytometry Part B - Clinical Cytometry, 2006, 70B, 284-292.	1.5	38
59	NOTCH1 mutations identify a chronic lymphocytic leukemia patient subset with worse prognosis in the setting of a rituximab-based induction and consolidation treatment. Annals of Hematology, 2014, 93, 1765-1774.	1.8	34
60	P-glycoprotein and terminal transferase expression identify prognostic subsets within cytogenetic risk classes in acute myeloid leukemia. Leukemia Research, 1999, 23, 451-465.	0.8	33
61	Monocytes/macrophages but not T lymphocytes are the major targets of the CCL3/CCL4 chemokines produced by CD38 <sup>+</sup> CD49d <sup>+</sup> chronic lymphocytic leukaemia cells. British Journal of Haematology, 2010, 150, 111-112.	2.5	33
62	Endothelin-1 Promotes Survival and Chemoresistance in Chronic Lymphocytic Leukemia B Cells through ETA Receptor. PLoS ONE, 2014, 9, e98818.	2.5	33
63	CD49d promotes disease progression in chronic lymphocytic leukemia: new insights from CD49d bimodal expression. Blood, 2020, 135, 1244-1254.	1.4	33
64	FISH analysis for CML monitoring ?. Annals of Hematology, 1996, 73, 113-119.	1.8	32
65	P-glycoprotein and BCL-2 levels predict outcome in adult acute lymphoblastic leukaemia. British Journal of Haematology, 2003, 121, 730-738.	2.5	32
66	CD69 is independently prognostic in chronic lymphocytic leukemia: a comprehensive clinical and biological profiling study. Haematologica, 2012, 97, 279-287.	3.5	32
67	A shorter time to the first treatment may be predicted by the absolute number of regulatory Tâ€cells in patients with Rai stage 0 chronic lymphocytic leukemia. American Journal of Hematology, 2012, 87, 628-631.	4.1	32
68	Microenvironmental Interactions in Chronic Lymphocytic Leukemia: The Master Role of CD49d. Seminars in Hematology, 2014, 51, 168-176.	3.4	32
69	Chromosomal Aberration of the 11q23 Locus in Acute Leukemia and Frequency of MLL Gene Translocation Results in 378 Adult Patients. American Journal of Clinical Pathology, 2004, 122, 298-306.	0.7	31
70	Signature of B-CLL with different prognosis by Shrunken centroids of surface antigen expression profiling. Journal of Cellular Physiology, 2005, 204, 113-123.	4.1	30
71	Bâ€cell receptor, clinical course and prognosis in chronic lymphocytic leukaemia: the growing saga of the <i>IGHV3</i> subgroup gene usage. British Journal of Haematology, 2011, 153, 3-14.	2.5	30
72	Multicentre validation of a prognostic index for overall survival in chronic lymphocytic leukaemia. Hematological Oncology, 2011, 29, 91-99.	1.7	30

#	Article	IF	CITATIONS
73	High sensitivity of flow cytometry improves detection of occult leptomeningeal disease in acute lymphoblastic leukemia and lymphoblastic lymphoma. Annals of Hematology, 2014, 93, 1509-1513.	1.8	30
74	Minimal residual disease negativity in elderly patients with acute myeloid leukemia may indicate different postremission strategies than in younger patients. Annals of Hematology, 2015, 94, 1319-1326.	1.8	30
75	P-Glycoprotein Expression in De Novo Acute Myeloid Leukemia. Leukemia and Lymphoma, 1997, 27, 257-274.	1.3	29
76	Bendamustine in combination with rituximab for elderly patients with previously untreated B-cell chronic lymphocytic leukemia: A retrospective analysis of real-life practice in Italian hematology departments. Leukemia Research, 2015, 39, 1066-1070.	0.8	29
77	Minimally differentiated acute myeloid leukemia (AML-MO): a distinct clinico-biologic entity with poor prognosis. Annals of Hematology, 1996, 72, 208-215.	1.8	27
78	<i>MDM4 (MDMX)</i> is overexpressed in chronic lymphocytic leukaemia (CLL) and marks a subset of p53 <sup>wildâ€type</sup> CLL with a poor cytotoxic response to Nutlinâ€3. British Journal of Haematology, 2010, 150, 237-239.	2.5	27
79	Comparison between conventional banding analysis and FISH screening with an AML-specific set of probes in 260 patients. The Hematology Journal, 2003, 4, 263-270.	1.4	27
80	CD90/Thy-1 is preferentially expressed on blast cells of high risk acute myeloid leukaemias*. British Journal of Haematology, 2004, 125, 203-212.	2.5	26
81	In vitro down-regulation of bcl-2 expression by all-trans retinoic acid in AML blasts. Annals of Hematology, 1997, 75, 145-147.	1.8	25
82	Clinical heterogeneity of <i>de novo</i> 11q deletion chronic lymphocytic leukaemia: prognostic relevance of extent of 11q deleted nuclei inside leukemic clone. Hematological Oncology, 2013, 31, 88-95.	1.7	25
83	<i>TP53</i> Mutations with Low Variant Allele Frequency Predict Short Survival in Chronic Lymphocytic Leukemia. Clinical Cancer Research, 2021, 27, 5566-5575.	7.0	23
84	Chronic lymphocytic leukemiaâ€associated immune thrombocytopenia treated with rituximab: a retrospective study of 21 patients. European Journal of Haematology, 2010, 85, 502-507.	2.2	22
85	Potential therapeutic role of antagomiR17 for the treatment of chronic lymphocytic leukemia. Journal of Hematology and Oncology, 2014, 7, 79.	17.0	22
86	Clinical Relevance of Minimal Residual Disease Detection in Adult Acute Myeloid Leukemia. Journal of Hematotherapy and Stem Cell Research, 2002, 11, 349-357.	1.8	21
87	Collection of peripheral progenitor cells: a comparison between Amicus and Cobe-Spectra blood cell separators. Transfusion and Apheresis Science, 2004, 30, 131-136.	1.0	21
88	Normal lymphocytes from leukemic samples as an internal quality control for fluorescence intensity in immunophenotyping of acute leukemias. Cytometry Part B - Clinical Cytometry, 2006, 70B, 1-9.	1.5	21
89	IGHV gene mutational status and 17p deletion are independent molecular predictors in a comprehensive clinical-biological prognostic model for overall survival prediction in chronic lymphocytic leukemia. Journal of Translational Medicine, 2012, 10, 18.	4.4	21
90	Combined analysis of bcl-2 and MDR1 proteins in 256 cases of acute myeloid leukemia. Haematologica, 2004, 89, 934-9.	3.5	20

#	Article	IF	CITATIONS
91	Apoptosis and immaturity in acute myeloid leukemia. Hematology, 2005, 10, 25-34.	1.5	19
92	Prognostic impact of ZAP-70 expression in chronic lymphocytic leukemia: mean fluorescence intensity T/B ratio versus percentage of positive cells. Journal of Translational Medicine, 2010, 8, 23.	4.4	19
93	MINIMAL RESIDUAL DISEASE IN ACUTE MYELOID LEUKEMIA OF ADULTS: DETERMINATION, PROGNOSTIC IMPACT AND CLINICAL APPLICATIONS Mediterranean Journal of Hematology and Infectious Diseases, 2016, 8, 2016052.	1.3	18
94	Mutations in the 3′ untranslated region of <i>NOTCH1</i> are associated with low CD20 expression levels chronic lymphocytic leukemia. Haematologica, 2017, 102, e305-e309.	3.5	18
95	The SIRT1/TP53 axis is activated upon B-cell receptor triggering via miR-132 up-regulation in chronic lymphocytic leukemia cells. Oncotarget, 2015, 6, 19102-19117.	1.8	18
96	Clinical significance of soluble p53 protein in B-cell chronic lymphocytic leukemia. Haematologica, 2004, 89, 1468-75.	3.5	18
97	Surface-antigen expression profiling (SEP) in B-cell chronic lymphocytic leukemia (B-CLL): Identification of markers with prognostic relevance. Journal of Immunological Methods, 2005, 305, 20-32.	1.4	17
98	Immunophenotypic characterization of IgVH3-72 B-cell chronic lymphocytic leukaemia (B-CLL). Leukemia Research, 2006, 30, 1197-1199.	0.8	17
99	Cluster analysis of immunophenotypic data: The example of chronic lymphocytic leukemia. Immunology Letters, 2011, 134, 137-144.	2.5	17
100	Microenvironmental Interactions in Chronic Lymphocytic Leukemia: Hints for Pathogenesis and Identification of Targets for Rational Therapy. Current Pharmaceutical Design, 2012, 18, 3323-3334.	1.9	17
101	Complementary and alternative medicine use in patients with chronic lymphocytic leukemia: an Italian multicentric survey. Leukemia and Lymphoma, 2014, 55, 841-847.	1.3	17
102	Spontaneous apoptosis and proliferation detected by BCL-2 and CD71 proteins are important progression indicators within ZAP-70 negative chronic lymphocytic leukemia. Leukemia and Lymphoma, 2010, 51, 95-106.	1.3	16
103	The genotype nucleophosmin mutated and <i>FLT3</i> â€ITD negative is characterized by high bax/bclâ€⊋ ratio and favourable outcome in acute myeloid leukaemia. British Journal of Haematology, 2010, 149, 383-387.	2.5	15
104	A laboratory-based scoring system predicts early treatment in Rai O chronic lymphocytic leukemia. Haematologica, 2020, 105, 1613-1620.	3.5	15
105	High-dose chemotherapy in adult acute myeloid leukemia: Rationale and results. Leukemia Research, 1996, 20, 535-549.	0.8	14
106	A microgranular variant of acute promyelocytic leukemia with atypical morpho-cytochemical features and an early myeloid immunophenotype. Leukemia Research, 1997, 21, 575-580.	0.8	14
107	Biological Features of Acute Myeloid Leukemia in the Elderly. Blood, 1998, 92, 697-699.	1.4	14
108	Multiple myeloma shows no intra-disease clustering of immunoglobulin heavy chain genes. Haematologica, 2012, 97, 849-853.	3.5	14

#	Article	IF	CITATIONS
109	Clinical significance of c.7544â€7545 del <scp>CT </scp> <i><scp>NOTCH</scp>1</i> mutation in chronic lymphocytic leukaemia. British Journal of Haematology, 2013, 160, 415-418.	2.5	14
110	Detection of TP53 dysfunction in chronic lymphocytic leukemia by an in vitro functional assay based on TP53 activation by the non-genotoxic drug Nutlin-3: a proposal for clinical application. Journal of Hematology and Oncology, 2013, 6, 83.	17.0	14
111	New reciprocal translocation t(6;10) (q27;q11) associated with idiopathic myelofibrosis and eosinophilia. Leukemia Research, 2001, 25, 349-351.	0.8	13
112	REGULATORY T-CELLS IN CHRONIC LYMPHOCYTIC LEUKEMIA. Mediterranean Journal of Hematology and Infectious Diseases, 2012, 4, e2012053.	1.3	12
113	<i>SF3B1</i> -mutated chronic lymphocytic leukemia shows evidence of NOTCH1 pathway activation including CD20 downregulation. Haematologica, 2021, 106, 3125-3135.	3.5	12
114	Fluorescence in situ hybridization and conventional cytogenetics for the diagnosis of 11q23+ /mll + translocation in leukaemia. British Journal of Haematology, 2003, 121, 953-955.	2.5	11
115	Multidimensional Flow Cytometry for Detection of Minimal Residual Disease in Acute Myeloid Leukemia. Leukemia and Lymphoma, 2003, 44, 445-450.	1.3	11
116	Mutational status of <i>IGHV</i> is the most reliable prognostic marker in trisomy 12 chronic lymphocytic leukemia. Haematologica, 2017, 102, e443-e446.	3.5	11
117	Trisomy 4 as the sole karyotypic anomaly in acute biphenotypic leukemia with B lineage markers and in acute minimally differentiated myeloid leukemia (MO). Cancer Genetics and Cytogenetics, 1995, 80, 66-67.	1.0	9
118	Surface-antigen expression profiling of B cell chronic lymphocytic leukemia: from the signature of specific disease subsets to the identification of markers with prognostic relevance. Journal of Translational Medicine, 2006, 4, 11.	4.4	9
119	CD49d expression in chronic lymphocytic leukemia: a prognostic parameter and a therapeutic target. Future Oncology, 2008, 4, 355-358.	2.4	9
120	Molecular and clinical features of chronic lymphocytic leukemia with stereotyped B-cell receptors in a Ukrainian cohort. Leukemia and Lymphoma, 2010, 51, 822-838.	1.3	9
121	Extensive toxic epidermal necrolysis following brentuximab vedotin administration. Annals of Hematology, 2015, 94, 355-356.	1.8	9
122	Chlorambucil plus rituximab as front-line therapy for elderly and/or unfit chronic lymphocytic leukemia patients: correlation with biologically-based risk stratification. Haematologica, 2017, 102, e352-e355.	3.5	9
123	Prognostic Value of Cytogenetics and Multidrug Resistance (MDR1) in Elderly Patients With Acute Myeloid Leukemia. Blood, 1998, 92, 695-697.	1.4	9
124	Validation of a biological score to predict response in chronic lymphocytic leukemia patients treated front-line with bendamustine and rituximab. Leukemia, 2018, 32, 1869-1873.	7.2	8
125	Impaired nodal shrinkage and apoptosis define the independent adverse outcome of NOTCH1 mutated patients under ibrutinib therapy in chronic lymphocytic leukaemia. Haematologica, 2021, 106, 2345-2353.	3.5	8
126	Molecular characterization of Ph′+ hybrid acute leukemia. Leukemia Research, 1989, 13, 1061-1067.	0.8	7

#	Article	IF	CITATIONS
127	Simultaneous Occurrence of Monoclonal Gammopathy and Acute Secondary Leukemia with Overexpression of P-Glycoprotein. Tumori, 1992, 78, 403-406.	1.1	7
128	Recombinant Interferon α2a, Thymopentin and Low Doses of Cytosine Arabinoside for the Treatment of Myelodysplastic Syndromes: A Pilot Study. Leukemia and Lymphoma, 1995, 16, 335-342.	1.3	7
129	Positive selection of CD34+ cells by immunoadsorption: factors affecting the final yield and hematopoietic recovery in patients with hematological malignancies and solid tumors. Transfusion and Apheresis Science, 2002, 26, 103-110.	1.0	7
130	Complete regression of cutaneous lesions of refractory Ph+ ALL after 4 weeks of treatment with BMS-354825. Blood, 2006, 107, 4571-4572.	1.4	7
131	Evaluation of the prognostic relevance of <scp>l</scp> â€selectin and ICAM1 expression in myelodysplastic syndromes. European Journal of Haematology, 2008, 80, 107-114.	2.2	7
132	Management of hematological malignancies in patients affected by renal failure. Expert Review of Anticancer Therapy, 2011, 11, 415-432.	2.4	7
133	Dismal Outcome of Acute Myeloid Leukemia Secondary to Myelodysplastic Syndrome and Chronic Myelomonocytic Leukemia after Azacitidine Failure in a Daily-Life Setting. Acta Haematologica, 2015, 133, 64-66.	1.4	7
134	Role of Human Leukocyte Interferon-α in the Treatment of Patients With Polycythemia Vera. American Journal of the Medical Sciences, 1998, 315, 237-241.	1.1	7
135	Increased levels of circulating interleukin-6 in patients with newly diagnosed non-Hodgkin's lymphomas. American Journal of Hematology, 1994, 46, 160-161.	4.1	5
136	One Year of Clinical Experience in Postdilution Hemofiltration with Online Reinfusion of Regenerated Ultrafiltrate. Blood Purification, 2004, 22, 505-509.	1.8	5
137	Gelatinous Degeneration of the Bone Marrow: Two Case Reports Showing Different Hematological Features and Clinical Outcomes. Acta Haematologica, 2007, 118, 165-166.	1.4	5
138	Front-Line Therapy for Elderly Chronic Lymphocytic Leukemia Patients: Bendamustine Plus Rituximab or Chlorambucil Plus Rituximab? Real-Life Retrospective Multicenter Study in the Lazio Region. Frontiers in Oncology, 2020, 10, 848.	2.8	5
139	Role of immunochemotherapy in the treatment of chronic lymphocytic leukemia. Expert Review of Anticancer Therapy, 2006, 6, 1787-1800.	2.4	4
140	A Novel t(11;12)(q23–24;q24) in a Case of Minimally-Differentiated Acute Myeloid Leukemia (AML-MO). Cancer Genetics and Cytogenetics, 2000, 118, 76-79.	1.0	3
141	Activation-Induced Cytidine Deaminase and CD38 Expression in B-Cell Chronic Lymphocytic Leukemia. Clinical Lymphoma and Myeloma, 2005, 6, 251-252.	1.4	3
142	How would I manage a sample submitted for flow cytometry analysis for suspicious chronic lymphocytic leukaemia. Hematological Oncology, 2009, 27, 186-189.	1.7	3
143	<i><scp>ARHGDIA</scp></i> , a mutant <scp>TP</scp> 53â€associated Rho <scp>GDP</scp> dissociation inhibitor, is overâ€expressed in gene expression profiles of <i><scp>TP</scp>53</i> disrupted chronic lymphocytic leukaemia cells. British Journal of Haematology, 2013, 161, 596-599.	2.5	3
144	Unexplained severe Coombs-negative hemolytic anemia during treatment of refractory chronic lymphocytic leukemia with alemtuzumab. Annals of Hematology, 2014, 93, 863-865.	1.8	3

0

#	Article	IF	CITATIONS
145	Hodgkin lymphoma in a mutated ZAP-70 negative B-cell Chronic Lymphocytic Leukemia patient. Leukemia Research, 2008, 32, 363-365.	0.8	2
146	Leukocyte Alkaline Phosphatase Score in Plasma Cell Dyscrasias: Correlation with Disease Severity and Circulating Levels of Granulocyte-Colony Stimulating Factor. Leukemia and Lymphoma, 1995, 17, 479-483.	1.3	1
147	Bone Marrow Necrosis as a Terminal Complication of a Very Long-Lasting Polycythemia Vera. International Journal of Hematology, 2007, 86, 377-378.	1.6	1
148	<i>IGHD3â€3</i> fails to behave as unfavourable prognostic marker in chronic lymphocytic leukaemia. British Journal of Haematology, 2010, 149, 299-302.	2.5	1
149	Pure erythroid leukemia in advanced breast cancer. Blood Research, 2014, 49, 69.	1.3	1
150	Fulminant B Hepatitis in a Hepatitis B Surface Antigen-Negative Patient after Rituximab Therapy for B-CLL Blood, 2005, 106, 5025-5025.	1.4	1
151	Immunotherapeutic Maintenance Strategy Prolongs Response Duration and Overall Survival Preventing Relapse in Chronic Lymphocytic Leukemia (CLL),. Blood, 2011, 118, 3906-3906.	1.4	1
152	Vitamin D and non-Hodgkin lymphomas, trends from an Italian monocentric study. Panminerva Medica, 2021, 63, 547-549.	0.8	1
153	Automated Haematology Analysers in Acute and Chronic Leukaemias. Acta Haematologica, 1998, 100, 61-62.	1.4	0
154	B-cell chronic lymphocytic leukemia. , 0, , 786-792.		0
155	Rituximab single agent in age-related Epstein–Barr virus associated B cell disorder complicated by autoimmune anemia and pure red cell aplasia. Annals of Hematology, 2014, 93, 1611-1612.	1.8	0
156	Pyrrolo[1,2-B][1,2,5] benzodiazepines (PBTDs) Compounds Induce Apoptosis in Chronic Myeloid Leukaemia Cells from Patients at Onset, Imatinib and Second Generation TK Inhibitors (Dasatinib,) Tj ETQq0 0 0	rg <b>B</b> T4/Ove	rlo <b>c</b> k 10 Tf 50
157	Acute Zoster Pain (AZP) and Post-Herpetic Neuralgia (PHN) in the Course of Lymphoproliferative Disorders (LPD): Durable Pain Relief Provided by Oxycodone in Patients Unresponsive to Standard Therapy Blood, 2006, 108, 5500-5500.	1.4	0

A Molecular Model to Predict Durable Remission after First Line Fludarabine-Cyclophosphamide-Rituximab Treatment in Chronic Lymphocytic Leukemia. Blood, 2014, 124, 1.4 3300-3300.