Alice L Yu

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8351125/alice-l-yu-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

6,004 150 37 74 h-index g-index citations papers 6,937 165 5.26 7.6 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
150	Genomic and Molecular Signatures of Successful Patient-Derived Xenografts for Oral Cavity Squamous Cell Carcinoma <i>Frontiers in Oncology</i> , 2022 , 12, 792297	5.3	O
149	Expression of neuroblastoma-related genes in bone marrow at end of high-risk neuroblastoma therapy <i>Pediatric Blood and Cancer</i> , 2022 , e29719	3	
148	O-Acetyl-GD2 as a Therapeutic Target for Breast Cancer Stem Cells <i>Frontiers in Immunology</i> , 2021 , 12, 791551	8.4	2
147	Improved Outcome in Children With Newly Diagnosed High-Risk Neuroblastoma Treated With Chemoimmunotherapy: Updated Results of a Phase II Study Using hu14.18K322A. <i>Journal of Clinical Oncology</i> , 2021 , JCO2101375	2.2	7
146	Notch signaling and natural killer cell infiltration in tumor tissues underlie medulloblastoma prognosis. <i>Scientific Reports</i> , 2021 , 11, 23282	4.9	О
145	Benzo[a]pyrene induces fibrotic changes and impairs differentiation in lung stem cells. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 210, 111892	7	4
144	Transmembrane and coiled-coil domain family 3 (TMCC3) regulates breast cancer stem cell and AKT activation. <i>Oncogene</i> , 2021 , 40, 2858-2871	9.2	O
143	Allele and Soluble MICA as Biomarkers for Ankylosing Spondylitis in Taiwanese. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	1
142	Sialylation of CD55 by ST3GAL1 Facilitates Immune Evasion in Cancer. <i>Cancer Immunology Research</i> , 2021 , 9, 113-122	12.5	8
141	Long-Term Follow-up of a Phase III Study of ch14.18 (Dinutuximab) + Cytokine Immunotherapy in Children with High-Risk Neuroblastoma: COG Study ANBL0032. <i>Clinical Cancer Research</i> , 2021 , 27, 2179	-2789	30
140	Yulink, predicted from evolutionary analysis, is involved in cardiac function. <i>Journal of Biomedical Science</i> , 2021 , 28, 7	13.3	1
139	High B3GALT5 expression confers poor clinical outcome and contributes to tumor progression and metastasis in breast cancer. <i>Breast Cancer Research</i> , 2021 , 23, 5	8.3	5
138	NAD depletion by type I interferon signaling sensitizes pancreatic cancer cells to NAMPT inhibition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	3
137	BTK Inhibition Reverses MDSC-Mediated Immunosuppression and Enhances Response to Anti-PDL1 Therapy in Neuroblastoma. <i>Cancers</i> , 2021 , 13,	6.6	5
136	Low Expression of IL-15 and NKT in Tumor Microenvironment Predicts Poor Outcome of MYCN-Non-Amplified Neuroblastoma. <i>Journal of Personalized Medicine</i> , 2021 , 11,	3.6	3
135	Globo H Is a Promising Theranostic Marker for Intrahepatic Cholangiocarcinoma. <i>Hepatology Communications</i> , 2021 ,	6	1
134	Co-Delivery of CPT-11 and Panobinostat with Anti-GD2 Antibody Conjugated Immunoliposomes for Targeted Combination Chemotherapy. <i>Cancers</i> , 2020 , 12,	6.6	9

133	Molecular-Clinical Correlation in Pediatric Medulloblastoma: A Cohort Series Study of 52 Cases in Taiwan. <i>Cancers</i> , 2020 , 12,	6.6	4
132	Irinotecan, Temozolomide, and Dinutuximab With GM-CSF in Children With Refractory or Relapsed Neuroblastoma: A Report From the Children@Oncology Group. <i>Journal of Clinical Oncology</i> , 2020 , 38, 2160-2169	2.2	37
131	Design and synthesis of glyco-peptides as anti-cancer agents targeting thrombin-protease activated receptor-1 interaction. <i>Chemical Communications</i> , 2020 , 56, 5827-5830	5.8	1
130	Upregulation of Protein Synthesis and Proteasome Degradation Confers Sensitivity to Proteasome Inhibitor Bortezomib in Myc-Atypical Teratoid/Rhabdoid Tumors. <i>Cancers</i> , 2020 , 12,	6.6	3
129	B3GALT5 knockout alters gycosphingolipid profile and facilitates transition to human naWe pluripotency. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 27435-27444	11.5	2
128	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO. <i>PLoS ONE</i> , 2020 , 15, e0236115	3.7	4
127	Globo H-KLH vaccine adagloxad simolenin (OBI-822)/OBI-821 in patients with metastatic breast cancer: phase II randomized, placebo-controlled study 2020 , 8,		11
126	Comprehensive Cohort Analysis of Mutational Spectrum in Early Onset Breast Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	4
125	Targeting glycosphingolipids for cancer immunotherapy. FEBS Letters, 2020, 594, 3602-3618	3.8	11
124	GPER-induced signaling is essential for the survival of breast cancer stem cells. <i>International Journal of Cancer</i> , 2020 , 146, 1674-1685	7.5	19
123	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
122	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
121	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
120	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
119	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
118	Anti-GD2 induced allodynia in rats can be reduced by pretreatment with DFMO 2020 , 15, e0236115		
117	Fucosyltransferase 1 and 2 play pivotal roles in breast cancer cells. Cell Death Discovery, 2019, 5, 74	6.9	18
116	FAM129B, an antioxidative protein, reduces chemosensitivity by competing with Nrf2 for Keap1 binding. <i>EBioMedicine</i> , 2019 , 45, 25-38	8.8	18

115	A Phase II Trial of Hu14.18K322A in Combination with Induction Chemotherapy in Children with Newly Diagnosed High-Risk Neuroblastoma. <i>Clinical Cancer Research</i> , 2019 , 25, 6320-6328	12.9	42
114	Application of cell-free DNA sequencing in characterization of bloodborne microbes and the study of microbe-disease interactions. <i>PeerJ</i> , 2019 , 7, e7426	3.1	8
113	Sialylation of vasorin by ST3Gal1 facilitates TGF-II-mediated tumor angiogenesis and progression. <i>International Journal of Cancer</i> , 2019 , 144, 1996-2007	7.5	23
112	Analysis of microbial sequences in plasma cell-free DNA for early-onset breast cancer patients and healthy females. <i>BMC Medical Genomics</i> , 2018 , 11, 16	3.7	17
111	Neuroblastoma PatientsQXIR and KIR-Ligand Genotypes Influence Clinical Outcome for Dinutuximab-based Immunotherapy: A Report from the ChildrenQ Oncology Group. <i>Clinical Cancer Research</i> , 2018 , 24, 189-196	12.9	36
110	Reciprocal feedback regulation of ST3GAL1 and GFRA1 signaling in breast cancer cells. <i>Cancer Letters</i> , 2018 , 434, 184-195	9.9	20
109	A Comprehensive Safety Trial of Chimeric Antibody 14.18 With GM-CSF, IL-2, and Isotretinoin in High-Risk Neuroblastoma Patients Following Myeloablative Therapy: Children@ Oncology Group Study ANBL0931. <i>Frontiers in Immunology</i> , 2018 , 9, 1355	8.4	49
108	Leucine-Rich Repeat Neuronal Protein 1 Regulates Differentiation of Embryonic Stem Cells by Post-Translational Modifications of Pluripotency Factors. <i>Stem Cells</i> , 2018 , 36, 1514-1524	5.8	12
107	T Oligo-Primed Polymerase Chain Reaction (TOP-PCR): A Robust Method for the Amplification of Minute DNA Fragments in Body Fluids. <i>Scientific Reports</i> , 2017 , 7, 40767	4.9	1
106	Irinotecan-temozolomide with temsirolimus or dinutuximab in children with refractory or relapsed neuroblastoma (COG ANBL1221): an open-label, randomised, phase 2 trial. <i>Lancet Oncology, The</i> , 2017 , 18, 946-957	21.7	133
105	Synthesis of an S-Linked (2-8) GD3 Antigen and Evaluation of the Immunogenicity of Its Glycoconjugate. <i>Chemistry - A European Journal</i> , 2017 , 23, 6876-6887	4.8	12
104	Englerin A induces an acute inflammatory response and reveals lipid metabolism and ER stress as targetable vulnerabilities in renal cell carcinoma. <i>PLoS ONE</i> , 2017 , 12, e0172632	3.7	15
103	High expression FUT1 and B3GALT5 is an independent predictor of postoperative recurrence and survival in hepatocellular carcinoma. <i>Scientific Reports</i> , 2017 , 7, 10750	4.9	18
102	Tailored design of NKT-stimulatory glycolipids for polarization of immune responses. <i>Journal of Biomedical Science</i> , 2017 , 24, 22	13.3	22
101	Glycosphingolipid dynamics in human embryonic stem cell and cancer: their characterization and biomedical implications. <i>Glycoconjugate Journal</i> , 2017 , 34, 765-777	3	19
100	HLA-Bw4-I-80 Isoform Differentially Influences Clinical Outcome As Compared to HLA-Bw4-T-80 and HLA-A-Bw4 Isoforms in Rituximab or Dinutuximab-Based Cancer Immunotherapy. <i>Frontiers in Immunology</i> , 2017 , 8, 675	8.4	12
99	Fucosylation of LAMP-1 and LAMP-2 by FUT1 correlates with lysosomal positioning and autophagic flux of breast cancer cells. <i>Cell Death and Disease</i> , 2016 , 7, e2347	9.8	30
98	Structure-Based Design of NH-modified Egalactosyl Ceramide (KRN7000) Analogues and Their Biological Activities. <i>ChemistrySelect</i> , 2016 , 1, 4564-4569	1.8	1

(2014-2016)

97	Phenyl Glycolipids with Different Glycosyl Groups Exhibit Marked Differences in Murine and Human iNKT Cell Activation. <i>ACS Chemical Biology</i> , 2016 , 11, 3431-3441	4.9	7
96	Design, Synthesis, and Biological Evaluation of Ganglioside Hp-s1 Analogues Varying at Glucosyl Moiety. <i>ACS Chemical Neuroscience</i> , 2016 , 7, 1107-11	5.7	9
95	Randomized phase II/III trial of active immunotherapy with OPT-822/OPT-821 in patients with metastatic breast cancer <i>Journal of Clinical Oncology</i> , 2016 , 34, 1003-1003	2.2	15
94	Structure-based optimization of GRP78-binding peptides that enhances efficacy in cancer imaging and therapy. <i>Biomaterials</i> , 2016 , 94, 31-44	15.6	26
93	Targeting Glycans for Immunotherapy of Human Cancers 2016 , 197-219		
92	Alterations of Glycosphingolipids in Embryonic Stem Cell Differentiation and Development of Glycan-Targeting Cancer Immunotherapy. <i>Stem Cells and Development</i> , 2016 , 25, 1532-1548	4.4	12
91	Tracking and Finding Slow-Proliferating/Quiescent Cancer Stem Cells with Fluorescent Nanodiamonds. <i>Small</i> , 2015 , 11, 4394-402	11	26
90	Evidence for a common evolutionary rate in metazoan transcriptional networks. ELife, 2015, 4,	8.9	19
89	A novel peptide that directs chemotherapy against breast cancer stem cell. <i>FASEB Journal</i> , 2015 , 29, 629.18	0.9	1
88	Potent adjuvant effects of novel NKT stimulatory glycolipids on hemagglutinin based DNA vaccine for H5N1 influenza virus. <i>Antiviral Research</i> , 2014 , 107, 110-8	10.8	15
87	A novel oncogenic role of inositol phosphatase SHIP2 in ER-negative breast cancer stem cells: involvement of JNK/vimentin activation. <i>Stem Cells</i> , 2014 , 32, 2048-60	5.8	31
86	Design and synthesis of galactose-6-OH-modified Egalactosyl ceramide analogues with Th2-biased immune responses. <i>RSC Advances</i> , 2014 , 4, 47341-47356	3.7	12
85	Epidermal growth factor/heat shock protein 27 pathway regulates vasculogenic mimicry activity of breast cancer stem/progenitor cells. <i>Biochimie</i> , 2014 , 104, 117-26	4.6	27
84	High expression of CAI2, a 9p21-embedded long noncoding RNA, contributes to advanced-stage neuroblastoma. <i>Cancer Research</i> , 2014 , 74, 3753-63	10.1	41
83	Malignant phyllodes tumors display mesenchymal stem cell features and aldehyde dehydrogenase/disialoganglioside identify their tumor stem cells. <i>Breast Cancer Research</i> , 2014 , 16, R29	8.3	33
82	Absence of MGST1 mRNA and protein expression in human neuroblastoma cell lines and primary tissue. <i>Free Radical Biology and Medicine</i> , 2014 , 69, 167-71	7.8	4
81	Metabolic characteristics of 13-cis-retinoic acid (isotretinoin) and anti-tumour activity of the 13-cis-retinoic acid metabolite 4-oxo-13-cis-retinoic acid in neuroblastoma. <i>British Journal of Pharmacology</i> , 2014 , 171, 5330-44	8.6	18
80	Chimeric antibody c.8B6 to O-acetyl-GD2 mediates the same efficient anti-neuroblastoma effects as therapeutic ch14.18 antibody to GD2 without antibody induced allodynia. <i>PLoS ONE</i> , 2014 , 9, e87210	3.7	31

79	Chimeras of p14ARF and p16: functional hybrids with the ability to arrest growth. <i>PLoS ONE</i> , 2014 , 9, e88219	3.7	9
78	The multifaceted effects of polysaccharides isolated from Dendrobium huoshanense on immune functions with the induction of interleukin-1 receptor antagonist (IL-1ra) in monocytes. <i>PLoS ONE</i> , 2014 , 9, e94040	3.7	21
77	Globo-H ceramide shed from cancer cells triggers translin-associated factor X-dependent angiogenesis. <i>Cancer Research</i> , 2014 , 74, 6856-66	10.1	29
76	EGalactosylceramide but not phenyl-glycolipids induced NKT cell anergy and IL-33-mediated myeloid-derived suppressor cell accumulation via upregulation of egr2/3. <i>Journal of Immunology</i> , 2014 , 192, 1972-81	5.3	39
75	The prognostic significance of RUNX2 and miR-10a/10b and their inter-relationship in breast cancer. <i>Journal of Translational Medicine</i> , 2014 , 12, 257	8.5	37
74	A comprehensive safety trial of chimeric antibody 14.18 (ch14.18) with GM-CSF, IL-2, and isotretinoin in high-risk neuroblastoma patients following myeloablative therapy: A Children@ Oncology Group study <i>Journal of Clinical Oncology</i> , 2014 , 32, 10044-10044	2.2	8
73	The expression and significance of insulin-like growth factor-1 receptor and its pathway on breast cancer stem/progenitors. <i>Breast Cancer Research</i> , 2013 , 15, R39	8.3	72
72	Synthesis of Hydroxylated Analogues of EGalactosyl Ceramide (KRN7000) with Varying Stereochemistry. <i>European Journal of Organic Chemistry</i> , 2013 , 2013, 7611-7623	3.2	9
71	Renal cancer-selective Englerin A induces multiple mechanisms of cell death and autophagy. Journal of Experimental and Clinical Cancer Research, 2013 , 32, 57	12.8	24
70	Highly Fluorescent Nanodiamonds Protein-Functionalized for Cell Labeling and Targeting. <i>Advanced Functional Materials</i> , 2013 , 23, 5737-5745	15.6	106
69	Purged versus non-purged peripheral blood stem-cell transplantation for high-risk neuroblastoma (COG A3973): a randomised phase 3 trial. <i>Lancet Oncology, The</i> , 2013 , 14, 999-1008	21.7	205
68	Carbohydrate-based vaccines with a glycolipid adjuvant for breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 2517-22	11.5	122
67	Ethical issues for control-arm patients after revelation of benefits of experimental therapy: a framework modeled in neuroblastoma. <i>Journal of Clinical Oncology</i> , 2013 , 31, 641-6	2.2	8
66	Concordant and discordant regulation of target genes by miR-31 and its isoforms. <i>PLoS ONE</i> , 2013 , 8, e58169	3.7	36
65	Global assessment of Antrodia cinnamomea-induced microRNA alterations in hepatocarcinoma cells. <i>PLoS ONE</i> , 2013 , 8, e82751	3.7	10
64	Cluvenone induces apoptosis via a direct target in mitochondria: a possible mechanism to circumvent chemo-resistance?. <i>Investigational New Drugs</i> , 2012 , 30, 1841-8	4.3	15
63	Single nuclei Raman spectroscopy for drug evaluation. <i>Analytical Chemistry</i> , 2012 , 84, 113-20	7.8	17
62	Monoclonal antibodies targeting the synthetic peptide corresponding to the polybasic cleavage site on H5N1 influenza hemagglutinin. <i>Journal of Biomedical Science</i> , 2012 , 19, 37	13.3	3

61	High-speed mass measurement of nanoparticle and virus. <i>Analytical Chemistry</i> , 2012 , 84, 4965-9	7.8	9
60	Surface markers in stem cells and cancer from the perspective of glycomic analysis. <i>International Journal of Biological Markers</i> , 2012 , 27, e344-52	2.8	3
59	Promising therapeutic targets in neuroblastoma. Clinical Cancer Research, 2012, 18, 2740-53	12.9	144
58	Synthesis and evaluation of acyl-chain- and galactose-6@modified analogues of EGalCer for NKT cell activation. <i>ChemBioChem</i> , 2012 , 13, 1689-97	3.8	15
57	Hsp27 participates in the maintenance of breast cancer stem cells through regulation of epithelial-mesenchymal transition and nuclear factor- B . <i>Breast Cancer Research</i> , 2011 , 13, R101	8.3	118
56	EGalactosylceramide-induced airway eosinophilia is mediated through the activation of NKT cells. Journal of Immunology, 2011 , 186, 4687-92	5.3	16
55	Avidity of CD1d-ligand-receptor ternary complex contributes to T-helper 1 (Th1) polarization and anticancer efficacy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 17275-80	11.5	36
54	The synthetic caged garcinia xanthone cluvenone induces cell stress and apoptosis and has immune modulatory activity. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 2869-78	6.1	22
53	Switching of the core structures of glycosphingolipids from globo- and lacto- to ganglio-series upon human embryonic stem cell differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 22564-9	11.5	86
52	Anti-GD2 antibody with GM-CSF, interleukin-2, and isotretinoin for neuroblastoma. <i>New England Journal of Medicine</i> , 2010 , 363, 1324-34	59.2	1144
51	microRNA signature and expression of Dicer and Drosha can predict prognosis and delineate risk groups in neuroblastoma. <i>Cancer Research</i> , 2010 , 70, 7841-50	10.1	152
50	Immunomodulatory and adjuvant activities of a polysaccharide extract of Ganoderma lucidum in vivo and in vitro. <i>Vaccine</i> , 2010 , 28, 4945-54	4.1	45
49	Anti-GD(2) with an FC point mutation reduces complement fixation and decreases antibody-induced allodynia. <i>Pain</i> , 2010 , 149, 135-142	8	93
48	Quantitative measurement of nano-/microparticle endocytosis by cell mass spectrometry. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 3460-4	16.4	35
47	miR-149* induces apoptosis by inhibiting Akt1 and E2F1 in human cancer cells. <i>Molecular Carcinogenesis</i> , 2010 , 49, 719-27	5	87
46	A novel puf-A gene predicted from evolutionary analysis is involved in the development of eyes and primordial germ-cells. <i>PLoS ONE</i> , 2009 , 4, e4980	3.7	28
45	Phase I study of ch14.18 with granulocyte-macrophage colony-stimulating factor and interleukin-2 in children with neuroblastoma after autologous bone marrow transplantation or stem-cell rescue: a report from the Children@ Oncology Group. <i>Journal of Clinical Oncology</i> , 2009 , 27, 85-91	2.2	12 0
44	A phase II study of Campath-1H in children with relapsed or refractory acute lymphoblastic leukemia: a Children@ Oncology Group report. <i>Pediatric Blood and Cancer</i> , 2009 , 53, 978-83	3	77

43	Inactivation of SHIP1 in T-cell acute lymphoblastic leukemia due to mutation and extensive alternative splicing. <i>Leukemia Research</i> , 2009 , 33, 1562-6	2.7	41
42	BO-0742, a derivative of AHMA and N-mustard, has selective toxicity to drug sensitive and drug resistant leukemia cells and solid tumors. <i>Cancer Letters</i> , 2009 , 276, 204-11	9.9	6
41	Charge monitoring cell mass spectrometry. <i>Analytical Chemistry</i> , 2008 , 80, 2524-30	7.8	39
40	c-Myb is an evolutionary conserved miR-150 target and miR-150/c-Myb interaction is important for embryonic development. <i>Molecular Biology and Evolution</i> , 2008 , 25, 2189-98	8.3	86
39	Expression of Globo H and SSEA3 in breast cancer stem cells and the involvement of fucosyl transferases 1 and 2 in Globo H synthesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 11667-72	11.5	124
38	Glycan microarray of Globo H and related structures for quantitative analysis of breast cancer. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 11661-6	11.5	131
37	A consensus-hemagglutinin-based DNA vaccine that protects mice against divergent H5N1 influenza viruses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 13538-43	11.5	126
36	Nonparametric estimation of LOH using Affymetrix SNP genotyping arrays for unpaired samples. Journal of Human Genetics, 2008 , 53, 983-990	4.3	10
35	High-speed mass analysis of whole erythrocytes by charge-detection quadrupole ion trap mass spectrometry. <i>Analytical Chemistry</i> , 2007 , 79, 7401-7	7.8	36
34	Charge-monitoring laser-induced acoustic desorption mass spectrometry for cell and microparticle mass distribution measurement. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 3865-9	16.4	50
33	Potent immune-modulating and anticancer effects of NKT cell stimulatory glycolipids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 10299-304	11.5	127
32	Human TRIM71 and its nematode homologue are targets of let-7 microRNA and its zebrafish orthologue is essential for development. <i>Molecular Biology and Evolution</i> , 2007 , 24, 2525-34	8.3	66
31	Synthesis and evaluation of caged Garcinia xanthones. <i>Organic and Biomolecular Chemistry</i> , 2007 , 5, 494	- <u>\$</u> .00	39
30	Identification of pulmonary Oct-4+ stem/progenitor cells and demonstration of their susceptibility to SARS coronavirus (SARS-CoV) infection in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 9530-5	11.5	133
29	Reishi polysaccharides induce immunoglobulin production through the TLR4/TLR2-mediated induction of transcription factor Blimp-1. <i>Journal of Biological Chemistry</i> , 2006 , 281, 24111-23	5.4	105
28	EFA (9-beta-D-erythrofuranosyladenine) is an effective salvage agent for methylthioadenosine phosphorylase-selective therapy of T-cell acute lymphoblastic leukemia with L-alanosine. <i>Blood</i> , 2006 , 107, 898-903	2.2	13
27	Temozolomide and radiation for aggressive pediatric central nervous system malignancies. <i>Journal of Pediatric Hematology/Oncology</i> , 2005 , 27, 254-8	1.2	8
26	The role of methionine in ethylmalonic encephalopathy with petechiae. <i>Archives of Neurology</i> , 2004 , 61, 570-4		15

(1991-2004)

25	Expression profiles and clinical relationships of ID2, CDKN1B, and CDKN2A in primary neuroblastoma. <i>Genes Chromosomes and Cancer</i> , 2004 , 41, 297-308	5	12
24	A Murine Model of Human Primary Leukemia for Studying Leukemia-Stromal Interactions and Prediction of Clinical Outcome <i>Blood</i> , 2004 , 104, 1192-1192	2.2	
23	Inhibition of Bcl-xL expression sensitizes T-cell acute lymphoblastic leukemia cells to chemotherapeutic drugs. <i>Leukemia Research</i> , 2002 , 26, 311-6	2.7	28
22	Treatment of high-risk neuroblastoma with triple-tandem high-dose therapy and stem-cell rescue: results of the Chicago Pilot II Study. <i>Journal of Clinical Oncology</i> , 2002 , 20, 2284-92	2.2	114
21	The histone deacetylase inhibitor AN-9 has selective toxicity to acute leukemia and drug-resistant primary leukemia and cancer cell lines. <i>Blood</i> , 2002 , 100, 3319-24	2.2	67
20	Human cord blood conditioned medium enhances leukemia colony formation in vitro. <i>Leukemia Research</i> , 2000 , 24, 1041-8	2.7	5
19	Frequent deregulation of p16 and the p16/G1 cell cycle-regulatory pathway in neuroblastoma. <i>International Journal of Cancer</i> , 1999 , 80, 145-54	7.5	28
18	A syndrome of seizures and pervasive developmental disorder associated with excessive cellular nucleotidase activity. <i>Advances in Experimental Medicine and Biology</i> , 1998 , 431, 789-92	3.6	
17	Methods for producing high titer, pantropic retroviral vectors for gene transfer into leukemic T-cells. <i>Methods in Molecular Medicine</i> , 1997 , 7, 213-21		
16	Electrophysiological characteristics of primary afferent fibers after systemic administration of anti-GD2 ganglioside antibody. <i>Pain</i> , 1997 , 69, 145-51	8	42
15	Shortened survival after relapse in T-cell acute lymphoblastic leukemia patients with p16/p15 deletions. <i>Leukemia Research</i> , 1997 , 21, 549-58	2.7	29
14	The p16 and p18 tumor suppressor genes in neuroblastoma: implications for drug resistance. <i>Cancer Letters</i> , 1996 , 104, 183-92	9.9	15
13	Pharmacokinetics of anti-ganglioside GD2 mAb 14G2a in a phase I trial in pediatric cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 1995 , 41, 29-36	7.4	39
12	Chapter 15 Potential of genetically engineered anti-ganglioside GD2 antibodies for cancer immunotheraphy. <i>Progress in Brain Research</i> , 1994 , 101, 201-212	2.9	6
11	Activin A-induced differentiation in K562 cells is associated with a transient hypophosphorylation of RB protein and the concomitant block of cell cycle at G1 phase. <i>Journal of Cellular Biochemistry</i> , 1992 , 50, 255-65	4.7	35
10	Helper-suppressor T-cell leukemia: unusual phenotype controlled with low-dose deoxycoformycin. American Journal of Hematology, 1991 , 36, 208-10	7.1	2
9	Specific roles of activin/inhibin in human erythropoiesis in vitro. <i>Annals of the New York Academy of Sciences</i> , 1991 , 628, 199-211	6.5	10

7	Transcobalamin II deficiency presenting with methylmalonic aciduria and homocystinuria and abnormal absorption of cobalamin. <i>American Journal of Medical Genetics Part A</i> , 1990 , 35, 222-8		28
6	Deoxycoformycin treatment for childhood T-cell acute lymphoblastic leukemia early in second remission: a Pediatric Oncology Group Study. <i>Medical and Pediatric Oncology</i> , 1988 , 16, 327-32		6
5	Importance of FSH-releasing protein and inhibin in erythrodifferentiation. <i>Nature</i> , 1987 , 330, 765-7	50.4	248
4	Morphological changes in leukemic lymphoblasts and normal lymphocytes treated with deoxyadenosine plus deoxycoformycin. <i>Cancer Investigation</i> , 1985 , 3, 225-33	2.1	5
3	Cell cycle independent lymphocytotoxicity of 2-chlorodeoxyadenosine. <i>Advances in Experimental Medicine and Biology</i> , 1984 , 165 Pt B, 351-6	3.6	1
2	In vitro and in vivo effect of deoxycoformycin in human T cell leukemia. <i>Advances in Experimental Medicine and Biology</i> , 1979 , 122B, 373-9	3.6	9
1	Concomitant presence of tumor-specific cytotoxic and inhibitor lymphocytes in patients with osteogenic sarcoma. <i>New England Journal of Medicine</i> , 1977 , 297, 121-7	59.2	95