

Elie Haddad

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8352387/elie-haddad-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

8,516
citations

50
h-index

88
g-index

187
ext. papers

10,090
ext. citations

6
avg, IF

5.32
L-index

#	Paper	IF	Citations
168	Autologous humanized mouse models of iPSC-derived tumors enable characterization and modulation of cancer-immune cell interactions.. <i>Cell Reports Methods</i> , 2022 , 2, 100153		0
167	Stress Signal ULBP4, an NKG2D Ligand, Is Upregulated in Multiple Sclerosis and Shapes CD8 T-Cell Behaviors. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022 , 9,	9.1	1
166	Granulocyte Transfusions in Patients with Chronic Granulomatous Disease Undergoing Hematopoietic Cell Transplantation or Gene Therapy.. <i>Journal of Clinical Immunology</i> , 2022 , 1	5.7	0
165	Case Report: Unmanipulated Matched Sibling Donor Hematopoietic Cell Transplantation In Congenital Athymia: A Lifesaving Therapeutic Approach When Facing a Systemic Viral Infection.. <i>Frontiers in Immunology</i> , 2021 , 12, 721917	8.4	0
164	Successful management of familial hemophagocytic lymphohistiocytosis by the JAK 1/2 inhibitor ruxolitinib. <i>Pediatric Blood and Cancer</i> , 2021 , 68, e28954	3	1
163	Intrabone infusion for allogeneic umbilical cord blood transplantation in children. <i>Bone Marrow Transplantation</i> , 2021 , 56, 1937-1943	4.4	
162	Capturing T Lymphocytes Dynamic Interactions With Human Neural Cells Using Time-Lapse Microscopy. <i>Frontiers in Immunology</i> , 2021 , 12, 668483	8.4	3
161	Infections in Infants with SCID: Isolation, Infection Screening, and Prophylaxis in PIDTC Centers. <i>Journal of Clinical Immunology</i> , 2021 , 41, 38-50	5.7	5
160	Myogenic progenitor cells derived from human induced pluripotent stem cell are immune-tolerated in humanized mice. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 267-277	6.9	4
159	French-language adaptation of the 16D and 17D Quality of Life measures and score description in two Canadian pediatric samples. <i>Health Psychology and Behavioral Medicine</i> , 2021 , 9, 619-635	2.2	
158	Refractory pruritus responds to dupilumab in a patient with TTC7A mutation. <i>JAAD Case Reports</i> , 2021 , 8, 9-12	1.4	2
157	Multicentric Castleman disease revealing complete signal transducer and activator of transcription 1 deficiency treated by JAK1/2 inhibition. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 3838-3840.e1	5.4	1
156	Rituximab-induced hypogammaglobulinemia and infection risk in pediatric patients. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 148, 523-532.e8	11.5	4
155	Excellent outcomes following hematopoietic cell transplantation for Wiskott-Aldrich syndrome: a PIDTC report. <i>Blood</i> , 2020 , 135, 2094-2105	2.2	46
154	Diagnostic assay to assist clinical decisions for unclassified severe combined immune deficiency. <i>Blood Advances</i> , 2020 , 4, 2606-2610	7.8	14
153	Hematopoietic Cell Transplantation in Patients With Primary Immune Regulatory Disorders (PIRD): A Primary Immune Deficiency Treatment Consortium (PIDTC) Survey. <i>Frontiers in Immunology</i> , 2020 , 11, 239	8.4	25
152	Neuroinflammatory Disease as an Isolated Manifestation of Hemophagocytic Lymphohistiocytosis. <i>Journal of Clinical Immunology</i> , 2020 , 40, 901-916	5.7	16

151	Common presentations and diagnostic approaches 2020 , 3-59		0
150	Patients ONK cell stimulation with activated plasmacytoid dendritic cells increases dinutuximab-induced neuroblastoma killing. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1767-1779	7.4	7
149	Population pharmacokinetic analysis of weekly and biweekly IgPro20 (Hizentra [®]) dosing in patients with primary immunodeficiency. <i>International Immunopharmacology</i> , 2020 , 81, 106005	5.8	6
148	Pharmacokinetic Analysis of Weekly Versus Biweekly IgPro20 Dosing in Patients With Primary Immunodeficiency. <i>Clinical Pharmacology in Drug Development</i> , 2020 , 9, 664-670	2.3	2
147	Cross-Sectional Evaluation of Humoral Responses against SARS-CoV-2 Spike. <i>Cell Reports Medicine</i> , 2020 , 1, 100126	18	134
146	Genetic and epigenetic modification of human primary NK cells for enhanced antitumor activity. <i>Seminars in Hematology</i> , 2020 , 57, 201-212	4	9
145	HIV Infection and Persistence in Pulmonary Mucosal Double Negative T Cells. <i>Journal of Virology</i> , 2020 , 94,	6.6	5
144	Real-World Effectiveness of Common Treatment Strategies for Juvenile Idiopathic Arthritis: Results From a Canadian Cohort. <i>Arthritis Care and Research</i> , 2020 , 72, 897-906	4.7	6
143	Tolerability of subcutaneous immunoglobulin 20%, Ig20Gly, in pediatric patients with primary immunodeficiencies. <i>Immunotherapy</i> , 2019 , 11, 397-406	3.8	4
142	The Tumor-Immune Response Is Not Compromised by Mesenchymal Stromal Cells in Humanized Mice. <i>Journal of Immunology</i> , 2019 , 203, 2735-2745	5.3	7
141	¹⁸ F-Fluorodeoxyglucose positron emission tomography with computed tomography (FDG PET/CT) findings in children with encephalitis and comparison to conventional imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1309-1324	8.8	14
140	Chronic Granulomatous Disease-Associated IBD Resolves and Does Not Adversely Impact Survival Following Allogeneic HCT. <i>Journal of Clinical Immunology</i> , 2019 , 39, 653-667	5.7	21
139	GX15-070 (Obatoclax), a Bcl-2 family proteins inhibitor engenders apoptosis and pro-survival autophagy and increases Chemosensitivity in neuroblastoma. <i>BMC Cancer</i> , 2019 , 19, 1018	4.8	15
138	Natural Killer Cells Prevent the Formation of Teratomas Derived From Human Induced Pluripotent Stem Cells. <i>Frontiers in Immunology</i> , 2019 , 10, 2580	8.4	7
137	Human models of NUP98-KDM5A megakaryocytic leukemia in mice contribute to uncovering new biomarkers and therapeutic vulnerabilities. <i>Blood Advances</i> , 2019 , 3, 3307-3321	7.8	15
136	Hematopoietic Stem Cell Transplantation for Severe Combined Immunodeficiency (SCID). <i>Frontiers in Pediatrics</i> , 2019 , 7, 481	3.4	8
135	Flt3L-Mediated Expansion of Plasmacytoid Dendritic Cells Suppresses HIV Infection in Humanized Mice. <i>Cell Reports</i> , 2019 , 29, 2770-2782.e5	10.6	9
134	Efficient and Robust NK-Cell Transduction With Baboon Envelope Pseudotyped Lentivector. <i>Frontiers in Immunology</i> , 2019 , 10, 2873	8.4	43

133	The genetic landscape of severe combined immunodeficiency in the United States and Canada in the current era (2010-2018). <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 405-407	11.5	35
132	Small-Fiber Neuropathy in a Pediatric Patient Following Anti-Tumor Necrosis Factor- α Therapy for Ulcerative Colitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, e159-e161	2.8	1
131	Long-term follow-up of IPEX syndrome patients after different therapeutic strategies: An international multicenter retrospective study. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 1036-1049.e5	11.5	157
130	Health-Related Quality of Life in an Inception Cohort of Children With Juvenile Idiopathic Arthritis: A Longitudinal Analysis. <i>Arthritis Care and Research</i> , 2018 , 70, 134-144	4.7	27
129	Autosomal Dominant Hyper-IgE Syndrome in the USIDNET Registry. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 996-1001	5.4	41
128	Trajectories of pain severity in juvenile idiopathic arthritis: results from the Research in Arthritis in Canadian Children Emphasizing Outcomes cohort. <i>Pain</i> , 2018 , 159, 57-66	8	17
127	Conventional Dendritic Cells Impair Recovery after Myocardial Infarction. <i>Journal of Immunology</i> , 2018 , 201, 1784-1798	5.3	29
126	Humanized mouse model of Rasmussen's encephalitis supports the immune-mediated hypothesis. <i>Journal of Clinical Investigation</i> , 2018 , 128, 2000-2009	15.9	14
125	Noncoding regions are the main source of targetable tumor-specific antigens. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	199
124	Rapamycin as an Adjunctive Therapy for NLR4 Associated Macrophage Activation Syndrome. <i>Frontiers in Immunology</i> , 2018 , 9, 2162	8.4	18
123	SCID genotype and 6-month posttransplant CD4 count predict survival and immune recovery. <i>Blood</i> , 2018 , 132, 1737-1749	2.2	88
122	How i treat primary haemophagocytic lymphohistiocytosis. <i>British Journal of Haematology</i> , 2018 , 182, 185-199	4.5	27
121	B-cell differentiation and IL-21 response in SCID patients after hematopoietic stem cell transplantation. <i>Blood</i> , 2018 , 131, 2967-2977	2.2	22
120	Current Knowledge and Priorities for Future Research in Late Effects after Hematopoietic Stem Cell Transplantation (HCT) for Severe Combined Immunodeficiency Patients: A Consensus Statement from the Second Pediatric Blood and Marrow Transplant Consortium International Conference on Late Effects after Pediatric HCT. <i>Biology of Blood and Marrow Transplantation</i> , 2017 ,	4.7	34
119	Recommendations for Screening and Management of Late Effects in Patients with Severe Combined Immunodeficiency after Allogeneic Hematopoietic Cell Transplantation: A Consensus Statement from the Second Pediatric Blood and Marrow Transplant Consortium International Conference on Late Effects after Pediatric HCT. <i>Biology of Blood and Marrow Transplantation</i> , 2017 ,	4.7	27
118	Quality of Life, Treatment Beliefs, and Treatment Satisfaction in Children Treated for Primary Immunodeficiency with SC1g. <i>Journal of Clinical Immunology</i> , 2017 , 37, 496-504	5.7	11
117	A Novel PGM3 Mutation Is Associated With a Severe Phenotype of Bone Marrow Failure, Severe Combined Immunodeficiency, Skeletal Dysplasia, and Congenital Malformations. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1853-1859	6.3	20
116	Genotype, Phenotype and T Cell Counts at One Year Predict Survival and Long Term Immune Reconstitution after Transplantation in Severe Combined Immune Deficiency (SCID) The Primary Immune Deficiency Treatment Consortium (PIDTC). <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 8122-8131	4.7	4

115	Amplification of Adipogenic Commitment by VSTM2A. <i>Cell Reports</i> , 2017 , 18, 93-106	10.6	11
114	Immune reconstitution and survival of 100 SCID patients post-hematopoietic cell transplant: a PIDTC natural history study. <i>Blood</i> , 2017 , 130, 2718-2727	2.2	129
113	Growth and weight gain in children with juvenile idiopathic arthritis: results from the ReACCh-Out cohort. <i>Pediatric Rheumatology</i> , 2017 , 15, 68	3.5	23
112	Reduced antiretroviral drug efficacy and concentration in HIV-infected microglia contributes to viral persistence in brain. <i>Retrovirology</i> , 2017 , 14, 47	3.6	40
111	A protective role of IL-37 in cancer: a new hope for cancer patients. <i>Journal of Leukocyte Biology</i> , 2017 , 101, 395-406	6.5	32
110	Newborn screening for severe combined immunodeficiency: a primer for clinicians. <i>Cmaj</i> , 2017 , 189, E1551-E1557	5.5	57
109	Very Early-Onset Inflammatory Manifestations of X-Linked Chronic Granulomatous Disease. <i>Frontiers in Immunology</i> , 2017 , 8, 1167	8.4	11
108	A Retrospective Study on Infusion-Related Reactions to Rituximab in a Heterogeneous Pediatric Population. <i>Journal of Pediatric Pharmacology and Therapeutics</i> , 2017 , 22, 369-374	1.6	5
107	Autophagy is associated with chemoresistance in neuroblastoma. <i>BMC Cancer</i> , 2016 , 16, 891	4.8	46
106	Poor T Cell Reconstitution at 100 Days after T Cell-Replete Hematopoietic Cell Transplantation (HCT) for SCID Is Associated with Later Risk of Death or Need for 2nd Transplant in the 6901 Prospective Study of the Pidtc. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, S101-S102	4.7	3
105	The risk and nature of flares in juvenile idiopathic arthritis: results from the ReACCh-Out cohort. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1092-8	2.4	49
104	Variants in TRIM22 That Affect NOD2 Signaling Are Associated With Very-Early-Onset Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2016 , 150, 1196-1207	13.3	69
103	Human mesenchymal stromal cell-secreted lactate induces M2-macrophage differentiation by metabolic reprogramming. <i>Oncotarget</i> , 2016 , 7, 30193-210	3.3	82
102	A Canadian perspective on the use of immunoglobulin therapy to reduce infectious complications in chronic lymphocytic leukemia. <i>Current Oncology</i> , 2016 , 23, 42-51	2.8	19
101	Rapid Infusion of Rituximab in a Heterogenous Pediatric Population: Safety and Feasibility. <i>Journal of Pediatric Hematology/Oncology</i> , 2016 , 38, 83-5	1.2	2
100	Signal transducer and activator of transcription 3: a year in review. <i>Current Opinion in Hematology</i> , 2016 , 23, 23-7	3.3	39
99	20% subcutaneous immunoglobulin dosed biweekly for primary immunodeficiency. <i>Annals of Allergy, Asthma and Immunology</i> , 2016 , 117, 93-4	3.2	3
98	Primary Immune Deficiency Treatment Consortium (PIDTC) update. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 375-85	11.5	22

97	Indoleamine 2,3-Dioxygenase-Expressing Aortic Plasmacytoid Dendritic Cells Protect against Atherosclerosis by Induction of Regulatory T Cells. <i>Cell Metabolism</i> , 2016 , 23, 852-66	24.6	58
96	The outcomes of juvenile idiopathic arthritis in children managed with contemporary treatments: results from the ReACCh-Out cohort. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1854-60	2.4	135
95	Role of Natural Killer Cells in Intravenous Immunoglobulin-Induced Graft-versus-Host Disease Inhibition in NOD/LtSz-scidIL2rg(-/-) (NSG) Mice. <i>Biology of Blood and Marrow Transplantation</i> , 2015 , 21, 821-8	4.7	9
94	Limited sampling strategies for estimating intravenous and oral cyclosporine area under the curve in pediatric hematopoietic stem cell transplantation. <i>Therapeutic Drug Monitoring</i> , 2015 , 37, 198-205	3.2	4
93	Combined immunodeficiency in the United States and Kuwait: Comparison of patients characteristics and molecular diagnosis. <i>Clinical Immunology</i> , 2015 , 161, 170-3	9	17
92	Subcutaneous Immunoglobulin Replacement Therapy with Hizentra [®] is Safe and Effective in Children Less Than 5 Years of Age. <i>Journal of Clinical Immunology</i> , 2015 , 35, 558-65	5.7	9
91	STAT3: too much may be worse than not enough!. <i>Blood</i> , 2015 , 125, 583-4	2.2	18
90	Intrabone Infusion of Umbilical Cord Blood Stem Cells to Improve Hematopoietic Recovery after Allogeneic Umbilical Cord Blood Transplantation in Children. <i>Blood</i> , 2015 , 126, 4334-4334	2.2	3
89	TRAIL-mediated killing of acute lymphoblastic leukemia by plasmacytoid dendritic cell-activated natural killer cells. <i>Oncotarget</i> , 2015 , 6, 29440-55	3.3	16
88	Implication of different effector mechanisms by cord blood-derived and peripheral blood-derived cytokine-induced killer cells to kill precursor B acute lymphoblastic leukemia cell lines. <i>Cytotherapy</i> , 2014 , 16, 845-56	4.8	14
87	ICON: the early diagnosis of congenital immunodeficiencies. <i>Journal of Clinical Immunology</i> , 2014 , 34, 398-424	5.7	26
86	A systematic analysis of recombination activity and genotype-phenotype correlation in human recombination-activating gene 1 deficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 1099-1108	11.5	100
85	Primary Immune Deficiency Treatment Consortium (PIDTC) report. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 335-47	11.5	42
84	Transplantation outcomes for severe combined immunodeficiency, 2000-2009. <i>New England Journal of Medicine</i> , 2014 , 371, 434-46	59.2	457
83	Reduced-intensity conditioning and HLA-matched haemopoietic stem-cell transplantation in patients with chronic granulomatous disease: a prospective multicentre study. <i>Lancet, The</i> , 2014 , 383, 436-48	40	259
82	Survey on retransplantation criteria for patients with severe combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 597-9	11.5	5
81	Multiple intestinal atresia with combined immune deficiency related to TTC7A defect is a multiorgan pathology: study of a French-Canadian-based cohort. <i>Medicine (United States)</i> , 2014 , 93, e327-1.8	1.8	26
80	Common Presentations and Diagnostic Approaches 2014 , 3-59		1

79	Inflammatory bowel disease and T cell lymphopenia in G6PC3 deficiency. <i>Journal of Clinical Immunology</i> , 2013 , 33, 520-5	5.7	38
78	Cord blood-derived and peripheral blood-derived cytokine-induced killer cells are sensitive to Fas-mediated apoptosis. <i>Biology of Blood and Marrow Transplantation</i> , 2013 , 19, 1407-11	4.7	6
77	Pharmacoeconomic advantages of subcutaneous versus intravenous immunoglobulin treatment in a Canadian pediatric center. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 585-7.e1-3	11.5	23
76	Severe combined immunodeficiency (SCID) in Canadian children: a national surveillance study. <i>Journal of Clinical Immunology</i> , 2013 , 33, 1310-6	5.7	24
75	Efficient BST2 antagonism by Vpu is critical for early HIV-1 dissemination in humanized mice. <i>Retrovirology</i> , 2013 , 10, 128	3.6	32
74	B-cell reconstitution for SCID: should a conditioning regimen be used in SCID treatment?. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 994-1000	11.5	67
73	A soluble granulocyte colony stimulating factor decoy receptor as a novel tool to increase hematopoietic cell homing and reconstitution in mice. <i>Stem Cells and Development</i> , 2013 , 22, 975-84	4.4	2
72	Exome sequencing identifies mutations in the gene TTC7A in French-Canadian cases with hereditary multiple intestinal atresia. <i>Journal of Medical Genetics</i> , 2013 , 50, 324-9	5.8	93
71	Whole-exome sequencing reveals a rapid change in the frequency of rare functional variants in a founding population of humans. <i>PLoS Genetics</i> , 2013 , 9, e1003815	6	52
70	Short- and long-term outcome of linear morphea in children. <i>British Journal of Dermatology</i> , 2013 , 169, 1265-71	4	46
69	Cord-blood-derived mesenchymal stromal cells downmodulate CD4+ T-cell activation by inducing IL-10-producing Th1 cells. <i>Stem Cells and Development</i> , 2013 , 22, 1063-75	4.4	28
68	Impact of storage temperature and processing delays on cord blood quality: discrepancy between functional in vitro and in vivo assays. <i>Transfusion</i> , 2012 , 52, 2401-5	2.9	24
67	Use of immunoglobulins in the prevention of GvHD in a xenogeneic NOD/SCID/ β - mouse model. <i>Bone Marrow Transplantation</i> , 2012 , 47, 439-50	4.4	34
66	CD133 expression is associated with poor outcome in neuroblastoma via chemoresistance mediated by the AKT pathway. <i>Histopathology</i> , 2012 , 60, 1144-55	7.3	48
65	Human interferon-alpha increases the cytotoxic effect of CD56(+) cord blood-derived cytokine-induced killer cells on human B-acute lymphoblastic leukemia cell lines. <i>Cytotherapy</i> , 2012 , 14, 1245-57	4.8	18
64	Home therapy with subcutaneous immunoglobulins for patients with primary immunodeficiency diseases. <i>Transfusion and Apheresis Science</i> , 2012 , 46, 315-21	2.4	23
63	Patient with X-linked phenotype of SCID, markedly skewed maternal X-inactivation, but normal common gamma chain (CD132) gene ORF sequence. <i>Allergy, Asthma and Clinical Immunology</i> , 2012 , 8,	3.2	78
62	Improved quality of life with home therapy with subcutaneous immunoglobulins for patients with secondary hypogammaglobulinaemia. <i>Allergy, Asthma and Clinical Immunology</i> , 2012 , 8,	3.2	78

61	Genotype analysis of tumor-initiating cells expressing CD133 in neuroblastoma. <i>Genes Chromosomes and Cancer</i> , 2012 , 51, 792-804	5	14
60	Higher doses of subcutaneous IgG reduce resource utilization in patients with primary immunodeficiency. <i>Journal of Clinical Immunology</i> , 2012 , 32, 281-9	5.7	20
59	Access to biologic therapies in Canada for children with juvenile idiopathic arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1875-9	4.1	8
58	Therapeutic efficacy of cord blood-derived mesenchymal stromal cells for the prevention of acute graft-versus-host disease in a xenogenic mouse model. <i>Stem Cells and Development</i> , 2012 , 21, 1616-26	4.4	33
57	X-linked lymphoproliferative disease due to SAP/SH2D1A deficiency: a multicenter study on the manifestations, management and outcome of the disease. <i>Blood</i> , 2011 , 117, 53-62	2.2	231
56	Long-term outcome and lineage-specific chimerism in 194 patients with Wiskott-Aldrich syndrome treated by hematopoietic cell transplantation in the period 1980-2009: an international collaborative study. <i>Blood</i> , 2011 , 118, 1675-84	2.2	236
55	Treatment costs associated with hospital-based intravenous immunoglobulin therapy compared to home-based subcutaneous immunoglobulin therapy in a cohort of paediatric patients with primary immunodeficiency. <i>Allergy, Asthma and Clinical Immunology</i> , 2011 , 7, A25	3.2	78
54	Abstract 4344: Membrane-type 1 matrix metalloproteinase-mediated pro-invasive properties of neuroblastoma initiating cells 2011 ,		4
53	Ionizing radiation-induced long-term expression of senescence markers in mice is independent of p53 and immune status. <i>Aging Cell</i> , 2010 , 9, 398-409	9.9	111
52	Targeted gene addition to human mesenchymal stromal cells as a cell-based plasma-soluble protein delivery platform. <i>Cytotherapy</i> , 2010 , 12, 394-9	4.8	50
51	The use of immunoglobulin therapy for patients with primary immune deficiency: an evidence-based practice guideline. <i>Transfusion Medicine Reviews</i> , 2010 , 24 Suppl 1, S28-50	7.4	67
50	Early outcomes and improvement of patients with juvenile idiopathic arthritis enrolled in a Canadian multicenter inception cohort. <i>Arthritis Care and Research</i> , 2010 , 62, 527-36	4.7	69
49	Predictors of early inactive disease in a juvenile idiopathic arthritis cohort: results of a Canadian multicenter, prospective inception cohort study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1077-86		57
48	Renal granuloma and immunoglobulin M-complex glomerulonephritis: a case of common variable immunodeficiency?. <i>Pediatric Nephrology</i> , 2009 , 24, 601-4	3.2	8
47	Varicella-zoster virus disease is more frequent after cord blood than after bone marrow transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2008 , 14, 867-71	4.7	38
46	Chronic active gastritis in X-linked lymphoproliferative disease. <i>American Journal of Surgical Pathology</i> , 2008 , 32, 323-8	6.7	13
45	Presence of autoantibodies against tubular and uveal cells in a patient with tubulointerstitial nephritis and uveitis (TINU) syndrome. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1452-5	4.3	36
44	Immune Globulin for Patients with Primary Immune Deficiency: An Evidence Based Practice Guideline. <i>Blood</i> , 2008 , 112, 4705-4705	2.2	

43	A humanized mouse model of idiopathic nephrotic syndrome suggests a pathogenic role for immature cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 2732-9	12.7	66
42	Evolution and treatment of childhood chronic inflammatory polyneuropathy. <i>Pediatric Neurology</i> , 2007 , 36, 88-94	2.9	33
41	Childhood Systemic Lupus Erythematosus: New and Old Treatments. <i>Current Pediatric Reviews</i> , 2006 , 2, 165-171	2.8	
40	Initial presentation of childhood-onset systemic lupus erythematosus: a French multicenter study. <i>Journal of Pediatrics</i> , 2005 , 146, 648-53	3.6	161
39	Engagement of transferrin receptor by polymeric IgA1: evidence for a positive feedback loop involving increased receptor expression and mesangial cell proliferation in IgA nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 2667-76	12.7	78
38	Glycosylation and size of IgA1 are essential for interaction with mesangial transferrin receptor in IgA nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2004 , 15, 622-34	12.7	142
37	Impact of HLA matching on outcome of hematopoietic stem cell transplantation in children with inherited diseases: a single-center comparative analysis of genoidentical, haploidentical or unrelated donors. <i>Bone Marrow Transplantation</i> , 2004 , 33, 1089-95	4.4	36
36	Encrusted cystitis and pyelitis in children: an unusual condition with potentially severe consequences. <i>Urology</i> , 2004 , 64, 569-73	1.6	23
35	Relationship between CD8+ T-cell phenotype and function, Epstein-Barr virus load, and clinical outcome in pediatric renal transplant recipients: a prospective study. <i>Transplantation</i> , 2004 , 77, 1706-13	1.8	18
34	Enhanced expression of the CD71 mesangial IgA1 receptor in Berger disease and Henoch-Schönlein nephritis: association between CD71 expression and IgA deposits. <i>Journal of the American Society of Nephrology: JASN</i> , 2003 , 14, 327-37	12.7	75
33	Anaphylactic shock caused by immunoglobulin E sensitization after retreatment with the chimeric anti-interleukin-2 receptor monoclonal antibody basiliximab. <i>Transplantation</i> , 2003 , 76, 459-63	1.8	64
32	Autoimmunity in Wiskott-Aldrich syndrome: risk factors, clinical features, and outcome in a single-center cohort of 55 patients. <i>Pediatrics</i> , 2003 , 111, e622-7	7.4	248
31	A defect in hematopoietic stem cell migration explains the nonrandom X-chromosome inactivation in carriers of Wiskott-Aldrich syndrome. <i>Blood</i> , 2003 , 102, 1282-9	2.2	70
30	Sudden blindness caused by anterior ischemic optic neuropathy in 5 children on continuous peritoneal dialysis. <i>American Journal of Kidney Diseases</i> , 2003 , 42, E3-9	7.4	20
29	Severe deficiency of the specific von Willebrand factor-cleaving protease (ADAMTS 13) activity in a subgroup of children with atypical hemolytic uremic syndrome. <i>Journal of Pediatrics</i> , 2003 , 142, 310-7	3.6	81
28	Clinical quiz. Loin pain haematuria syndrome. <i>Pediatric Nephrology</i> , 2002 , 17, 217-9	3.2	1
27	Functional consequences of perforin gene mutations in 22 patients with familial haemophagocytic lymphohistiocytosis. <i>British Journal of Haematology</i> , 2002 , 117, 965-72	4.5	107
26	Hypomagnesemia with secondary hypocalcemia is caused by mutations in TRPM6, a new member of the TRPM gene family. <i>Nature Genetics</i> , 2002 , 31, 166-70	36.3	609

25	Chronic intestinal graft-versus-host disease: clinical, histological and immunohistochemical analysis of 17 children. <i>Bone Marrow Transplantation</i> , 2002 , 29, 223-30	4.4	57
24	Pathogenic significance of IgA receptor interactions in IgA nephropathy. <i>Trends in Molecular Medicine</i> , 2002 , 8, 464-8	11.5	54
23	The interaction between Cdc42 and WASP is required for SDF-1-induced T-lymphocyte chemotaxis. <i>Blood</i> , 2001 , 97, 33-8	2.2	180
22	Treatment of B-lymphoproliferative disorder with a monoclonal anti-interleukin-6 antibody in 12 patients: a multicenter phase 1-2 clinical trial. <i>Blood</i> , 2001 , 97, 1590-7	2.2	108
21	The Thrombocytopenia of Wiskott Aldrich Syndrome Is Not Related to a Defect in Proplatelet Formation. <i>Blood</i> , 1999 , 94, 509-518	2.2	79
20	Long-Term Chimerism and B-Cell Function After Bone Marrow Transplantation in Patients With Severe Combined Immunodeficiency With B Cells: A Single-Center Study of 22 Patients. <i>Blood</i> , 1999 , 94, 2923-2930	2.2	112
19	Early and prolonged intravenous immunoglobulin replacement therapy in childhood agammaglobulinemia: a retrospective survey of 31 patients. <i>Journal of Pediatrics</i> , 1999 , 134, 589-96	3.6	245
18	Influence of severe combined immunodeficiency phenotype on the outcome of HLA non-identical, T-cell-depleted bone marrow transplantation: a retrospective European survey from the European group for bone marrow transplantation and the European society for immunodeficiency. <i>Journal of Pediatrics</i> , 1999 , 134, 740-8	3.6	97
17	The Thrombocytopenia of Wiskott Aldrich Syndrome Is Not Related to a Defect in Proplatelet Formation. <i>Blood</i> , 1999 , 94, 509-518	2.2	3
16	Prevention of EBV-induced B-lymphoproliferative disorder by ex vivo marrow B-cell depletion in HLA-phenotypical or non-identical T-depleted bone marrow transplantation. <i>British Journal of Haematology</i> , 1998 , 103, 543-51	4.5	46
15	Invasive pulmonary infection due to <i>Scedosporium apiospermum</i> in two children with chronic granulomatous disease. <i>Clinical Infectious Diseases</i> , 1998 , 27, 1437-41	11.6	120
14	Treatment of Familial Hemophagocytic Lymphohistiocytosis With Bone Marrow Transplantation From HLA Genetically Nonidentical Donors. <i>Blood</i> , 1997 , 90, 4743-4748	2.2	106
13	Frequency and Severity of Central Nervous System Lesions in Hemophagocytic Lymphohistiocytosis. <i>Blood</i> , 1997 , 89, 794-800	2.2	197
12	The majority of myeloid-antigen-positive (My+) childhood B-cell precursor acute lymphoblastic leukaemias express TEL-AML1 fusion transcripts. <i>British Journal of Haematology</i> , 1997 , 99, 101-6	4.5	60
11	Hepatic GVHD after HLA-haploidentical bone marrow transplantation in children with severe combined immunodeficiency: the effect of ursodeoxycholic acid. <i>British Journal of Haematology</i> , 1997 , 96, 776-80	4.5	8
10	Treatment of Familial Hemophagocytic Lymphohistiocytosis With Bone Marrow Transplantation From HLA Genetically Nonidentical Donors. <i>Blood</i> , 1997 , 90, 4743-4748	2.2	5
9	A child who was feverish for 2 years. <i>Lancet, The</i> , 1996 , 348, 724	4.0	2
8	Efficacy of cyclosporine A in the treatment of macrophage activation syndrome in juvenile arthritis: report of five cases. <i>Journal of Pediatrics</i> , 1996 , 129, 750-4	3.6	187

7	Molecular detection of t(8;21)/AML1-ETO in AML M1/M2: correlation with cytogenetics, morphology and immunophenotype. <i>British Journal of Haematology</i> , 1996 , 92, 855-65	4.5	103
6	Brief report: correction of X-linked hyper-IgM syndrome by allogeneic bone marrow transplantation. <i>New England Journal of Medicine</i> , 1995 , 333, 426-9	59.2	77
5	PREVENTION OF BONE MARROW AND CARDIAC GRAFT REJECTION IN AN H-2 HAPLOTYPE DISPARATE MOUSE COMBINATION BY AN ANTI-LFA-1 ANTIBODY. <i>Transplantation</i> , 1995 , 59, 1576-1582 ^{1.8}		25
4	PREVENTION OF BONE MARROW AND CARDIAC GRAFT REJECTION IN AN H-2 HAPLOTYPE DISPARATE MOUSE COMBINATION BY AN ANTI-LFA-1 ANTIBODY. <i>Transplantation</i> , 1995 , 59, 1576-1582 ^{1.8}		2
3	Efficient and robust NK-Cell transduction with Baboon Envelope pseudotyped lentivector: a major tool for immunotherapy		2
2	NK cells prevent the formation of teratomas derived from human induced pluripotent stem cells		1
1	Autologous humanized mouse models of iPSC-derived tumors allow for the evaluation and modulation of cancer-immune cell interactions		1