

Paolo Galuppo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/835287/publications.pdf>

Version: 2024-02-01

9
papers

485
citations

1307594

7
h-index

1474206

9
g-index

11
all docs

11
docs citations

11
times ranked

755
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic ablation of fibroblast activation protein alpha attenuates left ventricular dilation after myocardial infarction. PLoS ONE, 2021, 16, e0248196.	2.5	11
2	Expansion of CD10neg neutrophils and CD14+HLA-DRneg/low monocytes driving proinflammatory responses in patients with acute myocardial infarction. ELife, 2021, 10, .	6.0	22
3	Macrophage Mineralocorticoid Receptor Is a Pleiotropic Modulator of Myocardial Infarct Healing. Hypertension, 2019, 73, 102-111.	2.7	38
4	Changes in concentrations of circulating fibroblast activation protein alpha are associated with myocardial damage in patients with acute ST-elevation MI. International Journal of Cardiology, 2017, 232, 155-159.	1.7	15
5	Modeling Cardiac Fibrosis in Mice: (Myo)Fibroblast Phenotype After Ischemia. Methods in Molecular Biology, 2017, 1627, 123-137.	0.9	5
6	The glucocorticoid receptor in monocyte-derived macrophages is critical for cardiac infarct repair and remodeling. FASEB Journal, 2017, 31, 5122-5132.	0.5	32
7	Intermediate CD14++CD16+ monocytes decline after transcatheter aortic valve replacement and correlate with functional capacity and left ventricular systolic function. PLoS ONE, 2017, 12, e0183670.	2.5	12
8	Fibroblast activation protein alpha expression identifies activated fibroblasts after myocardial infarction. Journal of Molecular and Cellular Cardiology, 2015, 87, 194-203.	1.9	160
9	Deletion of Cardiomyocyte Mineralocorticoid Receptor Ameliorates Adverse Remodeling After Myocardial Infarction. Circulation, 2011, 123, 400-408.	1.6	189