

# Sylvie L Turgeon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8353187/publications.pdf>

Version: 2024-02-01

116  
papers

7,152  
citations

66234

42  
h-index

58464

82  
g-index

118  
all docs

118  
docs citations

118  
times ranked

6199  
citing authors

#	ARTICLE	IF	CITATIONS
1	The applications of conventional and innovative mechanical technologies to tailor structural and functional features of dietary fibers from plant wastes: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 2149-2199.	5.9	13
2	Natural plant fibers obtained from agricultural residue used as an ingredient in food matrixes or packaging materials: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 371-415.	5.9	15
3	Impact of temperature and cooking time on the physicochemical properties and sensory potential of seaweed water extracts of <i>Palmaria palmata</i> and <i>Saccharina longicruris</i> . <i>Journal of Applied Phycology</i> , 2022, 34, 1731-1747.	1.5	6
4	Environmental conditions influence on the physicochemical properties of wild and cultivated <i>Palmaria palmata</i> in the Canadian Atlantic shore. <i>Journal of Applied Phycology</i> , 2022, 34, 2565-2578.	1.5	6
5	Analysis of Microbiota Persistence in Quebecâ€™s Terroir Cheese Using a Metabarcoding Approach. <i>Microorganisms</i> , 2022, 10, 1381.	1.6	3
6	Impact of Ultra-High-Pressure Homogenization of Buttermilk for the Production of Yogurt. <i>Foods</i> , 2021, 10, 1757.	1.9	8
7	Acceptability of insect ingredients by innovative student chefs: An exploratory study. <i>International Journal of Gastronomy and Food Science</i> , 2021, 24, 100362.	1.3	18
8	Smoothing temperature and ratio of casein to whey protein: Two tools to improve nonfat stirred yogurt properties. <i>Journal of Dairy Science</i> , 2021, 104, 10485-10499.	1.4	16
9	Studying stirred yogurt microstructure and its correlation to physical properties: A review. <i>Food Hydrocolloids</i> , 2021, 121, 106970.	5.6	31
10	Symposium review: The dairy matrixâ€™ Bioaccessibility and bioavailability of nutrients and physiological effects. <i>Journal of Dairy Science</i> , 2020, 103, 6727-6736.	1.4	21
11	Short communication: Effect of stirring operations on changes in physical and rheological properties of nonfat yogurts during storage. <i>Journal of Dairy Science</i> , 2020, 103, 210-214.	1.4	13
12	Role of Amino Acids in Blood Glucose Changes in Young Adults Consuming Cereal with Milks Varying in Casein and Whey Concentrations and Their Ratio. <i>Journal of Nutrition</i> , 2020, 150, 3103-3113.	1.3	2
13	Functionality of Cricket and Mealworm Hydrolysates Generated after Pretreatment of Meals with High Hydrostatic Pressures. <i>Molecules</i> , 2020, 25, 5366.	1.7	25
14	Environmental Evaluation of New Brewerâ€™s Spent Grain Preservation Pathways for Further Valorization in Human Nutrition. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 17335-17344.	3.2	13
15	How do smoothing conditions and storage time change syneresis, rheological and microstructural properties of nonfat stirred acid milk gel?. <i>International Dairy Journal</i> , 2020, 109, 104780.	1.5	2
16	Characterization of syneresis phenomena in stirred acid milk gel using low frequency nuclear magnetic resonance on hydrogen and image analyses. <i>Food Hydrocolloids</i> , 2020, 106, 105907.	5.6	28
17	Studying stirred yogurt microstructure using optical microscopy: How smoothing temperature and storage time affect microgel size related to syneresis. <i>Journal of Dairy Science</i> , 2020, 103, 2139-2152.	1.4	25
18	Role of the Matrix on the Digestibility of Dairy Fat and Health Consequences. , 2020, , 153-202.		2

#	ARTICLE	IF	CITATIONS
19	Relationship between smoothing temperature, storage time, syneresis and rheological properties of stirred yogurt. <i>International Dairy Journal</i> , 2020, 109, 104742.	1.5	6
20	Study of the interactions between pectin in a blueberry puree and whey proteins: Functionality and application. <i>Food Hydrocolloids</i> , 2019, 87, 61-70.	5.6	33
21	What do stirred yogurt microgels look like? Comparison of laser diffraction, 2D dynamic image analysis and 3D reconstruction. <i>Food Structure</i> , 2019, 20, 100107.	2.3	7
22	Identification of texture parameters influencing commercial cheese matrix disintegration and lipid digestion using an in vitro static digestion model. <i>Food Research International</i> , 2019, 121, 269-277.	2.9	15
23	Correlating in vitro digestion viscosities and bioaccessible nutrients of milks containing enhanced protein concentration and normal or modified protein ratio to human trials. <i>Food and Function</i> , 2019, 10, 7687-7696.	2.1	3
24	Individual and sequential effects of stirring, smoothing, and cooling on the rheological properties of nonfat yogurts stirred with a technical scale unit. <i>Journal of Dairy Science</i> , 2019, 102, 190-201.	1.4	19
25	Reprint of "Postprandial lipemia and fecal fat excretion in rats is affected by the calcium content and type of milk fat present in Cheddar-type cheeses". <i>Food Research International</i> , 2019, 118, 65-71.	2.9	2
26	Influence of food structure on dairy protein, lipid and calcium bioavailability: A narrative review of evidence. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 1987-2010.	5.4	61
27	Postprandial lipemia and fecal fat excretion in rats is affected by the calcium content and type of milk fat present in Cheddar-type cheeses. <i>Food Research International</i> , 2018, 107, 589-595.	2.9	9
28	Production of set yoghurts using thermophilic starters composed of two strains with different growth biocompatibilities and producing different exopolysaccharides. <i>International Dairy Journal</i> , 2018, 79, 33-42.	1.5	9
29	Formation and functional properties of protein-polysaccharide electrostatic hydrogels in comparison to protein or polysaccharide hydrogels. <i>Advances in Colloid and Interface Science</i> , 2017, 239, 127-135.	7.0	205
30	Effect of calcium on fatty acid bioaccessibility during in vitro digestion of Cheddar-type cheeses prepared with different milk fat fractions. <i>Journal of Dairy Science</i> , 2017, 100, 2454-2470.	1.4	31
31	Seaweeds: A traditional ingredients for new gastronomic sensation. <i>Food Hydrocolloids</i> , 2017, 68, 255-265.	5.6	113
32	Differential impact of the cheese matrix on the postprandial lipid response: a randomized, crossover, controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1358-1365.	2.2	30
33	Low-Temperature Blanching as a Tool to Modulate the Structure of Pectin in Blueberry Purees. <i>Journal of Food Science</i> , 2017, 82, 2070-2077.	1.5	6
34	Disintegration and nutrients release from cheese with different textural properties during in vitro digestion. <i>Food Research International</i> , 2016, 88, 276-283.	2.9	29
35	The harmonized INFOGEST in vitro digestion method: From knowledge to action. <i>Food Research International</i> , 2016, 88, 217-225.	2.9	180
36	Commercial cheeses with different texture have different disintegration and protein/peptide release rates during simulated in vitro digestion. <i>International Dairy Journal</i> , 2016, 56, 169-178.	1.5	47

#	ARTICLE	IF	CITATIONS
37	Impact of starch and exopolysaccharide-producing lactic acid bacteria on the properties of set and stirred yoghurts. <i>International Dairy Journal</i> , 2016, 55, 79-86.	1.5	26
38	Effect of calcium enrichment of Cheddar cheese on its structure, in vitro digestion and lipid bioaccessibility. <i>International Dairy Journal</i> , 2016, 53, 1-9.	1.5	38
39	In vitro bioaccessibility of peptides and amino acids from yogurt made with starch, pectin, or $\beta$ -glucan. <i>International Dairy Journal</i> , 2015, 46, 39-45.	1.5	56
40	Role of seaweed laminaran from <i>Saccharina longicruris</i> on matrix deposition during dermal tissue-engineered production. <i>International Journal of Biological Macromolecules</i> , 2015, 75, 13-20.	3.6	24
41	Molecular weight and sulfate content modulate the inhibition of $\alpha$ -amylase by fucoidan relevant for type 2 diabetes management. <i>PharmaNutrition</i> , 2015, 3, 108-114.	0.8	43
42	Bioassay-guided fractionation approach for determination of protein precursors of proteolytic bioactive metabolites from macroalgae. <i>Journal of Applied Phycology</i> , 2015, 27, 2059-2074.	1.5	34
43	Characterization of antibacterial activity from protein hydrolysates of the macroalga <i>Saccharina longicruris</i> and identification of peptides implied in bioactivity. <i>Journal of Functional Foods</i> , 2015, 17, 685-697.	1.6	99
44	Textural and waterbinding behaviors of $\beta$ -lactoglobulin-xanthan gum electrostatic hydrogels in relation to their microstructure. <i>Food Hydrocolloids</i> , 2015, 49, 216-223.	5.6	36
45	Acute effects of protein composition and fibre enrichment of yogurt consumed as snacks on appetite sensations and subsequent ad libitum energy intake in healthy men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 980-989.	0.9	16
46	Seaweed carbohydrates. , 2015, , 141-192.		71
47	In vitro gastrointestinal digestion of liquid and semi-liquid dairy matrixes. <i>LWT - Food Science and Technology</i> , 2014, 57, 99-105.	2.5	56
48	Microstructure and stability of skim milk acid gels containing an anionic bacterial exopolysaccharide and commercial polysaccharides. <i>International Dairy Journal</i> , 2014, 37, 5-15.	1.5	26
49	Alpha-amylase and alpha-glucosidase inhibition is differentially modulated by fucoidan obtained from <i>Fucus vesiculosus</i> and <i>Ascophyllum nodosum</i> . <i>Phytochemistry</i> , 2014, 98, 27-33.	1.4	198
50	Effect of processing treatments and storage conditions on stability of fruit juice based beverages enriched with dietary fibers alone and in mixture with xanthan gum. <i>LWT - Food Science and Technology</i> , 2014, 55, 131-138.	2.5	17
51	Effects of apple juice-based beverages enriched with dietary fibres and xanthan gum on the glycemic response and appetite sensations in healthy men. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2014, 4, 39-47.	1.5	20
52	Insulin and glucose responses after ingestion of different loads and forms of vegetable or animal proteins in protein enriched fruit beverages. <i>Journal of Functional Foods</i> , 2014, 10, 95-103.	1.6	14
53	Exopolysaccharide-milk protein interactions in a dairy model system simulating yoghurt conditions. <i>Dairy Science and Technology</i> , 2013, 93, 255-271.	2.2	38
54	Human skin fibroblast response is differentially regulated by galactofucan and low molecular weight galactofucan. <i>Bioactive Carbohydrates and Dietary Fibre</i> , 2013, 1, 105-110.	1.5	17

#	ARTICLE	IF	CITATIONS
55	Changes in the physical properties of xanthan gum induced by a dynamic high-pressure treatment. <i>Carbohydrate Polymers</i> , 2013, 92, 2327-2336.	5.1	38
56	Rheological and structural study of electrostatic cross-linked xanthan gum hydrogels induced by $\hat{\Gamma}^2$ -lactoglobulin. <i>Soft Matter</i> , 2013, 9, 3063.	1.2	91
57	Effects of juices enriched with xanthan and $\hat{\Gamma}^2$ -glucan on the glycemic response and satiety of healthy men. <i>Applied Physiology, Nutrition and Metabolism</i> , 2013, 38, 410-414.	0.9	13
58	Influence of cheese matrix on lipid digestion in a simulated gastro-intestinal environment. <i>Food and Function</i> , 2012, 3, 724.	2.1	75
59	The Ratio of Casein to Whey Protein Impacts Yogurt Digestion In Vitro. <i>Food Digestion</i> , 2012, 3, 25-35.	0.9	24
60	Effect of heating on the distribution of transforming growth factor- $\hat{\Gamma}^2$ in bovine milk. <i>Food Research International</i> , 2011, 44, 28-32.	2.9	9
61	Food matrix impact on macronutrients nutritional properties. <i>Food Hydrocolloids</i> , 2011, 25, 1915-1924.	5.6	152
62	Protein/polysaccharide complexes and coacervates in food systems. <i>Advances in Colloid and Interface Science</i> , 2011, 167, 63-70.	7.0	669
63	Gel formation and rheological properties of fermented milk with in situ exopolysaccharide production by lactic acid bacteria. <i>Dairy Science and Technology</i> , 2011, 91, 645-661.	2.2	64
64	Effect of milk thermal history on the recovery of TGF- $\hat{\Gamma}^2$ by acid precipitation of whey protein concentrates. <i>Dairy Science and Technology</i> , 2011, 91, 615-627.	2.2	5
65	An International Network for Improving Health Properties of Food by Sharing our Knowledge on the Digestive Process. <i>Food Digestion</i> , 2011, 2, 23-25.	0.9	24
66	Phase Behavior of Whey Protein Aggregates/ $\hat{\Gamma}^2$ -Carrageenan Mixtures: Experiment and Theory. <i>Food Biophysics</i> , 2010, 5, 103-113.	1.4	20
67	Effect of xanthan gum on the degradation of cereal $\hat{\Gamma}^2$ -glucan by ascorbic acid. <i>Journal of Cereal Science</i> , 2010, 52, 260-262.	1.8	17
68	Structural characterization of laminaran and galactofucan extracted from the brown seaweed <i>Saccharina longicuris</i> . <i>Phytochemistry</i> , 2010, 71, 1586-1595.	1.4	175
69	Separation of transforming growth factor-beta2 (TGF- $\hat{\Gamma}^2$ ) from whey protein isolates by crossflow microfiltration in the presence of a ligand. <i>Journal of Membrane Science</i> , 2010, 351, 189-195.	4.1	4
70	Stabilization of Whey Protein Isolate- $\hat{\Gamma}^2$ -Pectin Complexes by Heat. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7051-7058.	2.4	51
71	Influence of shearing on the physical characteristics and rheological behaviour of an aqueous whey protein isolate- $\hat{\Gamma}^2$ -carrageenan mixture. <i>Food Hydrocolloids</i> , 2009, 23, 1243-1252.	5.6	29
72	The Effect of Shear Rate on the Molecular Mass Distribution of Heat-Induced Aggregates of Mixtures Containing Whey Proteins and $\hat{\Gamma}^2$ -Carrageenan. <i>Food Biophysics</i> , 2009, 4, 13-22.	1.4	6

#	ARTICLE	IF	CITATIONS
73	Rheological study of the effect of shearing process and $\hat{\text{I}}^{\text{e}}$ -carrageenan concentration on the formation of whey protein microgels at pH 7. <i>Journal of Food Engineering</i> , 2009, 95, 254-263.	2.7	10
74	Use of membrane processing to concentrate TGF- $\hat{\text{I}}^{\text{2}}$ and IGF-I from bovine milk and whey. <i>Journal of Membrane Science</i> , 2009, 326, 435-440.	4.1	25
75	Effect of season on the composition of bioactive polysaccharides from the brown seaweed <i>Saccharina longicuris</i> . <i>Phytochemistry</i> , 2009, 70, 1069-1075.	1.4	117
76	Protein + Polysaccharide Coacervates and Complexes. , 2009, , 327-363.		49
77	An experimental approach for removing caseins from bovine colostrum using anionic polysaccharides. <i>International Journal of Dairy Technology</i> , 2008, 61, 43-50.	1.3	6
78	Formation of native whey protein isolate- $\hat{\text{e}}$ low methoxyl pectin complexes as a matrix for hydro-soluble food ingredient entrapment in acidic foods. <i>Food Hydrocolloids</i> , 2008, 22, 836-844.	5.6	85
79	Separation of minor protein components from whey protein isolates by heparin affinity chromatography. <i>International Dairy Journal</i> , 2008, 18, 1043-1050.	1.5	27
80	Physicochemical characterization and in vitro digestibility of $\hat{\text{I}}^{\text{2}}$ -lactoglobulin/ $\hat{\text{I}}^{\text{2}}$ -Lg f142-148 complexes. <i>International Dairy Journal</i> , 2007, 17, 471-480.	1.5	10
81	Rheological characterisation of polysaccharides extracted from brown seaweeds. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 1630-1638.	1.7	74
82	Protein- $\hat{\text{e}}$ polysaccharide complexes and coacervates. <i>Current Opinion in Colloid and Interface Science</i> , 2007, 12, 166-178.	3.4	515
83	Characterization of polysaccharides extracted from brown seaweeds. <i>Carbohydrate Polymers</i> , 2007, 69, 530-537.	5.1	450
84	Improved gelling properties of whey protein isolate by addition of xanthan gum. <i>Food Hydrocolloids</i> , 2007, 21, 159-166.	5.6	87
85	Study of the shear effects on the mixture of whey protein/polysaccharides $\hat{\text{e}}$ 2: Application of flow models in the study of the shear effects on WPI/polysaccharide system. <i>Food Hydrocolloids</i> , 2007, 21, 1014-1021.	5.6	20
86	Interactions between Bovine $\hat{\text{I}}^{\text{2}}$ -Lactoglobulin A and Various Bioactive Peptides As Studied by Front-Face Fluorescence Spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 4962-4969.	2.4	12
87	Thermodynamics of Binding Interactions between Bovine $\hat{\text{I}}^{\text{2}}$ -Lactoglobulin A and the Antihypertensive Peptide $\hat{\text{I}}^{\text{2}}$ -Lg f142-148. <i>Biomacromolecules</i> , 2006, 7, 419-426.	2.6	59
88	Gelation of Native $\hat{\text{I}}^{\text{2}}$ -Lactoglobulin Induced by Electrostatic Attractive Interaction with Xanthan Gum. <i>Langmuir</i> , 2006, 22, 7351-7357.	1.6	65
89	In vitro digestibility of bioactive peptides derived from bovine $\hat{\text{I}}^{\text{2}}$ -lactoglobulin. <i>International Dairy Journal</i> , 2006, 16, 294-302.	1.5	76
90	Dairy research in Canadian universities. <i>International Journal of Dairy Technology</i> , 2006, 59, 159-165.	1.3	0

#	ARTICLE	IF	CITATIONS
91	Emulsion-stabilizing properties of chitosan in the presence of whey protein isolate: Effect of the mixture ratio, ionic strength and pH. <i>Carbohydrate Polymers</i> , 2006, 65, 479-487.	5.1	41
92	Shear effects on the rheology of $\hat{\imath}^2$ -lactoglobulin/ $\hat{\imath}^2$ -carrageenan mixed gels. <i>Food Hydrocolloids</i> , 2006, 20, 946-951.	5.6	17
93	Emulsion stabilizing properties of various chitosans in the presence of whey protein isolate. <i>Carbohydrate Polymers</i> , 2005, 59, 425-434.	5.1	44
94	Formula Optimization of a Low-fat Food System Containing Whey Protein Isolate-Xanthan Gum Complexes as Fat Replacer. <i>Journal of Food Science</i> , 2005, 70, s513.	1.5	57
95	Effect of pH, ionic strength, and composition on emulsion stabilising properties of chitosan in a model system containing whey protein isolate. <i>Food Hydrocolloids</i> , 2005, 19, 721-729.	5.6	66
96	The formation of heat-induced protein aggregates in whey protein/pectin mixtures studied by size exclusion chromatography coupled with multi-angle laser light scattering detection. <i>Food Hydrocolloids</i> , 2005, 19, 803-812.	5.6	33
97	Associative phase separation of $\hat{\imath}^2$ -lactoglobulin/pectin solutions: a kinetic study by small angle static light scattering. <i>Colloids and Surfaces B: Biointerfaces</i> , 2004, 35, 15-22.	2.5	82
98	Peptides from milk protein hydrolysates to improve the growth of human keratinocytes in culture. <i>International Dairy Journal</i> , 2004, 14, 619-626.	1.5	31
99	Protein-polysaccharide interactions: phase-ordering kinetics, thermodynamic and structural aspects. <i>Current Opinion in Colloid and Interface Science</i> , 2003, 8, 401-414.	3.4	391
100	Quantification of the Interactions between $\hat{\imath}^2$ -Lactoglobulin and Pectin through Capillary Electrophoresis Analysis. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 6043-6049.	2.4	68
101	Thermodynamic Parameters of $\hat{\imath}^2$ -Lactoglobulin-Pectin Complexes Assessed by Isothermal Titration Calorimetry. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 4450-4455.	2.4	145
102	Affinage de fromages allégés de type Cheddar fabriqués à partir de laits enrichis en phospholipides. <i>Dairy Science and Technology</i> , 2002, 82, 209-223.	0.9	21
103	Interactions between Bovine $\hat{\imath}^2$ -Lactoglobulin and Peptides under Different Physicochemical Conditions. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 1587-1592.	2.4	20
104	Interbiopolymer complexing between $\hat{\imath}^2$ -lactoglobulin and low- and high-methylated pectin measured by potentiometric titration and ultrafiltration. <i>Food Hydrocolloids</i> , 2002, 16, 585-591.	5.6	157
105	Emulsifying Properties of Whey Protein-Carboxymethylcellulose Complexes. <i>Journal of Food Science</i> , 2002, 67, 113-119.	1.5	41
106	Rheology, texture and microstructure of whey proteins/low methoxyl pectins mixed gels with added calcium. <i>International Dairy Journal</i> , 2001, 11, 961-967.	1.5	80
107	Improvement and modification of whey protein gel texture using polysaccharides. <i>Food Hydrocolloids</i> , 2001, 15, 583-591.	5.6	127
108	Effet de la concentration en phospholipides de babeurre dans le lait de fromagerie sur la production et la composition de fromages allégés de type Cheddar. <i>Dairy Science and Technology</i> , 2001, 81, 429-442.	0.9	26

#	ARTICLE	IF	CITATIONS
109	Rheology of $\hat{1}^{\circ}$ -carrageenan and $\hat{1}^2$ -lactoglobulin mixed gels. Food Hydrocolloids, 2000, 14, 29-40.	5.6	129
110	Effect of preparation conditions on the characteristics of whey protein $\hat{e}$ ”xanthan gum complexes. Food Hydrocolloids, 2000, 14, 305-314.	5.6	77
111	Stability and rheological properties of salad dressing containing peptidic fractions of whey proteins. International Dairy Journal, 1996, 6, 645-658.	1.5	34
112	Surface Activity and Related Functional Properties of Peptides Obtained from Whey Proteins. Journal of Dairy Science, 1993, 76, 321-328.	1.4	87
113	Interfacial properties of tryptic peptides of .beta.-lactoglobulin. Journal of Agricultural and Food Chemistry, 1992, 40, 669-675.	2.4	119
114	Emulsifying Property of Whey Peptide Fractions as a Function of pH and ionic Strength. Journal of Food Science, 1992, 57, 601-604.	1.5	83
115	Interfacial and emulsifying properties of whey peptide fractions obtained with a two-step ultrafiltration process. Journal of Agricultural and Food Chemistry, 1991, 39, 673-676.	2.4	81
116	Whey Peptide Fractions Obtained with a Two-Step Ultrafiltration Process: Production and Characterization. Journal of Food Science, 1990, 55, 106-110.	1.5	61