

# Bruce A McClane

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8354755/publications.pdf>

Version: 2024-02-01

169  
papers

9,601  
citations

23567

58  
h-index

49909

87  
g-index

173  
all docs

173  
docs citations

173  
times ranked

3575  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reevaluation of whether a Functional Agr-like Quorum-Sensing System Is Necessary for Production of Wild-Type Levels of Epsilon-Toxin by Clostridium perfringens Type D Strains. MBio, 2022, , e0049622.	4.1	0
2	Pathogenicity and virulence of Clostridium perfringens. Virulence, 2021, 12, 723-753.	4.4	82
3	NanH Is Produced by Sporulating Cultures of Clostridium perfringens Type F Food Poisoning Strains and Enhances the Cytotoxicity of C. perfringens Enterotoxin. MSphere, 2021, 6, .	2.9	3
4	Identifying the Basis for VirS/VirR Two-Component Regulatory System Control of Clostridium perfringens Beta-Toxin Production. Journal of Bacteriology, 2021, 203, e0027921.	2.2	0
5	NanI Sialidase Contributes to the Growth and Adherence of Clostridium perfringens Type F Strain F4969 in the Presence of Adherent Mucus. Infection and Immunity, 2021, 89, e0025621.	2.2	2
6	NanI Sialidase Enhances the Action of Clostridium perfringens Enterotoxin in the Presence of Mucus. MSphere, 2021, 6, e0084821.	2.9	4
7	The Agr-Like Quorum-Sensing System Is Important for Clostridium perfringens Type A Strain ATCC 3624 To Cause Gas Gangrene in a Mouse Model. MSphere, 2020, 5, .	2.9	8
8	Evidence That VirS Is a Receptor for the Signaling Peptide of the Clostridium perfringens Agr-like Quorum Sensing System. MBio, 2020, 11, .	4.1	8
9	Using More Than 1 (Path)Way to Kill a Host Cell: Lessons From Clostridium perfringens Enterotoxin. Microbiology Insights, 2020, 13, 117863612093151.	2.0	2
10	Effects of Claudin-1 on the Action of Clostridium perfringens Enterotoxin in Caco-2 Cells. Toxins, 2019, 11, 582.	3.4	8
11	Potential Therapeutic Effects of Mepacrine against Clostridium perfringens Enterotoxin in a Mouse Model of Enterotoxemia. Infection and Immunity, 2019, 87, .	2.2	3
12	Identification of an Important Orphan Histidine Kinase for the Initiation of Sporulation and Enterotoxin Production by Clostridium perfringens Type F Strain SM101. MBio, 2019, 10, .	4.1	15
13	Enterotoxic Clostridia: Clostridium perfringens Enteric Diseases. , 2019, , 977-990.		2
14	RIP1, RIP3, and MLKL Contribute to Cell Death Caused by Clostridium perfringens Enterotoxin. MBio, 2019, 10, .	4.1	18
15	Expansion of the Clostridium perfringens toxin-based typing scheme. Anaerobe, 2018, 53, 5-10.	2.1	365
16	NanI Sialidase Can Support the Growth and Survival of Clostridium perfringens Strain F4969 in the Presence of Sialyated Host Macromolecules (Mucin) or Caco-2 Cells. Infection and Immunity, 2018, 86, .	2.2	20
17	Evidence that Clostridium perfringens Enterotoxin-Induced Intestinal Damage and Enterotoxemic Death in Mice Can Occur Independently of Intestinal Caspase-3 Activation. Infection and Immunity, 2018, 86, .	2.2	11
18	Native or Proteolytically Activated NanI Sialidase Enhances the Binding and Cytotoxic Activity of Clostridium perfringens Enterotoxin and Beta Toxin. Infection and Immunity, 2018, 86, .	2.2	23

#	ARTICLE	IF	CITATIONS
19	Enterotoxigenic Clostridia: <i>Clostridium perfringens</i> Enteric Diseases. <i>Microbiology Spectrum</i> , 2018, 6, .	3.0	35
20	NanI Sialidase Is an Important Contributor to <i>Clostridium perfringens</i> Type F Strain F4969 Intestinal Colonization in Mice. <i>Infection and Immunity</i> , 2018, 86, .	2.2	18
21	Mechanisms of Action and Cell Death Associated with <i>Clostridium perfringens</i> Toxins. <i>Toxins</i> , 2018, 10, 212.	3.4	150
22	NanR Regulates Sporulation and Enterotoxin Production by <i>Clostridium perfringens</i> Type F Strain F4969. <i>Infection and Immunity</i> , 2018, 86, .	2.2	13
23	Comparative pathogenesis of enteric clostridial infections in humans and animals. <i>Anaerobe</i> , 2018, 53, 11-20.	2.1	71
24	CodY Promotes Sporulation and Enterotoxin Production by <i>Clostridium perfringens</i> Type A Strain SM101. <i>Infection and Immunity</i> , 2017, 85, .	2.2	20
25	NanR Regulates <i>nanI</i> Sialidase Expression by <i>Clostridium perfringens</i> F4969, a Human Enteropathogenic Strain. <i>Infection and Immunity</i> , 2017, 85, .	2.2	13
26	The Potential Therapeutic Agent Mepacrine Protects Caco-2 Cells against <i>Clostridium perfringens</i> Enterotoxin Action. <i>MSphere</i> , 2017, 2, .	2.9	10
27	Antibody against Microbial Neuraminidases Recognizes Human Sialidase 3 (NEU3): the Neuraminidase/Sialidase Superfamily Revisited. <i>MBio</i> , 2017, 8, .	4.1	8
28	<i>Clostridium perfringens</i> Sporulation and Sporulation-Associated Toxin Production. , 2016, , 331-347.		3
29	<i>Clostridium perfringens</i> Enterotoxin: Action, Genetics, and Translational Applications. <i>Toxins</i> , 2016, 8, 73.	3.4	132
30	<i>Clostridium perfringens</i> Sialidases: Potential Contributors to Intestinal Pathogenesis and Therapeutic Targets. <i>Toxins</i> , 2016, 8, 341.	3.4	42
31	Bystander Host Cell Killing Effects of <i>Clostridium perfringens</i> Enterotoxin. <i>MBio</i> , 2016, 7, .	4.1	12
32	The interaction of <i>Clostridium perfringens</i> enterotoxin with receptor claudins. <i>Anaerobe</i> , 2016, 41, 18-26.	2.1	40
33	New insights into <i>Clostridium perfringens</i> epsilon toxin activation and action on the brain during enterotoxemia. <i>Anaerobe</i> , 2016, 41, 27-31.	2.1	21
34	<i>Clostridium perfringens</i> Sporulation and Sporulation-Associated Toxin Production. <i>Microbiology Spectrum</i> , 2016, 4, .	3.0	64
35	Characterization of <i>Clostridium perfringens</i> TpeL Toxin Gene Carriage, Production, Cytotoxic Contributions, and Trypsin Sensitivity. <i>Infection and Immunity</i> , 2015, 83, 2369-2381.	2.2	23
36	<i>Clostridium perfringens</i> enterotoxin. , 2015, , 815-838.		2

#	ARTICLE	IF	CITATIONS
37	Identification and Characterization of Clostridium perfringens Beta Toxin Variants with Differing Trypsin Sensitivity and <i>In Vitro</i> Cytotoxicity Activity. <i>Infection and Immunity</i> , 2015, 83, 1477-1486.	2.2	7
38	Animal models to study the pathogenesis of human and animal Clostridium perfringens infections. <i>Veterinary Microbiology</i> , 2015, 179, 23-33.	1.9	73
39	Structure-Function Analysis of Peptide Signaling in the Clostridium perfringens Agr-Like Quorum Sensing System. <i>Journal of Bacteriology</i> , 2015, 197, 1807-1818.	2.2	28
40	NanI Sialidase, CcpA, and CodY Work Together To Regulate Epsilon Toxin Production by Clostridium perfringens Type D Strain CN3718. <i>Journal of Bacteriology</i> , 2015, 197, 3339-3353.	2.2	23
41	Clostridium perfringens type A toxin plasmids. <i>Research in Microbiology</i> , 2015, 166, 264-279.	2.1	50
42	Host cell-induced signaling causes Clostridium perfringens to upregulate production of toxins important for intestinal infections. <i>Gut Microbes</i> , 2014, 5, 96-107.	9.8	33
43	Synergistic Effects of Clostridium perfringens Enterotoxin and Beta Toxin in Rabbit Small Intestinal Loops. <i>Infection and Immunity</i> , 2014, 82, 2958-2970.	2.2	33
44	Proteolytic Processing and Activation of Clostridium perfringens Epsilon Toxin by Caprine Small Intestinal Contents. <i>MBio</i> , 2014, 5, e01994-14.	4.1	24
45	A Synthetic Peptide Corresponding to the Extracellular Loop 2 Region of Claudin-4 Protects against Clostridium perfringens Enterotoxin <i>In Vitro</i> and <i>In Vivo</i> . <i>Infection and Immunity</i> , 2014, 82, 4778-4788.	2.2	10
46	The Sialidases of Clostridium perfringens Type D Strain CN3718 Differ in Their Properties and Sensitivities to Inhibitors. <i>Applied and Environmental Microbiology</i> , 2014, 80, 1701-1709.	3.1	49
47	Towards an understanding of the role of Clostridium perfringens toxins in human and animal disease. <i>Future Microbiology</i> , 2014, 9, 361-377.	2.0	328
48	Clostridium perfringens Type A Enterotoxin Damages the Rabbit Colon. <i>Infection and Immunity</i> , 2014, 82, 2211-2218.	2.2	32
49	Contributions of NanI Sialidase to Caco-2 Cell Adherence by Clostridium perfringens Type A and C Strains Causing Human Intestinal Disease. <i>Infection and Immunity</i> , 2014, 82, 4620-4630.	2.2	38
50	Structure of a C. perfringens Enterotoxin Mutant in Complex with a Modified Claudin-2 Extracellular Loop 2. <i>Journal of Molecular Biology</i> , 2014, 426, 3134-3147.	4.2	17
51	Virulence Plasmids of Spore-Forming Bacteria. <i>Microbiology Spectrum</i> , 2014, 2, .	3.0	28
52	CodY Is a Global Regulator of Virulence-Associated Properties for Clostridium perfringens Type D Strain CN3718. <i>MBio</i> , 2013, 4, e00770-13.	4.1	55
53	Toxin Plasmids of Clostridium perfringens. <i>Microbiology and Molecular Biology Reviews</i> , 2013, 77, 208-233.	6.6	204
54	Human Claudin-8 and -14 Are Receptors Capable of Conveying the Cytotoxic Effects of Clostridium perfringens Enterotoxin. <i>MBio</i> , 2013, 4, .	4.1	47

#	ARTICLE	IF	CITATIONS
55	Cysteine-Scanning Mutagenesis Supports the Importance of Clostridium perfringens Enterotoxin Amino Acids 80 to 106 for Membrane Insertion and Pore Formation. Infection and Immunity, 2012, 80, 4078-4088.	2.2	31
56	Enterotoxigenic <i>Clostridium perfringens</i>; Detection and Identification. Microbes and Environments, 2012, 27, 343-349.	1.6	48
57	Genotypic and Phenotypic Characterization of Clostridium perfringens Isolates from Darmbrand Cases in Post-World War II Germany. Infection and Immunity, 2012, 80, 4354-4363.	2.2	42
58	Role of the Agr-Like Quorum-Sensing System in Regulating Toxin Production by Clostridium perfringens Type B Strains CN1793 and CN1795. Infection and Immunity, 2012, 80, 3008-3017.	2.2	48
59	Identification of a lambda toxin-negative Clostridium perfringens strain that processes and activates epsilon prototoxin intracellularly. Anaerobe, 2012, 18, 546-552.	2.1	23
60	Animal models to study the pathogenesis of enterotoxigenic Clostridium perfringens infections. Microbes and Infection, 2012, 14, 1009-1016.	1.9	8
61	Use of <i>Clostridium perfringens</i> Enterotoxin and the Enterotoxin Receptor-Binding Domain (C-CPE) for Cancer Treatment: Opportunities and Challenges. Journal of Toxicology, 2012, 2012, 1-9.	3.0	60
62	Evidence that the Agr-Like quorum sensing system regulates the toxin production, cytotoxicity and pathogenicity of <i>Clostridium perfringens</i> type C isolate CN3685. Molecular Microbiology, 2012, 83, 179-194.	2.5	55
63	Evidence that the Agr-Like quorum sensing system regulates the toxin production, cytotoxicity and pathogenicity of <i>Clostridium perfringens</i> type C isolate CN3685. Molecular Microbiology, 2012, 83, 1287-1287.	2.5	2
64	The Agr-Like Quorum-Sensing System Regulates Sporulation and Production of Enterotoxin and Beta2 Toxin by Clostridium perfringens Type A Non-Food-Borne Human Gastrointestinal Disease Strain F5603. Infection and Immunity, 2011, 79, 2451-2459.	2.2	107
65	Structure of the Food-Poisoning Clostridium perfringens Enterotoxin Reveals Similarity to the Aerolysin-Like Pore-Forming Toxins. Journal of Molecular Biology, 2011, 413, 138-149.	4.2	76
66	Evidence for a Prepore Stage in the Action of Clostridium perfringens Epsilon Toxin. PLoS ONE, 2011, 6, e22053.	2.5	49
67	Necrotic Enteritis-Derived Clostridium perfringens Strain with Three Closely Related Independently Conjugative Toxin and Antibiotic Resistance Plasmids. MBio, 2011, 2, .	4.1	75
68	Epsilon-Toxin Production by Clostridium perfringens Type D Strain CN3718 Is Dependent upon the <i>agr</i> Operon but Not the VirS/VirR Two-Component Regulatory System. MBio, 2011, 2, .	4.1	41
69	The VirS/VirR Two-Component System Regulates the Anaerobic Cytotoxicity, Intestinal Pathogenicity, and Enterotoxemic Lethality of Clostridium perfringens Type C Isolate CN3685. MBio, 2011, 2, e00338-10.	4.1	35
70	Detection of Enterotoxigenic Clostridium perfringens in Meat Samples by Using Molecular Methods. Applied and Environmental Microbiology, 2011, 77, 7526-7532.	3.1	39
71	Development and Application of a Mouse Intestinal Loop Model To Study the In Vivo Action of Clostridium perfringens Enterotoxin. Infection and Immunity, 2011, 79, 3020-3027.	2.2	54
72	C Terminus of <i>Clostridium perfringens</i> Enterotoxin Downregulates CLDN4 and Sensitizes Ovarian Cancer Cells to Taxol and Carboplatin. Clinical Cancer Research, 2011, 17, 1065-1074.	7.0	44

#	ARTICLE	IF	CITATIONS
73	Sialidases Affect the Host Cell Adherence and Epsilon Toxin-Induced Cytotoxicity of Clostridium perfringens Type D Strain CN3718. PLoS Pathogens, 2011, 7, e1002429.	4.7	69
74	Interactions Between Clostridium perfringens Enterotoxin and Claudins. Methods in Molecular Biology, 2011, 762, 63-75.	0.9	8
75	Identification of Novel Clostridium perfringens Type E Strains That Carry an Iota Toxin Plasmid with a Functional Enterotoxin Gene. PLoS ONE, 2011, 6, e20376.	2.5	51
76	Phenotypic and genotypic characterization of tetracycline and minocycline resistance in Clostridium perfringens. Archives of Microbiology, 2010, 192, 803-810.	2.2	24
77	Crystallization and preliminary crystallographic analysis of the Clostridium perfringens enterotoxin. Acta Crystallographica Section F: Structural Biology Communications, 2010, 66, 794-797.	0.7	2
78	Organization of the cpe Locus in CPE-Positive Clostridium perfringens Type C and D Isolates. PLoS ONE, 2010, 5, e10932.	2.5	29
79	Evaluating the Involvement of Alternative Sigma Factors SigF and SigG in Clostridium perfringens Sporulation and Enterotoxin Synthesis. Infection and Immunity, 2010, 78, 4286-4293.	2.2	62
80	Identification of a Claudin-4 Residue Important for Mediating the Host Cell Binding and Action of Clostridium perfringens Enterotoxin. Infection and Immunity, 2010, 78, 505-517.	2.2	63
81	Characterization of Virulence Plasmid Diversity among Clostridium perfringens Type B Isolates. Infection and Immunity, 2010, 78, 495-504.	2.2	60
82	Characterization of Toxin Plasmids in Clostridium perfringens Type C Isolates. Infection and Immunity, 2010, 78, 4860-4869.	2.2	66
83	Clostridium perfringens type C isolates rapidly upregulate their toxin production upon contact with host cells. Virulence, 2010, 1, 97-100.	4.4	9
84	Use of an EZ-Tn5-Based Random Mutagenesis System to Identify a Novel Toxin Regulatory Locus in Clostridium perfringens Strain 13. PLoS ONE, 2009, 4, e6232.	2.5	80
85	Further Characterization of Clostridium perfringens Small Acid Soluble Protein-4 (Ssp4) Properties and Expression. PLoS ONE, 2009, 4, e6249.	2.5	36
86	Development and Application of New Mouse Models To Study the Pathogenesis of Clostridium perfringens Type C Enterotoxemias. Infection and Immunity, 2009, 77, 5291-5299.	2.2	50
87	Contact with enterocyte-like Caco-2 cells induces rapid upregulation of toxin production by Clostridium perfringens type C isolates. Cellular Microbiology, 2009, 11, 1306-1328.	2.1	59
88	Genetic Characterization of Type A Enterotoxigenic Clostridium perfringens Strains. PLoS ONE, 2009, 4, e5598.	2.5	73
89	Clostridium perfringens Epsilon Toxin Increases the Small Intestinal Permeability in Mice and Rats. PLoS ONE, 2009, 4, e7065.	2.5	41
90	Beta toxin is essential for the intestinal virulence of Clostridium perfringens type C disease isolate CN3685 in a rabbit ileal loop model. Molecular Microbiology, 2008, 67, 15-30.	2.5	157

#	ARTICLE	IF	CITATIONS
91	Clostridium perfringens toxin genotypes in the feces of healthy North Americans. <i>Anaerobe</i> , 2008, 14, 102-108.	2.1	86
92	Ulcerative Enteritis-Like Disease Associated with Clostridium perfringens Type A in Bobwhite Quail ( <i>Colinus virginianus</i> ). <i>Avian Diseases</i> , 2008, 52, 635-640.	1.0	18
93	Effects of <i>Clostridium perfringens</i> Beta-Toxin on the Rabbit Small Intestine and Colon. <i>Infection and Immunity</i> , 2008, 76, 4396-4404.	2.2	69
94	Noncytotoxic <i>Clostridium perfringens</i> Enterotoxin (CPE) Variants Localize CPE Intestinal Binding and Demonstrate a Relationship between CPE-Induced Cytotoxicity and Enterotoxicity. <i>Infection and Immunity</i> , 2008, 76, 3793-3800.	2.2	48
95	Structure of the Claudin-binding Domain of Clostridium perfringens Enterotoxin. <i>Journal of Biological Chemistry</i> , 2008, 283, 268-274.	3.4	92
96	A Novel Small Acid Soluble Protein Variant Is Important for Spore Resistance of Most Clostridium perfringens Food Poisoning Isolates. <i>PLoS Pathogens</i> , 2008, 4, e1000056.	4.7	69
97	Evidence that Membrane Rafts Are Not Required for the Action of <i>Clostridium perfringens</i> Enterotoxin. <i>Infection and Immunity</i> , 2008, 76, 5677-5685.	2.2	16
98	Sequencing and Diversity Analyses Reveal Extensive Similarities between Some Epsilon-Toxin-Encoding Plasmids and the pCPF5603 <i>Clostridium perfringens</i> Enterotoxin Plasmid. <i>Journal of Bacteriology</i> , 2008, 190, 7178-7188.	2.2	50
99	Ulcerative Enterocolitis in Two Goats Associated with Enterotoxin- and beta2 Toxin-Positive <i>Clostridium Perfringens</i> Type D. <i>Journal of Veterinary Diagnostic Investigation</i> , 2008, 20, 668-672.	1.1	16
100	Virulence Plasmid Diversity in Clostridium perfringens Type D Isolates. <i>Infection and Immunity</i> , 2007, 75, 2391-2398.	2.2	66
101	Epsilon-Toxin Plasmids of <i>Clostridium perfringens</i> Type D Are Conjugative. <i>Journal of Bacteriology</i> , 2007, 189, 7531-7538.	2.2	66
102	Prevalence of Enterotoxigenic Clostridium perfringens Isolates in Pittsburgh (Pennsylvania) Area Soils and Home Kitchens. <i>Applied and Environmental Microbiology</i> , 2007, 73, 7218-7224.	3.1	55
103	Identification of a Prepore Large-Complex Stage in the Mechanism of Action of Clostridium perfringens Enterotoxin. <i>Infection and Immunity</i> , 2007, 75, 2381-2390.	2.2	85
104	Clostridium perfringens Enterotoxin as a Novel-Targeted Therapeutic for Brain Metastasis. <i>Cancer Research</i> , 2007, 67, 7977-7982.	0.9	67
105	Both Epsilon-Toxin and Beta-Toxin Are Important for the Lethal Properties of Clostridium perfringens Type B Isolates in the Mouse Intravenous Injection Model. <i>Infection and Immunity</i> , 2007, 75, 1443-1452.	2.2	52
106	Comparison of Virulence Plasmids among Clostridium perfringens Type E Isolates. <i>Infection and Immunity</i> , 2007, 75, 1811-1819.	2.2	50
107	Development and Application of an Oral Challenge Mouse Model for Studying Clostridium perfringens Type D Infection. <i>Infection and Immunity</i> , 2007, 75, 4282-4288.	2.2	35
108	Claudin-4 Overexpression in Epithelial Ovarian Cancer Is Associated with Hypomethylation and Is a Potential Target for Modulation of Tight Junction Barrier Function Using a C-Terminal Fragment of Clostridium perfringens Enterotoxin. <i>Neoplasia</i> , 2007, 9, 304-314.	5.3	98



#	ARTICLE	IF	CITATIONS
109	Compositional and stoichiometric analysis of Clostridium perfringens enterotoxin complexes in Caco-2 cells and claudin 4 fibroblast transfectants. Cellular Microbiology, 2007, 9, 2734-2755.	2.1	77
110	Disruption of a toxin gene by introduction of a foreign gene into the chromosome of Clostridium perfringens using targetron-induced mutagenesis. Plasmid, 2007, 58, 182-189.	1.4	22
111	Skewed genomic variability in strains of the toxigenic bacterial pathogen, Clostridium perfringens. Genome Research, 2006, 16, 1031-1040.	5.5	281
112	The Enterotoxic Clostridia. , 2006, , 698-752.		78
113	Comparative Effects of Osmotic, Sodium Nitrite-Induced, and pH-Induced Stress on Growth and Survival of Clostridium perfringens Type A Isolates Carrying Chromosomal or Plasmid-Borne Enterotoxin Genes. Applied and Environmental Microbiology, 2006, 72, 7620-7625.	3.1	62
114	Further Comparison of Temperature Effects on Growth and Survival of Clostridium perfringens Type A Isolates Carrying a Chromosomal or Plasmid-Borne Enterotoxin Gene. Applied and Environmental Microbiology, 2006, 72, 4561-4568.	3.1	107
115	Complete Sequencing and Diversity Analysis of the Enterotoxin-Encoding Plasmids in Clostridium perfringens Type A Non-Food-Borne Human Gastrointestinal Disease Isolates. Journal of Bacteriology, 2006, 188, 1585-1598.	2.2	80
116	Dissecting the Contributions of Clostridium perfringens Type C Toxins to Lethality in the Mouse Intravenous Injection Model. Infection and Immunity, 2006, 74, 5200-5210.	2.2	83
117	Clostridium perfringens enterotoxin. , 2006, , 763-778.		4
118	Association of beta2 toxin production with Clostridium perfringens type A human gastrointestinal disease isolates carrying a plasmid enterotoxin gene. Molecular Microbiology, 2005, 56, 747-762.	2.5	149
119	Fatal Necrotizing Colitis Following a Foodborne Outbreak of Enterotoxigenic Clostridium perfringens Type A Infection. Clinical Infectious Diseases, 2005, 40, e78-e83.	5.8	94
120	Construction of an Alpha Toxin Gene Knockout Mutant of Clostridium perfringens Type A by Use of a Mobile Group II Intron. Applied and Environmental Microbiology, 2005, 71, 7542-7547.	3.1	129
121	Epsilon-Toxin Is Required for Most Clostridium perfringens Type D Vegetative Culture Supernatants To Cause Lethality in the Mouse Intravenous Injection Model. Infection and Immunity, 2005, 73, 7413-7421.	2.2	62
122	Multiplex PCR Genotyping Assay That Distinguishes between Isolates of Clostridium perfringens Type A Carrying a Chromosomal Enterotoxin Gene ( cpe ) Locus, a Plasmid cpe Locus with an IS 1470 -Like Sequence, or a Plasmid cpe Locus with an IS 1151 Sequence. Journal of Clinical Microbiology, 2004, 42, 1552-1558.	3.9	65
123	Detection of Enterotoxigenic Clostridium perfringens Type A Isolates in American Retail Foods. Applied and Environmental Microbiology, 2004, 70, 2685-2691.	3.1	145
124	Fine Mapping of the N-Terminal Cytotoxicity Region of Clostridium perfringens Enterotoxin by Site-Directed Mutagenesis. Infection and Immunity, 2004, 72, 6914-6923.	2.2	47
125	The importance of calcium influx, calpain and calmodulin for the activation of CaCo-2 cell death pathways by Clostridium perfringens enterotoxin. Cellular Microbiology, 2004, 7, 129-146.	2.1	96
126	New insights into the cytotoxic mechanisms of Clostridium perfringens enterotoxin. Anaerobe, 2004, 10, 107-114.	2.1	68



#	ARTICLE	IF	CITATIONS
127	Development of a Duplex PCR Genotyping Assay for Distinguishing Clostridium perfringens Type A Isolates Carrying Chromosomal Enterotoxin ( cpe ) Genes from Those Carrying Plasmid-Borne Enterotoxin ( cpe ) Genes. Journal of Clinical Microbiology, 2003, 41, 1494-1498.	3.9	40
128	Genotyping and Phenotyping of Beta2-Toxigenic Clostridium perfringens Fecal Isolates Associated with Gastrointestinal Diseases in Piglets. Journal of Clinical Microbiology, 2003, 41, 3584-3591.	3.9	116
129	Death Pathways Activated in CaCo-2 Cells by Clostridium perfringens Enterotoxin. Infection and Immunity, 2003, 71, 4260-4270.	2.2	91
130	Organization of the Plasmid cpe Locus in Clostridium perfringens Type A Isolates. Infection and Immunity, 2002, 70, 4261-4272.	2.2	63
131	Claudin-4: A new target for pancreatic cancer treatment using Clostridium perfringens enterotoxin. Gastroenterology, 2001, 121, 678-684.	1.3	276
132	The complex interactions between Clostridium perfringens enterotoxin and epithelial tight junctions. Toxicon, 2001, 39, 1781-1791.	1.6	101
133	Enterotoxin Plasmid from Clostridium perfringens Is Conjugative. Infection and Immunity, 2001, 69, 3483-3487.	2.2	102
134	Genotyping of Enterotoxigenic Clostridium perfringens Fecal Isolates Associated with Antibiotic-Associated Diarrhea and Food Poisoning in North America. Journal of Clinical Microbiology, 2001, 39, 883-888.	3.9	122
135	Comparative Biochemical and Immunocytochemical Studies Reveal Differences in the Effects of Clostridium perfringens Enterotoxin on Polarized CaCo-2 Cells Versus Vero Cells. Journal of Biological Chemistry, 2001, 276, 33402-33412.	3.4	62
136	Clostridium difficile. K. Aktories , T. D. Wilkins. Quarterly Review of Biology, 2001, 76, 277-277.	0.1	0
137	Inactivation of the gene (cpe) encoding Clostridium perfringens enterotoxin eliminates the ability of two cpe-positive C. perfringens type A human gastrointestinal disease isolates to affect rabbit ileal loops. Molecular Microbiology, 2000, 35, 249-249.	2.5	2
138	Comparative Experiments To Examine the Effects of Heating on Vegetative Cells and Spores of Clostridium perfringens Isolates Carrying Plasmid Genes versus Chromosomal Enterotoxin Genes. Applied and Environmental Microbiology, 2000, 66, 3234-3240.	3.1	175
139	CaCo-2 Cells Treated with Clostridium perfringens Enterotoxin Form Multiple Large Complex Species, One of Which Contains the Tight Junction Protein Occludin. Journal of Biological Chemistry, 2000, 275, 18407-18417.	3.4	98
140	Clostridium perfringens enterotoxin and intestinal tight junctions. Trends in Microbiology, 2000, 8, 145-146.	7.7	27
141	Inactivation of the gene (cpe) encoding Clostridium perfringens enterotoxin eliminates the ability of two cpe-positive C. perfringens type A human gastrointestinal disease isolates to affect rabbit ileal loops. Molecular Microbiology, 1999, 33, 946-958.	2.5	211
142	Identification of a Clostridium perfringens Enterotoxin Region Required for Large Complex Formation and Cytotoxicity by Random Mutagenesis. Infection and Immunity, 1999, 67, 5634-5641.	2.2	62
143	Phenotypic Characterization of Enterotoxigenic Clostridium perfringens Isolates from Non-foodborne Human Gastrointestinal Diseases. Anaerobe, 1998, 4, 69-79.	2.1	89
144	Clostridium perfringens Type E Animal Enteritis Isolates with Highly Conserved, Silent Enterotoxin Gene Sequences. Infection and Immunity, 1998, 66, 4531-4536.	2.2	4

#	ARTICLE	IF	CITATIONS
145	Characterization of Membrane-Associated <i>Clostridium perfringens</i> Enterotoxin following Pronase Treatment. <i>Infection and Immunity</i> , 1998, 66, 5897-5905.	2.2	31
146	<i>Clostridium perfringens</i> Type E Animal Enteritis Isolates with Highly Conserved, Silent Enterotoxin Gene Sequences. <i>Infection and Immunity</i> , 1998, 66, 4531-4536.	2.2	90
147	Evidence That the Enterotoxin Gene Can Be Episomal in <i>Clostridium perfringens</i> Isolates Associated with Non-Food-Borne Human Gastrointestinal Diseases. <i>Journal of Clinical Microbiology</i> , 1998, 36, 30-36.	3.9	159
148	Regulation of Enterotoxin Production in <i>Clostridium perfringens</i> . , 1997, , 471-487.		12
149	An overview of <i>Clostridium perfringens</i> enterotoxin. <i>Toxicon</i> , 1996, 34, 1335-1343.	1.6	75
150	Letter To The Editor. <i>Anaerobe</i> , 1995, 1, 237-238.	2.1	0
151	<i>Clostridium perfringens</i> enterotoxin acts by producing small molecule permeability alterations in plasma membranes. <i>Toxicology</i> , 1994, 87, 43-67.	4.2	75
152	CLOSTRIDIUM PERFRINGENS ENTEROTOXIN: STRUCTURE, ACTION AND DETECTION. <i>Journal of Food Safety</i> , 1991, 12, 237-252.	2.3	43
153	Evidence that alterations in small molecule permeability are involved in the <i>Clostridium perfringens</i> type a enterotoxin-Induced inhibition of macromolecular synthesis in vero cells. <i>Journal of Cellular Physiology</i> , 1989, 140, 498-504.	4.1	38
154	Characterization of calcium involvement in the <i>Clostridium perfringens</i> type A enterotoxin-induced release of 3H-nucleotides from Vero cells. <i>Microbial Pathogenesis</i> , 1989, 6, 17-28.	2.9	3
155	<i>Clostridium perfringens</i> enterotoxin. <i>Microbial Pathogenesis</i> , 1988, 4, 317-323.	2.9	78
156	The effects of <i>Clostridium perfringens</i> enterotoxin on intracellular levels or transport of uridine, thymidine and leucine do not fully explain enterotoxin-induced inhibition of macromolecular synthesis in vero cells. <i>Biochemical and Biophysical Research Communications</i> , 1988, 153, 699-707.	2.1	4
157	[15] Production, purification, and assay of <i>Clostridium perfringens</i> enterotoxin. <i>Methods in Enzymology</i> , 1988, 165, 94-103.	1.0	74
158	Development and preliminary evaluation of a slide latex agglutination assay for detection of <i>Clostridium perfringens</i> type A enterotoxin. <i>Journal of Immunological Methods</i> , 1987, 100, 131-136.	1.4	23
159	Interferon pretreatment enhances the sensitivity of Vero cells to <i>Clostridium perfringens</i> type A enterotoxin. <i>Microbial Pathogenesis</i> , 1987, 3, 195-206.	2.9	13
160	Comparison of receptors for <i>Clostridium perfringens</i> type A and cholera enterotoxins in isolated rabbit intestinal brush border membranes. <i>Microbial Pathogenesis</i> , 1986, 1, 89-100.	2.9	35
161	Osmotic stabilizers differentially inhibit permeability alterations induced in vero cells by <i>Clostridium Perfringens</i> enterotoxin. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1984, 777, 99-106.	2.6	59
162	Identification of a 50,000 Mr protein from rabbit brush border membranes that binds <i>Clostridium perfringens</i> enterotoxin. <i>Biochemical and Biophysical Research Communications</i> , 1983, 112, 1099-1105.	2.1	44

#	ARTICLE	IF	CITATIONS
163	Protective effects of osmotic stabilizers on morphological and permeability alterations induced in vero cells by Clostridium perfringens enterotoxin. Biochimica Et Biophysica Acta - Biomembranes, 1981, 641, 401-409.	2.6	48
164	Characterization of membrane permeability alterations induced in vero cells by Clostridium perfringens enterotoxin. Biochimica Et Biophysica Acta - Biomembranes, 1980, 600, 974-985.	2.6	64
165	The effects of Clostridium perfringens enterotoxin on morphology, viability, and macromolecular synthesis in vero cells. Journal of Cellular Physiology, 1979, 99, 191-199.	4.1	92
166	Binding versus biological activity of Clostridium perfringens enterotoxin in Vero cells. Biochemical and Biophysical Research Communications, 1979, 87, 497-504.	2.1	67
167	Enterotoxic Clostridia: Clostridium perfringens Type A and Clostridium difficile. , 0, , 703-714.		11
168	Clostridium perfringens. , 0, , 465-489.		21
169	Virulence Plasmids of Spore-Forming Bacteria. , 0, , 533-557.		1