

Monia Renzi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8355066/monia-renzi-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90 papers	1,664 citations	23 h-index	37 g-index
97 ext. papers	2,296 ext. citations	4.6 avg, IF	5.46 L-index

#	Paper	IF	Citations
90	Microplastics Occurrence in the European Common Frog (<i>Rana temporaria</i>) from Cottian Alps (Northwest Italy). <i>Diversity</i> , 2022 , 14, 66	2.5	2
89	Microplastics accumulation in functional feeding guilds and functional habit groups of freshwater macrobenthic invertebrates: Novel insights in a riverine ecosystem. <i>Science of the Total Environment</i> , 2022 , 804, 150207	10.2	9
88	Modulation of Antioxidant Defense in Farmed Rainbow Trout () Fed with a Diet Supplemented by the Waste Derived from the Supercritical Fluid Extraction of Basil (). <i>Antioxidants</i> , 2022 , 11,	7.1	3
87	Polyethylene microplastics reduce filtration and respiration rates in the Mediterranean sponge <i>Petrosia ficiformis</i> . <i>Environmental Research</i> , 2022 , 211, 113094	7.9	1
86	Changes in Serum Blood Parameters in Farmed Rainbow Trout (<i>Oncorhynchus mykiss</i>) Fed with Diets Supplemented with Waste Derived from Supercritical Fluid Extraction of Sweet Basil (<i>Ocimum basilicum</i>). <i>Fishes</i> , 2022 , 7, 89	2.5	0
85	Occurrence of microplastics in the gastrointestinal tract of benthic by-catches from an eastern Mediterranean deep-sea environment.. <i>Marine Pollution Bulletin</i> , 2021 , 174, 113231	6.7	1
84	Lethal and Sublethal Responses of (Insecta, Trichoptera) to Commercial Polypropylene Microplastics after Different Preconditioning Treatments. <i>Toxics</i> , 2021 , 9,	4.7	3
83	A Multidisciplinary Approach to Evaluate the Effects of Contaminants of Emerging Concern on Natural Freshwater and Brackish Water Phytoplankton Communities. <i>Biology</i> , 2021 , 10,	4.9	1
82	Impacts of Plastic-Made Packaging on Marine Key Species: Effects Following Water Acidification and Ecological Implications. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 432	2.4	2
81	Northward Spread of the Parrotfish <i>Sparisoma cretense</i> (Teleostei: Scaridae) in the Mediterranean Sea: An Update on Current Distribution with Two New Records from Sardinia. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 536	2.4	0
80	First insights into plastic and microplastic occurrence in biotic and abiotic compartments, and snow from a high-mountain lake (Carnic Alps). <i>Chemosphere</i> , 2021 , 265, 129121	8.4	32
79	Short-term physiological and biometrical responses of <i>Lepidium sativum</i> seedlings exposed to PET-made microplastics and acid rain. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111718	7	12
78	Mediterranean rocky reefs in the Anthropocene: Present status and future concerns. <i>Advances in Marine Biology</i> , 2021 , 89, 1-51	2.1	0
77	Use of the Zebra Mussel <i>Dreissena polymorpha</i> (Mollusca, Bivalvia) as a Bioindicator of Microplastics Pollution in Freshwater Ecosystems: A Case Study from Lake Iseo (North Italy). <i>Water (Switzerland)</i> , 2021 , 13, 434	3	10
76	Use of Sediqualsoft [®] to Determine the Toxicity of Cigarette Butts to Marine Species: A Weather Simulation Test. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 734	2.4	0
75	Effects of polyethylene terephthalate (PET) microplastics and acid rain on physiology and growth of <i>Lepidium sativum</i> . <i>Environmental Pollution</i> , 2021 , 282, 116997	9.3	9
74	Comparison of different ecotoxicological batteries with WOE approach for the environmental quality evaluation of harbour sediments. <i>Aquatic Toxicology</i> , 2021 , 237, 105905	5.1	3

73	The sea cucumber <i>Holothuria tubulosa</i> does not reduce the size of microplastics but enhances their resuspension in the water column. <i>Science of the Total Environment</i> , 2021 , 781, 146650	10.2	6
72	Ecotoxicological effects of new generation pollutants (nanoparticles, amoxicillin and white musk) on freshwater and marine phytoplankton species. <i>Chemosphere</i> , 2021 , 279, 130623	8.4	5
71	Taking the sparkle off the sparkling time. <i>Marine Pollution Bulletin</i> , 2021 , 170, 112660	6.7	0
70	Litter in alien species of possible commercial interest: The blue crab (<i>Callinectes sapidus</i> Rathbun, 1896) as case study. <i>Marine Pollution Bulletin</i> , 2020 , 157, 111300	6.7	8
69	Nanoplastics in the oceans: Theory, experimental evidence and real world. <i>Marine Pollution Bulletin</i> , 2020 , 157, 111317	6.7	29
68	Chemical fingerprint of plastic litter in sediments and holothurians from Croatia: Assessment & relation to different environmental factors. <i>Marine Pollution Bulletin</i> , 2020 , 153, 110994	6.7	12
67	Marine Litter in Transitional Water Ecosystems: State of The Art Review Based on a Bibliometric Analysis. <i>Water (Switzerland)</i> , 2020 , 12, 612	3	8
66	Chemical composition of microplastic in sediments and protected detritivores from different marine habitats (Salina Island). <i>Marine Pollution Bulletin</i> , 2020 , 152, 110918	6.7	13
65	Common patterns of functional and biotic indices in response to multiple stressors in marine harbours ecosystems. <i>Environmental Pollution</i> , 2020 , 259, 113959	9.3	13
64	PET microplastics toxicity on marine key species is influenced by pH, particle size and food variations. <i>Science of the Total Environment</i> , 2020 , 715, 136947	10.2	43
63	Exposure to pet-made microplastics: Particle size and pH effects on biomolecular responses in mussels. <i>Marine Pollution Bulletin</i> , 2020 , 156, 111228	6.7	8
62	Physiological responses of garden cress (<i>L. sativum</i>) to different types of microplastics. <i>Science of the Total Environment</i> , 2020 , 727, 138609	10.2	70
61	Mediterranean Coastal Lagoons: The Importance of Monitoring in Sediments the Biochemical Composition of Organic Matter. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	6
60	Exposure of key marine species to sunscreens: Changing ecotoxicity as a possible indirect effect of global warming. <i>Marine Pollution Bulletin</i> , 2019 , 149, 110517	6.7	10
59	Ecotoxicity of nano-metal oxides: A case study on daphnia magna. <i>Ecotoxicology</i> , 2019 , 28, 878-889	2.9	9
58	Effects of Different Microplastic Types and Surfactant-Microplastic Mixtures Under Fasting and Feeding Conditions: A Case Study on <i>Daphnia magna</i> . <i>Bulletin of Environmental Contamination and Toxicology</i> , 2019 , 103, 367-373	2.7	26
57	Microparticles in Table Salt: Levels and Chemical Composition of the Smallest Dimensional Fraction. <i>Journal of Marine Science and Engineering</i> , 2019 , 7, 310	2.4	14
56	Marine litter in sediments related to ecological features in impacted sites and marine protected areas (Croatia). <i>Marine Pollution Bulletin</i> , 2019 , 138, 25-29	6.7	15

55	Marine litter in stomach content of small pelagic fishes from the Adriatic Sea: sardines (<i>Sardina pilchardus</i>) and anchovies (<i>Engraulis encrasicolus</i>). <i>Environmental Science and Pollution Research</i> , 2019 , 26, 2771-2781	5.1	60
54	Microplastic contents from maricultured and natural mussels. <i>Marine Pollution Bulletin</i> , 2018 , 131, 248-257	6.7	103
53	Is the microplastic selective according to the habitat? Records in amphioxus sands, M&Brl bed habitats and Cymodocea nodosa habitats. <i>Marine Pollution Bulletin</i> , 2018 , 130, 179-183	6.7	33
52	Seasonal Fluctuations of Trace Elements from Different Habitats of Orbetello Lagoon (Tyrrhenian Sea, Italy). <i>Archives of Environmental Contamination and Toxicology</i> , 2018 , 74, 92-113	3.2	1
51	Plastic litter transfer from sediments towards marine trophic webs: A case study on holothurians. <i>Marine Pollution Bulletin</i> , 2018 , 135, 376-385	6.7	39
50	Litter & microplastics features in table salts from marine origin: Italian versus Croatian brands. <i>Marine Pollution Bulletin</i> , 2018 , 135, 62-68	6.7	58
49	Plastic levels in sediments closed to Cecina river estuary (Tuscany, Italy). <i>Marine Pollution Bulletin</i> , 2018 , 135, 105-109	6.7	19
48	Relationships between plastic litter and chemical pollutants on benthic biodiversity. <i>Environmental Pollution</i> , 2018 , 242, 1546-1556	9.3	25
47	Recent Changes of Ecosystem Surfaces and their Services Value in a Mediterranean Costal Protected Area: the Role of Wetlands. <i>Thalassas</i> , 2018 , 34, 233-245	0.9	
46	Plastic litter in aquatic environments of Maremma Regional Park (Tyrrhenian Sea, Italy): Contribution by the Ombrone river and levels in marine sediments. <i>Marine Pollution Bulletin</i> , 2017 , 117, 366-370	6.7	62
45	Plastic litter in sediments from the coasts of south Tuscany (Tyrrhenian Sea). <i>Marine Pollution Bulletin</i> , 2017 , 119, 372-375	6.7	50
44	Do Mining Activities Significantly Affect Feeding Behavior of Freshwater Benthic Macroinvertebrates? A Case Study in South Sardinia (Italy). <i>Mine Water and the Environment</i> , 2017 , 36, 239-247	2.4	1
43	Biomonitoring of chemicals in biota of two wetland protected areas exposed to different levels of environmental impact: results of the "PREVIENI" project. <i>Environmental Monitoring and Assessment</i> , 2017 , 189, 456	3.1	6
42	Are shipwrecks a real hazard for the ecosystem in the Mediterranean Sea?. <i>Marine Pollution Bulletin</i> , 2017 , 124, 21-32	6.7	7
41	Plastic litter in sediments from the Croatian marine protected area of the natural park of Telašćica bay (Adriatic Sea). <i>Marine Pollution Bulletin</i> , 2017 , 114, 583-586	6.7	89
40	Plastic litter in sediments from a marine area likely to become protected (Aeolian Archipelago islands, Tyrrhenian sea). <i>Marine Pollution Bulletin</i> , 2016 , 113, 526-529	6.7	58
39	Levels of chemicals in two fish species from four Italian fishing areas. <i>Marine Pollution Bulletin</i> , 2016 , 111, 449-452	6.7	12
38	Phthalates and perfluorinated alkylated substances in Atlantic bluefin tuna (<i>Thunnus thynnus</i>) specimens from Mediterranean Sea (Sardinia, Italy): Levels and risks for human consumption. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2016 , 51, 661-667	2.2	17

37	Benthic vegetation, chlorophyll and physical-chemical variables in a protected zone of a Mediterranean coastal lagoon (Lesina, Italy). <i>Journal of Coastal Conservation</i> , 2016 , 20, 363-374	1.9	2
36	Ecological assessment of a heavily human-stressed area in the Gulf of Milazzo, Central Mediterranean Sea: an integrated study of biological, physical and chemical indicators. <i>Marine Pollution Bulletin</i> , 2016 , 106, 260-73	6.7	19
35	Assessing shelf aggregate environmental compatibility and suitability for beach nourishment: a case study for Tuscany (Italy). <i>Marine Pollution Bulletin</i> , 2015 , 93, 183-93	6.7	18
34	Baseline levels of trace elements in coastal sediments from the central Mediterranean (Tuscany, Italy). <i>Chemistry and Ecology</i> , 2015 , 31, 34-46	2.3	5
33	Environmental quality assessment of Grand Harbour (Valletta, Maltese Islands): a case study of a busy harbour in the Central Mediterranean Sea. <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 747	3.1	41
32	Early warning tools for ecotoxicity assessment based on <i>Phaeodactylum tricornutum</i> . <i>Ecotoxicology</i> , 2014 , 23, 1055-72	2.9	15
31	Levels of Mercury and Polychlorobiphenyls in Bluefin Tuna from the Western Mediterranean Sea: A Food Safety Issue?. <i>Journal of Environmental Protection</i> , 2014 , 05, 106-113	0.6	7
30	Responses of Aquatic Vegetation to Pollution: Preliminary Results on Ecotoxicological Effects and Bioenrichment Factors. <i>Journal of Environmental Protection</i> , 2014 , 05, 274-288	0.6	2
29	Perfluorinated compounds: levels, trophic web enrichments and human dietary intakes in transitional water ecosystems. <i>Marine Pollution Bulletin</i> , 2013 , 76, 146-57	6.7	27
28	Vegetation cyclic shift in eutrophic lagoon. Assessment of dystrophic risk indices based on standing crop evaluations. <i>Estuarine, Coastal and Shelf Science</i> , 2013 , 132, 99-107	2.9	10
27	Klebsiella sp. strain C2A isolated from olive oil mill waste is able to tolerate and degrade tannic acid in very high concentrations. <i>FEMS Microbiology Letters</i> , 2013 , 343, 105-12	2.9	10
26	Biofuel Production from the Orbetello Lagoon Macrophytes: Efficiency of Lipid Extraction Using Accelerate Solvent Extraction Technique. <i>Journal of Environmental Protection</i> , 2013 , 04, 1224-1229	0.6	3
25	Spread of <i>Alsidium corallinum</i> C. Ag. in a Tyrrhenian eutrophic lagoon dominated by opportunistic macroalgae. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2699-707	6.7	10
24	Trace elements in sediments and bioaccumulation in European silver eels (<i>Anguilla anguilla</i> L.) from a Mediterranean lagoon (SE Italy). <i>International Journal of Environmental Analytical Chemistry</i> , 2012 , 92, 676-697	1.8	19
23	Alteration of potential harmful elements levels in sediments and biota from the central Mediterranean Sea (Aeolian Archipelago) following an episode of intense volcanic activity. <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 4035-47	3.1	18
22	Polybrominated Diphenyl Ethers and Polychlorobiphenyls in Fish from the Ionian Sea (Western Mediterranean). <i>Journal of Environmental Protection</i> , 2012 , 03, 135-140	0.6	2
21	Water Pollution by Surfactants: Fluctuations Due to Tourism Exploitation in a Lagoon Ecosystem. <i>Journal of Environmental Protection</i> , 2012 , 03, 1004-1009	0.6	11
20	Acute toxicity and biodegradability of N-alkyl-N-methylmorpholinium and N-alkyl-DABCO based ionic liquids. <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 748-53	7	58

19	Temporal Trends and Matrix-Dependent Behaviors of Trace Elements Closed to a Geothermal Hot-Spot Source (Aeolian Archipelago, Italy). <i>Procedia Earth and Planetary Science</i> , 2011 , 4, 10-28		12
18	Determinants of plant community composition of remnant biancane badlands: a hierarchical approach to quantify species-environment relationships. <i>Applied Vegetation Science</i> , 2011 , 14, 378-387	3.3	19
17	Factors affecting the distribution of trace elements in harbour sediments. <i>Chemistry and Ecology</i> , 2011 , 27, 235-250	2.3	4
16	Distribution and sources of polycyclic aromatic hydrocarbons (PAHs) in surface sediments of some Italian lagoons exploited for aquaculture and fishing activities. <i>International Journal of Environmental Analytical Chemistry</i> , 2011 , 91, 367-386	1.8	17
15	Environmental quality assessment of the marine reserves of the Tuscan Archipelago, Central Tyrrhenian Sea (Italy). <i>Chemistry and Ecology</i> , 2010 , 26, 299-317	2.3	13
14	Development of Biological Diversity in Farmland Ponds. <i>Journal of Freshwater Ecology</i> , 2010 , 25, 95-105	1.4	5
13	Dependence of animal diversity on plant diversity and environmental factors in farmland ponds. <i>Community Ecology</i> , 2010 , 11, 232-241	1.2	16
12	Comparative study based on sediment characteristics and macrobenthic communities in two Italian lagoons. <i>Environmental Monitoring and Assessment</i> , 2010 , 160, 237-56	3.1	27
11	Assessment of spatial distribution of submerged vegetation in the Orbetello lagoon by means of a mathematical model. <i>Ecological Modelling</i> , 2010 , 221, 1484-1493	3	10
10	Tannic acid degradation by bacterial strains <i>Serratia</i> spp. and <i>Pantoea</i> sp. isolated from olive mill waste mixtures. <i>International Biodeterioration and Biodegradation</i> , 2010 , 64, 73-80	4.8	42
9	Assessment of environmental pollutants in ten southern Italy harbor sediments. <i>Toxicology and Industrial Health</i> , 2009 , 25, 351-63	1.8	19
8	Anthropogenic impacts on the Orbetello lagoon ecosystem. <i>Toxicology and Industrial Health</i> , 2009 , 25, 365-71	1.8	7
7	Contamination levels and state assessment in the lakes of the Oliveri-Tindari Lagoon (North-Eastern Sicily, Italy). <i>Chemistry and Ecology</i> , 2009 , 25, 27-38	2.3	7
6	Two naphthalene degrading bacteria belonging to the genera <i>Paenibacillus</i> and <i>Pseudomonas</i> isolated from a highly polluted lagoon perform different sensitivities to the organic and heavy metal contaminants. <i>Extremophiles</i> , 2009 , 13, 839-48	3	31
5	Abatement efficiency of municipal wastewater treatment plants using different technologies (Orbetello Lagoon, Italy). <i>International Journal of Environment and Health</i> , 2009 , 3, 58	1.3	9
4	Environmental heterogeneity patterns and assessment of trophic levels in two Mediterranean lagoons: Orbetello and Varano, Italy. <i>Science of the Total Environment</i> , 2008 , 402, 285-98	10.2	54
3	CHLORINATED CONTAMINANTS IN EXTRA-VIRGIN OLIVE OIL FROM CENTRAL ITALY. <i>Journal of Food Lipids</i> , 2008 , 15, 190-197		5
2	Arsenic-resistant bacteria isolated from contaminated sediments of the Orbetello Lagoon, Italy, and their characterization. <i>Journal of Applied Microbiology</i> , 2007 , 103, 2299-308	4.7	64

1	Health Risk Assessment of Potentially Toxic Elements, Persistence of NDL-PCB, PAHs, and Microplastics in the Translocated Edible Freshwater Sinotaia quadrata (Gasteropoda, Viviparidae): A Case Study from the Arno River Basin (Central Italy). <i>Exposure and Health</i> ,1	8.8	3
---	---	-----	---