

Ebrahim M Eid

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8355207/ebrahem-m-eid-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

1,368
citations

19
h-index

32
g-index

113
ext. papers

1,845
ext. citations

3.3
avg, IF

5.26
L-index

#	Paper	IF	Citations
106	Combined Use of Sewage Sludge and Plant Growth-Promoting Rhizobia Improves Germination, Biochemical Response and Yield of Ridge Gourd (<i>Luffa acutangula</i> (L.) Roxb.) under Field Conditions. <i>Agriculture (Switzerland)</i> , 2022 , 12, 173	3	2
105	Planned Application of Sewage Sludge Recirculates Nutrients to Agricultural Soil and Improves Growth of Okra (<i>Abelmoschus esculentus</i> (L.) Moench) Plants. <i>Sustainability</i> , 2022 , 14, 740	3.6	1
104	Sustainable Use of Sewage Sludge as a Casing Material for Button Mushroom (<i>Lycoperdon</i>) Cultivation: Experimental and Prediction Modeling Studies for Uptake of Metal Elements.. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8,	5.6	7
103	Archeological Sites and Relict Landscapes as Refuge for Biodiversity: Case Study of Alexandria City, Egypt. <i>Sustainability</i> , 2022 , 14, 2416	3.6	1
102	Evaluation of the Phytochemical and Pharmacological Potential of Taif's Rose (<i>Rosa</i> Mill var.) for Possible Recycling of Pruning Wastes.. <i>Life</i> , 2022 , 12,	3	2
101	A safe haven of SARS-CoV-2 in the environment: Prevalence and potential transmission risks in the effluent, sludge, and biosolids. <i>Geoscience Frontiers</i> , 2022 , 101373	6	2
100	Nutrient Remediation Efficiency of the Sedge Plant (<i>Cyperus alopecuroides</i> Rottb.) to Restore Eutrophic Freshwater Ecosystems. <i>Sustainability</i> , 2022 , 14, 2823	3.6	0
99	Utilization of Pollution Indices, Hyperspectral Reflectance Indices, and Data-Driven Multivariate Modelling to Assess the Bottom Sediment Quality of Lake Qaroun, Egypt. <i>Water (Switzerland)</i> , 2022 , 14, 890	3	2
98	Kinetic Studies on Delignification and Heavy Metals Uptake by Shiitake (<i>Lentinula edodes</i>) Mushroom Cultivated on Agro-Industrial Wastes. <i>Horticulturae</i> , 2022 , 8, 316	2.5	5
97	Regression Models to Estimate Accumulation Capability of Six Metals by Two Macrophytes, <i>Typha domingensis</i> and <i>Typha elephantina</i> , Grown in an Arid Climate in the Mountainous Region of Taif, Saudi Arabia. <i>Sustainability</i> , 2022 , 14, 1	3.6	4
96	Loss of Coastal Wetlands in Lake Burullus, Egypt: A GIS and Remote-Sensing Study. <i>Sustainability</i> , 2022 , 14, 4980	3.6	2
95	Spatial Assessment of Potentially Toxic Elements (PTE) Concentration in <i>Agaricus bisporus</i> Mushroom Collected from Local Vegetable Markets of Uttarakhand State, India. <i>Journal of Fungi (Basel, Switzerland)</i> , 2022 , 8, 452	5.6	6
94	Variation in Plant Community Composition and Biomass to Macro and Micronutrients and Salinity across Egypt's Five Major Coastal Lakes. <i>Sustainability</i> , 2022 , 14, 6180	3.6	1
93	Biotransforming the Spent Substrate of Shiitake Mushroom (<i>Lentinula edodes</i> Berk.): A Synergistic Approach to Biogas Production and Tomato (<i>Solanum lycopersicum</i> L.) Fertilization. <i>Horticulturae</i> , 2022 , 8, 479	2.5	4
92	A GIS-Based Approach for the Quantitative Assessment of Soil Quality and Sustainable Agriculture. <i>Sustainability</i> , 2021 , 13, 13438	3.6	4
91	Application of sewage sludge combined with thiourea improves the growth and yield attributes of wheat (<i>Triticum aestivum</i> L.) genotypes under arsenic-contaminated soil. <i>PLoS ONE</i> , 2021 , 16, e0259289	3.7	3
90	Prediction Models Founded on Soil Characteristics for the Estimated Uptake of Nine Metals by Okra Plant, <i>Abelmoschus esculentus</i> (L.) Moench., Cultivated in Agricultural Soils Modified with Varying Sewage Sludge Concentrations. <i>Sustainability</i> , 2021 , 13, 12356	3.6	2

89	Effective Management of Cucumber Powdery Mildew with Essential Oils. <i>Agriculture (Switzerland)</i> , 2021 , 11, 1177	3	0
88	Evaluation of the urban heat island over Abha-Khamis Mushait tourist resort due to rapid urbanisation in Asir, Saudi Arabia. <i>Urban Climate</i> , 2021 , 36, 100772	6.8	7
87	Effect of Protection of Mountainous Vegetation against Over-Grazing and Over-Cutting in South Sinai, Egypt. <i>Diversity</i> , 2021 , 13, 113	2.5	2
86	Structural and Chemical Adaptations of Delile and (L.) Dumort. in Response to Arid Coastal Environments along the Mediterranean Coast of Egypt. <i>Plants</i> , 2021 , 10,	4.5	2
85	Environmental Risk Assessment of Petroleum Activities in Surface Sediments, Suez Gulf, Egypt. <i>Journal of Marine Science and Engineering</i> , 2021 , 9, 473	2.4	1
84	Uptake Prediction of Eight Potentially Toxic Elements by Pistia stratiotes L. Grown in the Al-Sero Drain (South Nile Delta, Egypt): A Biomonitoring Approach. <i>Sustainability</i> , 2021 , 13, 5276	3.6	1
83	Heavy metals uptake by the global economic crop (Pisum sativum L.) grown in contaminated soils and its associated health risks. <i>PLoS ONE</i> , 2021 , 16, e0252229	3.7	7
82	Integration of Radiometric Ground-Based Data and High-Resolution QuickBird Imagery with Multivariate Modeling to Estimate Maize Traits in the Nile Delta of Egypt. <i>Sensors</i> , 2021 , 21,	3.8	3
81	Combined Use of Endophytic Bacteria and Pre-Sowing Treatment of Thiamine Mitigates the Adverse Effects of Drought Stress in Wheat (Triticum aestivum L.) Cultivars. <i>Sustainability</i> , 2021 , 13, 6582	3.6	3
80	Monitored Sewage Sludge Application Improves Soil Quality, Enhances Plant Growth, and Provides Evidence for Metal Remediation by Sorghum bicolor L.. <i>Journal of Soil Science and Plant Nutrition</i> , 2021 , 21, 2325-2338	3.2	2
79	Seasonal potential of Pistia stratiotes in nutrient removal to eliminate eutrophication in Al-Sero Drain (South Nile Delta, Egypt). <i>Journal of Freshwater Ecology</i> , 2021 , 36, 173-187	1.4	
78	Evaluation of newly reclaimed areas in Saudi Arabia for cultivation of the leguminous crop Phaseolus vulgaris under sewage sludge amendment. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2021 , 16, 153-169	2.3	0
77	Richness patterns of endemic and threatened conifers in south-west China: topographic-soil fertility explanation. <i>Environmental Research Letters</i> , 2021 , 16, 034017	6.2	4
76	Temporal Potential of Phragmites australis as a Phytoremediator to Remove Ni and Pb from Water and Sediment in Lake Burullus, Egypt. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2021 , 106, 516-527	2.7	2
75	Pattern of Urban Flora in Intra-City Railway Habitats (Alexandria, Egypt): A Conservation Perspective. <i>Biology</i> , 2021 , 10,	4.9	2
74	Assessment of Soil Pollution Levels in North Nile Delta, by Integrating Contamination Indices, GIS, and Multivariate Modeling. <i>Sustainability</i> , 2021 , 13, 8027	3.6	6
73	Evaluation of uptake of eight metals by Sorghum bicolor grown in arable soil combined with sewage sludge based on prediction models. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 510	3.1	3
72	Integration of Water Quality Indices and Multivariate Modeling for Assessing Surface Water Quality in Qaroun Lake, Egypt. <i>Water (Switzerland)</i> , 2021 , 13, 2258	3	12

71	Supplemental Effects of Biochar and Foliar Application of Ascorbic Acid on Physio-Biochemical Attributes of Barley (<i>Hordeum vulgare</i> L.) under Cadmium-Contaminated Soil. <i>Sustainability</i> , 2021 , 13, 9128	3.6	4
70	Insights into hazardous solid waste generation during COVID-19 pandemic and sustainable management approaches for developing countries.. <i>Journal of Material Cycles and Waste Management</i> , 2021 , 23, 2077-2086	3.4	9
69	Potential risks to endemic conifer montane forests under climate change: integrative approach for conservation prioritization in southwestern China. <i>Landscape Ecology</i> , 2021 , 36, 3137-3151	4.3	0
68	Exploitation of Agro-Industrial Residues for the Formulation of a New Active and Cost Effective Biofungicide to Control the Root Rot of Vegetable Crops. <i>Sustainability</i> , 2021 , 13, 9254	3.6	1
67	Uptake prediction of nine heavy metals by <i>Eichhornia crassipes</i> grown in irrigation canals: A biomonitoring approach. <i>Science of the Total Environment</i> , 2021 , 782, 146887	10.2	11
66	A comparison of the functional traits of <i>Phragmites australis</i> in Lake Burullus (a Ramsar site in Egypt): Young vs. old populations over the nutrient availability gradient. <i>Ecological Engineering</i> , 2021 , 166, 106244	3.9	0
65	Modeling of mineral elements uptake and localization in cabbage inflorescence (<i>Brassica oleracea</i> var. <i>capitata</i>) grown on sugar mill pressmud-amended soils. <i>Environmental Monitoring and Assessment</i> , 2021 , 193, 586	3.1	3
64	Using Optimized Two and Three-Band Spectral Indices and Multivariate Models to Assess Some Water Quality Indicators of Qaroun Lake in Egypt. <i>Sustainability</i> , 2021 , 13, 10408	3.6	7
63	Prediction Models for Evaluating the Uptake of Heavy Metals by the Invasive Grass <i>Vossia cuspidata</i> (Roxb.) Griff. in the River Nile, Egypt: A Biomonitoring Approach. <i>Sustainability</i> , 2021 , 13, 10558	3.6	1
62	Prediction models based on soil properties for evaluating the uptake of eight heavy metals by tomato plant (<i>Lycopersicon esculentum</i> Mill.) grown in agricultural soils amended with sewage sludge. <i>Journal of Environmental Chemical Engineering</i> , 2021 , 9, 105977	6.8	7
61	Standing Crop Biomass and Carbon Content of Mangrove <i>Avicennia marina</i> (Forssk.) Vierh. along the Red Sea Coast of Saudi Arabia. <i>Sustainability</i> , 2021 , 13, 13996	3.6	1
60	Common reed (<i>Phragmites australis</i> (Cav.) Trin. ex Steudel) as a candidate for predicting heavy metal contamination in Lake Burullus, Egypt: A biomonitoring approach. <i>Ecological Engineering</i> , 2020 , 148, 105787	3.9	14
59	Uptake prediction of ten heavy metals by <i>Corchorus olitorius</i> L. cultivated in soil mixed with sewage sludge. <i>Food and Energy Security</i> , 2020 , 9, e203	4.1	4
58	Seasonal potential of <i>Phragmites australis</i> in nutrient removal to eliminate the eutrophication in Lake Burullus, Egypt. <i>Journal of Freshwater Ecology</i> , 2020 , 35, 135-155	1.4	7
57	Prediction models for monitoring heavy-metal accumulation by wheat (L.) plants grown in sewage sludge amended soil. <i>International Journal of Phytoremediation</i> , 2020 , 22, 1000-1008	3.9	4
56	Mangrove health along the hyper-arid southern Red Sea coast of Saudi Arabia. <i>Environmental Monitoring and Assessment</i> , 2020 , 192, 189	3.1	10
55	Prediction models based on soil properties for evaluating the heavy metal uptake into L. grown in agricultural soils amended with different rates of sewage sludge. <i>International Journal of Environmental Health Research</i> , 2020 , 1-15	3.6	6
54	Biomonitoring potential of the native aquatic plant <i>Typha domingensis</i> by predicting trace metals accumulation in the Egyptian Lake Burullus. <i>Science of the Total Environment</i> , 2020 , 714, 136603	10.2	16

53	Evaluation of carbon stock in the sediment of two mangrove species, <i>Avicennia marina</i> and <i>Rhizophora mucronata</i> , growing in the Farasan Islands, Saudi Arabia. <i>Oceanologia</i> , 2020 , 62, 200-213	2.2	7
52	Phytoremediation of heavy metals by four aquatic macrophytes and their potential use as contamination indicators: a comparative assessment. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 12138-12151	5.1	33
51	A sustainable food security approach: Controlled land application of sewage sludge recirculates nutrients to agricultural soils and enhances crop productivity. <i>Food and Energy Security</i> , 2020 , 9, e197	4.1	8
50	Sewage Sludge Application Enhances the Growth of <i>Corchorus olitorius</i> Plants and Provides a Sustainable Practice for Nutrient Recirculation in Agricultural Soils. <i>Journal of Soil Science and Plant Nutrition</i> , 2020 , 20, 149-159	3.2	22
49	Uptake Prediction of Ten Heavy Metals by <i>Eruca sativa</i> Mill. Cultivated in Soils Amended with Sewage Sludge. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2020 , 104, 134-143	2.7	9
48	Vegetation diversity along the altitudinal and environmental gradients in the main wadi beds in the mountainous region of South Sinai, Egypt. <i>Journal of Mountain Science</i> , 2020 , 17, 2447-2458	2.1	5
47	Application of Irrigation Water Quality Indices and Multivariate Statistical Techniques for Surface Water Quality Assessments in the Northern Nile Delta, Egypt. <i>Water (Switzerland)</i> , 2020 , 12, 3300	3	14
46	Combining Water Quality Indices and Multivariate Modeling to Assess Surface Water Quality in the Northern Nile Delta, Egypt. <i>Water (Switzerland)</i> , 2020 , 12, 2142	3	13
45	Remote sensing of 10 years changes in the vegetation cover of the northwestern coastal land of Red Sea, Saudi Arabia. <i>Saudi Journal of Biological Sciences</i> , 2020 , 27, 3169-3179	4	19
44	Heavy Metal Bioaccumulation, Growth Characteristics, and Yield of <i>L. Grown</i> in Agricultural Soil-Sewage Sludge Mixtures. <i>Plants</i> , 2020 , 9,	4.5	12
43	Evaluation of the carbon sequestration capacity of arid mangroves along nutrient availability and salinity gradients along the Red Sea coastline of Saudi Arabia. <i>Oceanologia</i> , 2020 , 62, 56-69	2.2	18
42	Prediction models for evaluating heavy metal uptake by <i>L.</i> in soil amended with sewage sludge. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2020 , 55, 151-160	2.3	13
41	Bedouin farms in the Saint Katherine mountainous area (South Sinai, Egypt). <i>Journal of Mountain Science</i> , 2019 , 16, 2232-2242	2.1	3
40	Effect of the conversion of mangroves into shrimp farms on carbon stock in the sediment along the southern Red Sea coast, Saudi Arabia. <i>Environmental Research</i> , 2019 , 176, 108536	7.9	19
39	Population dynamics of <i>Pistia stratiotes</i> L.. <i>Rendiconti Lincei</i> , 2019 , 30, 367-378	1.7	7
38	Regression models for monitoring trace metal accumulations by <i>Faba sativa</i> Bernh. plants grown in soils amended with different rates of sewage sludge. <i>Scientific Reports</i> , 2019 , 9, 5443	4.9	23
37	Bioaccumulation and translocation of nine heavy metals by in Nile Delta, Egypt: perspectives for phytoremediation. <i>International Journal of Phytoremediation</i> , 2019 , 21, 821-830	3.9	33
36	Evaluation of the potential of sewage sludge as a valuable fertilizer for wheat (<i>Triticum aestivum</i> L.) crops. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 392-401	5.1	36

35	A global map of mangrove forest soil carbon at 30 m spatial resolution. <i>Environmental Research Letters</i> , 2018 , 13, 055002	6.2	139
34	Bioaccumulation and rhizofiltration potential of <i>Pistia stratiotes</i> L. for mitigating water pollution in the Egyptian wetlands. <i>International Journal of Phytoremediation</i> , 2018 , 20, 440-447	3.9	52
33	Prediction models for evaluating the uptake of heavy metals by cucumbers (<i>Cucumis sativus</i> L.) grown in agricultural soils amended with sewage sludge. <i>Environmental Monitoring and Assessment</i> , 2018 , 190, 501	3.1	27
32	Distribution of soil organic carbon in Wadi Al-Thulaima, Saudi Arabia: A hyper-arid habitat altered by wastewater reuse. <i>Catena</i> , 2018 , 170, 266-271	5.8	4
31	Determination of carbohydrate allocation patterns in water hyacinth to discover the potential physiological weak points in its life cycle. <i>Journal of Freshwater Ecology</i> , 2018 , 33, 381-394	1.4	1
30	Evaluation of carbon sequestration in the sediment of polluted and non-polluted locations of mangroves. <i>Fundamental and Applied Limnology</i> , 2018 , 192, 53-64	1.9	11
29	Prediction models for evaluating the heavy metal uptake by spinach (<i>Spinacia oleracea</i> L.) from soil amended with sewage sludge. <i>International Journal of Phytoremediation</i> , 2018 , 20, 1418-1426	3.9	14
28	The evaluation of sewage sludge application as a fertilizer for broad bean (<i>Faba sativa</i> Bernh.) crops. <i>Food and Energy Security</i> , 2018 , 7, e00142	4.1	28
27	Effect of the different types of land-use on the distribution of soil organic carbon in north Nile Delta, Egypt. <i>Rendiconti Lincei</i> , 2017 , 28, 481-495	1.7	9
26	The effects of different sewage sludge amendment rates on the heavy metal bioaccumulation, growth and biomass of cucumbers (<i>Cucumis sativus</i> L.). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 16371-16382	5.1	55
25	Growth dynamics of water hyacinth (<i>Eichhornia crassipes</i>): a modeling approach. <i>Rendiconti Lincei</i> , 2017 , 28, 169-181	1.7	14
24	Population dynamics of <i>Eichhornia crassipes</i> (C. Mart.) Solms in the Nile Delta, Egypt. <i>Plant Species Biology</i> , 2017 , 32, 279-291	1.3	11
23	Carbon sequestration potential of the five Mediterranean lakes of Egypt. <i>Fundamental and Applied Limnology</i> , 2017 , 190, 87-96	1.9	9
22	Verification of a numerical growth model of <i>Pistia stratiotes</i> L. using field data from tropical and subtropical sites. <i>Journal of Freshwater Ecology</i> , 2017 , 32, 391-403	1.4	4
21	Effects of different sewage sludge applications on heavy metal accumulation, growth and yield of spinach (<i>Spinacia oleracea</i> L.). <i>International Journal of Phytoremediation</i> , 2017 , 19, 340-347	3.9	38
20	Distribution of soil organic carbon in the mangrove <i>Avicennia marina</i> (Forssk.) Vierh. along the Egyptian Red Sea Coast. <i>Regional Studies in Marine Science</i> , 2016 , 3, 76-82	1.5	24
19	Phytomass and nutrient value of <i>Potamogeton crispus</i> L. in the water courses of Nile Delta, Egypt. <i>Rendiconti Lincei</i> , 2016 , 27, 251-259	1.7	6
18	Modeling the growth dynamics of <i>Pistia stratiotes</i> L. populations along the water courses of south Nile Delta, Egypt. <i>Rendiconti Lincei</i> , 2016 , 27, 375-382	1.7	9

17	Population characteristics of giant reed (<i>Arundo donax</i> L.) in cultivated and naturalized habitats. <i>Aquatic Botany</i> , 2016 , 129, 1-8	1.8	15
16	Seasonal allocation of carbohydrates between above- and below-ground organs of <i>Typha domingensis</i> . <i>Feddes Repertorium</i> , 2016 , 127, 55-64	0.4	1
15	Distribution of soil organic carbon in the mangrove forests along the southern Saudi Arabian Red Sea coast. <i>Rendiconti Lincei</i> , 2016 , 27, 629-637	1.7	17
14	Bioaccumulation and translocation of heavy metals by nine native plant species grown at a sewage sludge dump site. <i>International Journal of Phytoremediation</i> , 2016 , 18, 1075-85	3.9	57
13	Monthly variations of trace elements accumulation and distribution in above- and below-ground biomass of <i>Phragmites australis</i> (Cav.) Trin. ex Steudel in Lake Burullus (Egypt): A biomonitoring application. <i>Ecological Engineering</i> , 2014 , 73, 17-25	3.9	57
12	Growth dynamics of <i>Potamogeton pectinatus</i> L. in Lake Burullus, Egypt: a modelling approach. <i>African Journal of Ecology</i> , 2014 , 52, 414-426	0.8	7
11	Decomposition dynamics of <i>Phragmites australis</i> litter in Lake Burullus, Egypt. <i>Plant Species Biology</i> , 2014 , 29, 47-56	1.3	20
10	Evaluation of carbon sequestration potentiality of Lake Burullus, Egypt to mitigate climate change. <i>Egyptian Journal of Aquatic Research</i> , 2013 , 39, 31-38	3.1	18
9	Modeling growth dynamics of <i>Typha domingensis</i> (Pers.) Poir. ex Steud. in Lake Burullus, Egypt. <i>Ecological Modelling</i> , 2012 , 243, 63-72	3	31
8	Seasonal courses of nutrients and heavy metals in water, sediment and above- and below-ground <i>Typha domingensis</i> biomass in Lake Burullus (Egypt): Perspectives for phytoremediation. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2012 , 207, 783-794	1.9	69
7	Seasonal variation in the phytomass, chemical composition and nutritional value of <i>Azolla filiculoides</i> Lam. along the water courses in the Nile Delta, Egypt. <i>Feddes Repertorium</i> , 2012 , 123, 37-49	0.4	11
6	Ten years primary succession on a newly created landfill at a lagoon of the Mediterranean Sea (Lake Burullus RAMSAR site). <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 2012 , 207, 459-468	1.9	13
5	Uptake of Ag, Co and Ni by the Organs of <i>Typha domingensis</i> (Pers.) Poir. ex Steud. in Lake Burullus and Their Potential Use As Contamination Indicators. <i>Open Journal of Modern Hydrology</i> , 2012 , 02, 21-27	0.7	10
4	Effects of abiotic conditions on <i>Phragmites australis</i> along geographic gradients in Lake Burullus, Egypt. <i>Aquatic Botany</i> , 2010 , 92, 86-92	1.8	29
3	Modeling Growth, Carbon Allocation and Nutrient Budgets of <i>Phragmites australis</i> in Lake Burullus, Egypt. <i>Wetlands</i> , 2010 , 30, 240-251	1.7	35
2	Growth behaviour of the invasive species <i>Ipomoea carnea</i> in the Nile Delta, Egypt. <i>Hydrobiologia</i> , 2010 , 656, 187-197	2.4	14
1	Modeling of water hyacinth growth and its role in heavy metals accumulation from unoperated old Ganga canal at Haridwar, India. <i>Rendiconti Lincei</i> , 2010 , 110, 107-112	1.7	0