

Marco Paulli

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8356241/marco-paulli-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210
papers

9,210
citations

51
h-index

92
g-index

222
ext. papers

10,489
ext. citations

4.2
avg, IF

5.04
L-index

#	Paper	IF	Citations
210	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008 , 111, 838-45	2.2	492
209	Analysis of the chronic lymphocytic leukemia coding genome: role of NOTCH1 mutational activation. <i>Journal of Experimental Medicine</i> , 2011 , 208, 1389-401	16.6	483
208	Differential viral protein expression in Kaposi's sarcoma-associated herpesvirus-infected diseases: Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castlemans disease. <i>American Journal of Pathology</i> , 2000 , 156, 743-9	5.8	325
207	Marker expression in peripheral T-cell lymphoma: a proposed clinical-pathologic prognostic score. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2472-9	2.2	295
206	Primary cutaneous CD30-positive large cell lymphoma: definition of a new type of cutaneous lymphoma with a favorable prognosis. A European Multicenter Study of 47 patients. <i>Cancer</i> , 1993 , 71, 2097-104	6.4	288
205	Convergent mutations and kinase fusions lead to oncogenic STAT3 activation in anaplastic large cell lymphoma. <i>Cancer Cell</i> , 2015 , 27, 516-32	24.3	283
204	The genetics of Richter syndrome reveals disease heterogeneity and predicts survival after transformation. <i>Blood</i> , 2011 , 117, 3391-401	2.2	249
203	Prevalence and clinical significance of the MYD88 (L265P) somatic mutation in Waldenstrom's macroglobulinemia and related lymphoid neoplasms. <i>Blood</i> , 2013 , 121, 2522-8	2.2	229
202	ALK expression defines a distinct group of T/null lymphomas ("ALK lymphomas") with a wide morphological spectrum. <i>American Journal of Pathology</i> , 1998 , 153, 875-86	5.8	219
201	CD30/Ki-1-positive lymphoproliferative disorders of the skin--clinicopathologic correlation and statistical analysis of 86 cases: a multicentric study from the European Organization for Research and Treatment of Cancer Cutaneous Lymphoma Project Group. <i>Journal of Clinical Oncology</i> , 1995 , 13, 1343-54	2.2	209
200	Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. <i>Cancer</i> , 2003 , 97, 610-27	6.4	200
199	Splenic marginal zone lymphoma: a prognostic model for clinical use. <i>Blood</i> , 2006 , 107, 4643-9	2.2	177
198	Preemptive therapy of EBV-related lymphoproliferative disease after pediatric haploidentical stem cell transplantation. <i>American Journal of Transplantation</i> , 2007 , 7, 1648-55	8.7	172
197	Epithelium derived interleukin 15 regulates intraepithelial lymphocyte Th1 cytokine production, cytotoxicity, and survival in coeliac disease. <i>Gut</i> , 2006 , 55, 469-77	19.2	167
196	Stereotyped B-cell receptor is an independent risk factor of chronic lymphocytic leukemia transformation to Richter syndrome. <i>Clinical Cancer Research</i> , 2009 , 15, 4415-22	12.9	155
195	Prognostic factors in primary cutaneous B-cell lymphoma: the Italian Study Group for Cutaneous Lymphomas. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1376-82	2.2	147
194	Primary mediastinal B-cell lymphoma with sclerosis: an aggressive tumor with distinctive clinical and pathologic features. <i>Journal of Clinical Oncology</i> , 1993 , 11, 2306-13	2.2	138

193	Treatment outcome and prognostic factors for primary mediastinal (thymic) B-cell lymphoma: a multicenter study of 106 patients. <i>Journal of Clinical Oncology</i> , 1997 , 15, 1646-53	2.2	137
192	Primary mediastinal large B-cell lymphoma (PMLBCL): long-term results from a retrospective multicentre Italian experience in 138 patients treated with CHOP or MACOP-B/VACOP-B. <i>British Journal of Cancer</i> , 2004 , 90, 372-6	8.7	137
191	The BRAF V600E mutation in hairy cell leukemia and other mature B-cell neoplasms. <i>Blood</i> , 2012 , 119, 188-91	2.2	136
190	Evidence for a polyclonal nature of the cell infiltrate in sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). <i>British Journal of Haematology</i> , 1995 , 91, 415-8	4.5	135
189	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <i>Archives of Dermatology</i> , 2008 , 144, 1609-17		121
188	A practical approach to the diagnosis of systemic amyloidoses. <i>Blood</i> , 2015 , 125, 2239-44	2.2	120
187	Molecular profiling of blastic plasmacytoid dendritic cell neoplasm reveals a unique pattern and suggests selective sensitivity to NF- κ B pathway inhibition. <i>Leukemia</i> , 2014 , 28, 1606-16	10.7	116
186	Twenty-one cases of blastic plasmacytoid dendritic cell neoplasm: focus on biallelic locus 9p21.3 deletion. <i>Blood</i> , 2011 , 118, 4591-4	2.2	114
185	Gene expression profiling of isolated tumour cells from anaplastic large cell lymphomas: insights into its cellular origin, pathogenesis and relation to Hodgkin lymphoma. <i>Leukemia</i> , 2009 , 23, 2129-38	10.7	109
184	Splenic marginal zone lymphoma: from genetics to management. <i>Blood</i> , 2016 , 127, 2072-81	2.2	106
183	Cytophagic histiocytic panniculitis and subcutaneous panniculitis-like T-cell lymphoma: report of 7 cases. <i>Archives of Dermatology</i> , 2000 , 136, 889-96		103
182	Splenic and nodal marginal zone lymphomas are indolent disorders at high hepatitis C virus seroprevalence with distinct presenting features but similar morphologic and phenotypic profiles. <i>Cancer</i> , 2004 , 100, 107-15	6.4	101
181	Molecular histogenesis of posttransplantation lymphoproliferative disorders. <i>Blood</i> , 2003 , 102, 3775-85	2.2	97
180	Prevalence of HCV infection in nongastric marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2007 , 18, 346-50	10.3	95
179	The genetics of nodal marginal zone lymphoma. <i>Blood</i> , 2016 , 128, 1362-73	2.2	88
178	Dysregulation of global microRNA expression in splenic marginal zone lymphoma and influence of chronic hepatitis C virus infection. <i>Leukemia</i> , 2012 , 26, 1654-62	10.7	87
177	Spleen endothelial cells from patients with myelofibrosis harbor the JAK2V617F mutation. <i>Blood</i> , 2013 , 121, 360-8	2.2	79
176	Immunophenotypic characterization of the cell infiltrate in five cases of sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). <i>Human Pathology</i> , 1992 , 23, 647-54	3.7	78

175	Stereotyped patterns of B-cell receptor in splenic marginal zone lymphoma. <i>Haematologica</i> , 2010 , 95, 1792-6	6.6	74
174	IRTA1 is selectively expressed in nodal and extranodal marginal zone lymphomas. <i>Histopathology</i> , 2012 , 61, 930-41	7.3	73
173	Littoral cell angiosarcoma of the spleen. Case report with immunohistochemical and ultrastructural analysis. <i>American Journal of Surgical Pathology</i> , 1995 , 19, 1203-8	6.7	70
172	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1149-55	4.3	69
171	Aberrant promoter methylation of multiple genes throughout the clinico-pathologic spectrum of B-cell neoplasia. <i>Haematologica</i> , 2004 , 89, 154-64	6.6	69
170	Primary nodal marginal zone B-cell lymphoma: clinical features and prognostic assessment of a rare disease. <i>British Journal of Haematology</i> , 2007 , 136, 301-4	4.5	66
169	The Kr μ pel-like factor 2 transcription factor gene is recurrently mutated in splenic marginal zone lymphoma. <i>Leukemia</i> , 2015 , 29, 503-7	10.7	62
168	Constant activation of the RAF-MEK-ERK pathway as a diagnostic and therapeutic target in hairy cell leukemia. <i>Haematologica</i> , 2013 , 98, 635-9	6.6	60
167	Mediastinal B-cell lymphoma: a study of its histomorphologic spectrum based on 109 cases. <i>Human Pathology</i> , 1999 , 30, 178-87	3.7	60
166	Aberrant somatic hypermutation in tumor cells of nodular-lymphocyte-predominant and classic Hodgkin lymphoma. <i>Blood</i> , 2006 , 108, 1013-20	2.2	59
165	The role of human herpesvirus 8 and Epstein-Barr virus in the pathogenesis of giant lymph node hyperplasia (Castleman β disease). <i>Clinical Infectious Diseases</i> , 1996 , 22, 1120-1	11.6	57
164	Aberrant somatic hypermutation in transformation of follicular lymphoma and chronic lymphocytic leukemia to diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006 , 91, 1405-9	6.6	57
163	The immunosuppression and potential for EBV reactivation of fludarabine combined with cyclophosphamide and dexamethasone in patients with lymphoproliferative disorders. <i>British Journal of Haematology</i> , 1999 , 107, 877-82	4.5	55
162	Comparative genome-wide profiling of post-transplant lymphoproliferative disorders and diffuse large B-cell lymphomas. <i>British Journal of Haematology</i> , 2006 , 134, 27-36	4.5	52
161	mutations and disruptions are poor prognostic biomarkers in mantle cell lymphoma receiving high-dose therapy: a FIL study. <i>Haematologica</i> , 2020 , 105, 1604-1612	6.6	52
160	The NOTCH pathway is recurrently mutated in diffuse large B-cell lymphoma associated with hepatitis C virus infection. <i>Haematologica</i> , 2015 , 100, 246-52	6.6	51
159	Nongastric marginal-zone B-cell MALT lymphoma: prognostic value of disease dissemination. <i>Oncologist</i> , 2006 , 11, 285-91	5.7	51
158	Impact of treatment-related liver toxicity on the outcome of HCV-positive non-Hodgkin β lymphomas. <i>American Journal of Hematology</i> , 2010 , 85, 46-50	7.1	47

157	Bone marrow histology in marginal zone B-cell lymphomas: correlation with clinical parameters and flow cytometry in 120 patients. <i>Annals of Oncology</i> , 2009 , 20, 129-36	10.3	46
156	Primary cutaneous large B-cell lymphoma of the leg: histogenetic analysis of a controversial clinicopathologic entity. <i>Human Pathology</i> , 2002 , 33, 937-43	3.7	46
155	Single nucleotide polymorphism-arrays provide new insights in the pathogenesis of post-transplant diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2010 , 149, 569-77	4.5	45
154	Anaplastic large cell lymphoma, CD30/Ki-1 positive, expressing the CD15/Leu-M1 antigen. Immunohistochemical and morphological relationships to Hodgkin's disease. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1990 , 416, 229-35		44
153	Pattern of somatic mutations in patients with Waldenström macroglobulinemia or IgM monoclonal gammopathy of undetermined significance. <i>Haematologica</i> , 2017 , 102, 2077-2085	6.6	43
152	Nodular lymphocyte predominance Hodgkin's disease: long-term observation reveals a continuous pattern of recurrence. <i>Leukemia and Lymphoma</i> , 1997 , 26, 359-68	1.9	43
151	MYD88 (L265P) mutation is an independent risk factor for progression in patients with IgM monoclonal gammopathy of undetermined significance. <i>Blood</i> , 2013 , 122, 2284-5	2.2	40
150	Frequent aberrant promoter hypermethylation of O6-methylguanine-DNA methyltransferase and death-associated protein kinase genes in immunodeficiency-related lymphomas. <i>British Journal of Haematology</i> , 2003 , 123, 475-8	4.5	40
149	Subcutaneous lipoma-like B-cell lymphoma associated with HCV infection: a new presentation of primary extranodal marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2010 , 21, 1189-1195	10.3	39
148	The clinical value of tumor burden at diagnosis in Hodgkin lymphoma. <i>Cancer</i> , 2004 , 101, 1824-34	6.4	37
147	Cutaneous T-cell lymphomas (including rare subtypes). Current concepts. II. <i>Haematologica</i> , 2004 , 89, 1372-88	6.6	37
146	Prognostic Evaluations Tailored to Specific Gastric Neuroendocrine Neoplasms: Analysis Of 200 Cases with Extended Follow-Up. <i>Neuroendocrinology</i> , 2018 , 107, 114-126	5.6	36
145	Nodal marginal zone lymphoma: current knowledge and future directions of a heterogeneous disease. <i>European Journal of Haematology</i> , 2009 , 83, 165-74	3.8	36
144	B-cell receptors expressed by lymphomas of hepatitis C virus (HCV)-infected patients rarely react with the viral proteins. <i>Blood</i> , 2014 , 123, 1512-5	2.2	34
143	Small Bowel Carcinomas in Coeliac or Crohn's Disease: Clinico-pathological, Molecular, and Prognostic Features. A Study From the Small Bowel Cancer Italian Consortium. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 942-953	1.5	33
142	Blastic plasmacytoid dendritic cell neoplasm: genomics mark epigenetic dysregulation as a primary therapeutic target. <i>Haematologica</i> , 2019 , 104, 729-737	6.6	33
141	EBV positive primary cutaneous CD30+ large T-cell lymphoma in a heart transplanted patient: case report. <i>American Journal of Transplantation</i> , 2004 , 4, 1915-20	8.7	32
140	Reversal of nephrotic syndrome due to reactive amyloidosis (AA-type) after excision of localized Castleman's disease. <i>American Journal of Hematology</i> , 1994 , 46, 189-93	7.1	32

139	Cytoplasmic nucleophosmin is not detected in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2009 , 94, 285-8	6.6	31
138	Validation of follicular lymphoma international prognostic index 2 (FLIPI2) score in an independent series of follicular lymphoma patients. <i>British Journal of Haematology</i> , 2010 , 149, 455-7	4.5	30
137	Whole exome sequencing of microdissected splenic marginal zone lymphoma: a study to discover novel tumor-specific mutations. <i>BMC Cancer</i> , 2015 , 15, 773	4.8	29
136	Cutaneous CD30+ lymphoproliferative disorders: expression of bcl-2 and proteins of the tumor necrosis factor receptor superfamily. <i>Human Pathology</i> , 1998 , 29, 1223-30	3.7	29
135	Natural history of autoimmune atrophic gastritis: a prospective, single centre, long-term experience. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1172-1180	6.1	28
134	Splenic marginal zone cell lymphoma: report of an indolent variant without massive splenomegaly presumably representing an early phase of the disease. <i>Human Pathology</i> , 1995 , 26, 39-46	3.7	28
133	Primary cutaneous B-cell lymphoma other than marginal zone: clinicopathologic analysis of 161 cases: Comparison with current classification and definition of prognostic markers. <i>Cancer Medicine</i> , 2016 , 5, 2740-2755	4.8	28
132	Small bowel carcinomas in celiac or Crohn's disease: distinctive histophenotypic, molecular and histogenetic patterns. <i>Modern Pathology</i> , 2017 , 30, 1453-1466	9.8	26
131	Splenic marginal zone lymphoma: Clinical clustering of immunoglobulin heavy chain repertoires. <i>Blood Cells, Molecules, and Diseases</i> , 2009 , 42, 286-91	2.1	26
130	Aberrant somatic hypermutation in primary mediastinal large B-cell lymphoma. <i>Leukemia</i> , 2005 , 19, 2363-67	3.6	26
129	Assessment of bone marrow involvement in non-Hodgkin's lymphomas: comparison between histology and flow cytometry. <i>European Journal of Haematology</i> , 2010 , 85, 405-15	3.8	25
128	Cathepsin D and E co-expression in sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) and Langerhans cell histiocytosis: further evidences of a phenotypic overlap between these histiocytic disorders. <i>Virchows Archiv Fur Pathologische Anatomie Und Zellbiologie - Molecular Cell Biology</i> , 2004 , 74, 491-496	5.1	25
127	Kaposi's sarcoma in a child after autologous bone marrow transplantation for non-Hodgkin's lymphoma. <i>Cancer</i> , 1991 , 68, 1361-4	6.4	25
126	Marginal zone-related neoplasms of splenic and nodal origin. <i>Haematologica</i> , 2003 , 88, 80-93	6.6	25
125	Systematic analysis of human oncogenic viruses in colon cancer revealed EBV latency in lymphoid infiltrates. <i>Infectious Agents and Cancer</i> , 2014 , 9, 18	3.5	22
124	Neuroendocrine carcinoma of the skin with lymphoepithelioma-like features. <i>American Journal of Dermatopathology</i> , 1998 , 20, 483-6	0.9	22
123	Aberrant somatic hypermutation in post-transplant lymphoproliferative disorders. <i>British Journal of Haematology</i> , 2004 , 127, 362-4	4.5	21
122	Development of an algorithm for the management of cervical lymphadenopathy in children: consensus of the Italian Society of Preventive and Social Pediatrics, jointly with the Italian Society of Pediatric Infectious Diseases and the Italian Society of Pediatric Otorhinolaryngology. <i>Expert Review of Anti-Infective Therapy</i> , 2015 , 13, 1557-67	5.5	20

121	Rituximab with cyclophosphamide, vincristine, non-pegylated liposomal doxorubicin and prednisone as first-line treatment for splenic marginal zone lymphoma: a Fondazione Italiana Linfomi phase II study. <i>Leukemia and Lymphoma</i> , 2015 , 56, 3281-7	1.9	19
120	In Vitro Killing of Colorectal Carcinoma Cells by Autologous Activated NK Cells is Boosted by Anti-Epidermal Growth Factor Receptor-induced ADCC Regardless of RAS Mutation Status. <i>Journal of Immunotherapy</i> , 2018 , 41, 190-200	5	19
119	Molecular lesions of signalling pathway genes in clonal B-cell lymphocytosis with marginal zone features. <i>British Journal of Haematology</i> , 2014 , 167, 718-20	4.5	19
118	Primary gastric CD30 (Ki-1)-positive large cell non-Hodgkin B lymphomas. A clinicopathologic analysis of six cases. <i>Cancer</i> , 1994 , 73, 541-9	6.4	19
117	Human cytomegalovirus early infection, acute rejection, and major histocompatibility class II expression in transplanted lung. Molecular, immunocytochemical, and histopathologic investigations. <i>Transplantation</i> , 1996 , 61, 418-27	1.8	19
116	PD-L1 in small bowel adenocarcinoma is associated with etiology and tumor-infiltrating lymphocytes, in addition to microsatellite instability. <i>Modern Pathology</i> , 2020 , 33, 1398-1409	9.8	18
115	Distinctive clinical and histological features of Waldenström macroglobulinemia and splenic marginal zone lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011 , 11, 103-5	2	18
114	High-resolution genome-wide array comparative genomic hybridization in splenic marginal zone B-cell lymphoma. <i>Human Pathology</i> , 2009 , 40, 1628-37	3.7	18
113	Correlation of the FLIPI score for follicular lymphoma with period of diagnosis and type of treatment. <i>Leukemia Research</i> , 2006 , 30, 277-82	2.7	18
112	Lymph node reticulum cell neoplasm with progression into cytokeratin-positive interstitial reticulum cell (CIRC) sarcoma: a case study. <i>Histopathology</i> , 2003 , 43, 583-91	7.3	18
111	Depletion of circulating IgM memory B cells predicts unfavourable outcome in COVID-19. <i>Scientific Reports</i> , 2020 , 10, 20836	4.9	18
110	Epigenetic silencing of miR-26A1 in chronic lymphocytic leukemia and mantle cell lymphoma: Impact on EZH2 expression. <i>Epigenetics</i> , 2016 , 11, 335-43	5.7	17
109	Independent prognostic impact of tumour-infiltrating macrophages in early-stage Hodgkin B lymphoma. <i>Hematological Oncology</i> , 2017 , 35, 296-302	1.3	16
108	Epstein-Barr virus infection and altered control of apoptotic pathways in posttransplant lymphoproliferative disorders. <i>Pathobiology</i> , 2013 , 80, 53-9	3.6	16
107	Multiple granulocytic sarcoma during complete hematologic remission of acute nonlymphoid leukemia. <i>Acta Haematologica</i> , 1989 , 81, 41-3	2.7	16
106	CD5(-) diffuse large B-cell lymphoma with peculiar cyclin D1+ phenotype. Pathologic and molecular characterization of a single case. <i>Human Pathology</i> , 2011 , 42, 1204-8	3.7	14
105	Analysis of immunoglobulin heavy and light chain variable genes in post-transplant lymphoproliferative disorders. <i>Hematological Oncology</i> , 2006 , 24, 212-9	1.3	14
104	Nonlymphoplasmacytic lymphomas associated with light-chain amyloidosis. <i>Blood</i> , 2020 , 135, 293-296	2.2	13

103	Alterations of negative regulators of cytokine signalling in immunodeficiency-related non-Hodgkin lymphoma. <i>Hematological Oncology</i> , 2013 , 31, 22-8	1.3	13
102	B-cell posttransplant lymphoproliferative disorders in heart and/or lungs recipients: clinical and molecular-histogenetic study of 17 cases from a single institution. <i>Transplantation</i> , 2006 , 82, 1013-23	1.8	13
101	Littoral cell angiosarcoma: a truly malignant tumor. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1255	6.7	13
100	Epstein-Barr virus-positive aggressive lymphoma as a consequence of immunosuppression after multiple salvage treatments for follicular lymphoma. <i>British Journal of Haematology</i> , 2001 , 112, 373-6	4.5	13
99	Hepatoid carcinoma of the pancreas with lymphoid stroma: first description of the clinical, morphological, immunohistochemical, and molecular characteristics of an unusual pancreatic carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 467, 237-45	5.1	12
98	Intestinal T-cell lymphoma with enteropathy-associated T-cell lymphoma-like features arising in the setting of adult autoimmune enteropathy. <i>Hematological Oncology</i> , 2018 , 36, 481-488	1.3	12
97	Three cases of primary cutaneous lymphoblastic lymphoma: microarray-based comparative genomic hybridization and gene expression profiling studies with review of literature. <i>Leukemia and Lymphoma</i> , 2012 , 53, 1978-87	1.9	12
96	Primary mediastinal B-cell lymphoma: update of its clinicopathologic features. <i>Leukemia and Lymphoma</i> , 1997 , 26 Suppl 1, 115-23	1.9	12
95	CD27 distinguishes two phases in bone marrow infiltration of splenic marginal zone lymphoma. <i>Histopathology</i> , 2004 , 44, 381-6	7.3	11
94	Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). Clinico-pathological analysis of a paediatric case. <i>European Journal of Pediatrics</i> , 1992 , 151, 672-5	4.1	11
93	CD56/neural cell adhesion molecule expression in primary extranodal Ki-1/CD30+ lymphoma. Report of a pediatric case with simultaneous cutaneous and bone localizations. <i>American Journal of Dermatopathology</i> , 1997 , 19, 384-90	0.9	11
92	Neuroendocrine Tumors (NETs) of the Minor Papilla/Ampulla: Analysis of 16 Cases Underlines Homology With Major Ampulla NETs and Differences From Extra-Ampullary Duodenal NETs. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 725-736	6.7	11
91	Two cases of monomorphic epitheliotropic intestinal T-cell lymphoma associated with coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 965-968	2.4	10
90	Small-bowel carcinomas associated with celiac disease: transcriptomic profiling shows predominance of microsatellite instability-immune and mesenchymal subtypes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 476, 711-723	5.1	10
89	Small Bowel Carcinomas Associated with Immune-Mediated Intestinal Disorders: The Current Knowledge. <i>Cancers</i> , 2018 , 11,	6.6	9
88	Clinical and molecular characteristics of lymphoplasmacytic lymphoma not associated with an IgM monoclonal protein: A multicentric study of the Rete Ematologica Lombarda (REL) network. <i>American Journal of Hematology</i> , 2019 , 94, 1193-1199	7.1	9
87	Epstein-Barr virus-positive ileal carcinomas associated with Crohn's disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 471, 549-552	5.1	9
86	Genomic aberrations affecting the outcome of immunodeficiency-related diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2012 , 53, 71-6	1.9	9

85	Nijmegen breakage syndrome-associated T-cell-rich B-cell lymphoma: case report. <i>Pediatric and Developmental Pathology</i> , 2000 , 3, 264-70	2.2	9
84	HCV infection and non-Hodgkin lymphomas: an evolving story. <i>Clinical and Experimental Medicine</i> , 2020 , 20, 321-328	4.9	8
83	Telomeric Repeat-Containing RNAs (TERRA) Decrease in Squamous Cell Carcinoma of the Head and Neck Is Associated with Worsened Clinical Outcome. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
82	Antibiotic therapy-induced remission of bladder mucosa-associated lymphoid tissue (MALT) lymphoma carrying t(11;18)(q21;q21) apoptosis inhibitor 2-MALT1. <i>Journal of Clinical Oncology</i> , 2013 , 31, e304-6	2.2	8
81	Clinical, pathological and immunohistochemical effects of arsenical-ferruginous spa waters on mild-to-moderate psoriatic lesions: a randomized placebo-controlled study. <i>International Journal of Immunopathology and Pharmacology</i> , 2013 , 26, 495-501	3	8
80	Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) in a girl previously affected by acute lymphoblastic leukemia. <i>Medical and Pediatric Oncology</i> , 2001 , 37, 150-2		8
79	Double expressor and double/triple hit status among primary cutaneous diffuse large B-cell lymphoma: a comparison between leg type and not otherwise specified subtypes. <i>Human Pathology</i> , 2021 , 111, 1-9	3.7	8
78	Detection of Active Epstein-Barr Virus Infection in Duodenal Mucosa of Patients With Refractory Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1216-20	6.9	8
77	Prognostic Role of Mismatch Repair Status, Histotype and High-Risk Pathologic Features in Stage II Small Bowel Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1167-1177	3.1	8
76	Successful treatment of a classic Hodgkin lymphoma-type post-transplant lymphoproliferative disorder with tailored chemotherapy and Epstein-Barr virus-specific cytotoxic T lymphocytes in a pediatric heart transplant recipient. <i>Pediatric Transplantation</i> , 2013 , 17, E168-73	1.8	7
75	Bayesian models identify specific lymphoproliferative disorders associated with hepatitis C virus infection. <i>International Journal of Cancer</i> , 2009 , 124, 2246-9	7.5	7
74	Nodular sclerosing Hodgkin disease and large cell lymphoma. Immunophenotypic characterization of a composite case. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1992 , 421, 271-5		7
73	Whole-genome analysis uncovers recurrent IKZF1 inactivation and aberrant cell adhesion in blastic plasmacytoid dendritic cell neoplasm. <i>Genes Chromosomes and Cancer</i> , 2020 , 59, 295-308	5	7
72	Diode Laser-Assisted Surgical Therapy for Early Treatment of Oral Mucocele in a Newborn Patient: Case Report and Procedures Checklist. <i>Case Reports in Dentistry</i> , 2018 , 2018, 3048429	0.6	7
71	Grade 3 Neuroendocrine Tumor (G3 NET) in a Background of Multiple Serotonin Cell Neoplasms of the Ileum Associated with Carcinoid Syndrome and Aggressive Behavior. <i>Endocrine Pathology</i> , 2018 , 29, 369-373	4.2	6
70	Unique vascular tumor primary arising in the liver and exhibiting histopathological features consistent with so-called polymorphous hemangioendothelioma. <i>Pathology International</i> , 2009 , 59, 890-4 ^{1.8}		6
69	A low serum beta 2-microglobulin level despite bulky tumor is a characteristic feature of primary mediastinal (thymic) large B-cell lymphoma: implications for serologic staging. <i>European Journal of Haematology</i> , 1996 , 57, 331-3	3.8	6
68	Splenic marginal zone B-cell lymphoma in a HIV-positive patient: a case report. <i>Annals of Hematology</i> , 2009 , 88, 379-81	3	6

67	Congenital aggressive variant of Langerhans cells histiocytosis with CD56+/E-Cadherin- phenotype. <i>Pediatric Blood and Cancer</i> , 2009 , 53, 1107-10	3	6
66	Adult Ki-1-positive large cell anaplastic lymphoma presenting with skin lesions. <i>Acta Haematologica</i> , 1989 , 81, 51-5	2.7	6
65	Deregulation of miRNAs-cMYC circuits is a key event in refractory celiac disease type-2 lymphomagenesis. <i>Clinical Science</i> , 2020 , 134, 1151-1166	6.5	6
64	Separation of Low- Versus High-grade Crohn's Disease-associated Small Bowel Carcinomas is Improved by Invasive Front Prognostic Marker Analysis. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, 295-302	1.5	6
63	Positive predictive value for malignancy of uncertain malignant potential (B3) breast lesions diagnosed on vacuum-assisted biopsy (VAB): is surgical excision still recommended?. <i>European Radiology</i> , 2021 , 31, 920-927	8	6
62	A risk-stratification model based on the initial concentration of the serum monoclonal protein and MYD88 mutation status identifies a subset of patients with IgM monoclonal gammopathy of undetermined significance at high risk of progression to Waldenström macroglobulinaemia or other lymphoproliferative disorders. <i>British Journal of Haematology</i> , 2019 , 187, 111-116	4.5	5
61	Primary pulmonary artery Rosai-Dorfman disease mimicking sarcoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, e57-9	1.5	5
60	Prostatic adenocarcinoma with oncocytic features. <i>Journal of Clinical Pathology</i> , 2011 , 64, 177-8	3.9	5
59	Risk of second cancer in nongastric marginal zone B-cell lymphomas of mucosa-associated lymphoid tissue: a population-based study from northern Italy. <i>Clinical Cancer Research</i> , 2007 , 13, 182-6	12.9	5
58	Incidence of novel N-glycosylation sites in the B-cell receptor of lymphomas associated with immunodeficiency. <i>British Journal of Haematology</i> , 2004 , 124, 604-9	4.5	5
57	Genetic and Phenotypic Attributes of Splenic Marginal Zone Lymphoma. <i>Blood</i> , 2021 ,	2.2	5
56	Simple, reliable detection of amyloid in fat aspirates using the fluorescent dye FSB: prospective study in 206 patients. <i>Blood</i> , 2019 , 134, 320-323	2.2	4
55	Regression of indolent B-cell lymphoma after Lamivudine prophylaxis of hepatitis B virus infection. <i>Journal of Clinical Oncology</i> , 2011 , 29, e543-5	2.2	4
54	Bilateral inguinal hernia with dislocation of great saphenous vein as complication of long-standing granulomatous slack skin: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 595-8	4.6	4
53	Rhabdomyosarcoma with primary osteolytic lesions simulating non-Hodgkin's lymphoma. <i>Pediatric Hematology and Oncology</i> , 1991 , 8, 159-64	1.7	4
52	Small Bowel Adenocarcinomas Featuring Special AT-Rich Sequence-Binding Protein 2 (SATB2) Expression and a Colorectal Cancer-Like Immunophenotype: A Potential Diagnostic Pitfall. <i>Cancers</i> , 2020 , 12,	6.6	4
51	Cutaneous blastic plasmacytoid dendritic cell neoplasm: successful palliative treatment with oral prednisone in an elderly patient. <i>British Journal of Dermatology</i> , 2015 , 172, 298-300	4	3
50	Leukocytoclastic vasculitis as a complication of recombinant granulocyte colony-stimulating factor therapy in a heart transplant patient. <i>Case Reports in Transplantation</i> , 2014 , 2014, 160407	0.6	3

49	An insidious presentation of splenic marginal zone lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2007 , 7, 432-3		3
48	Development of a Richter syndrome with a monoclonal component from a true B-cell chronic lymphocytic leukemia (B-CLL) treated with fludarabine. <i>Annals of Hematology</i> , 2007 , 86, 619-22	3	3
47	Uncommon syndromes and treatment manifestations of malignancy: Case 1. Unusual association of lupus and sarcoma. <i>Journal of Clinical Oncology</i> , 2003 , 21, 166-7	2.2	3
46	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. <i>Blood</i> , 2013 , 122, 2502-2502	2.2	3
45	Targeted next-generation sequencing reveals molecular heterogeneity in non-chronic lymphocytic leukemia clonal B-cell lymphocytosis. <i>Hematological Oncology</i> , 2020 , 38, 689-697	1.3	3
44	Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. <i>Cancer Cell</i> , 2015 , 27, 744	24.3	2
43	Spinal non-HodgkinB lymphoma mimicking a flare of disease in a patient with ankylosing spondylitis treated with anti-TNF agents: case report and review of the literature. <i>Clinical Rheumatology</i> , 2016 , 35, 275-80	3.9	2
42	Long-term remission of erythrodermic mycosis fungoides after persistent control of hepatitis B infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e108-e110	4.6	2
41	Absence of MYD88 L265P mutation in blastic plasmacytoid dendritic cell neoplasm. <i>British Journal of Dermatology</i> , 2013 , 168, 883-4	4	2
40	Molecular Subtypes of Splenic Marginal Zone Lymphoma (SMZL) Are Associated with Distinct Pathogenic Mechanisms and Outcomes - Interim Analysis of the IELSG46 Study. <i>Blood</i> , 2018 , 132, 922-922 ^{2,2}		2
39	Cell-of-Origin Identification and Prognostic Correlation in HIV-Associated Diffuse Large B-Cell Lymphomas: Results of an Italian Multicentric Study. <i>Blood</i> , 2018 , 132, 5294-5294	2.2	2
38	Outcome of Transformed Marginal Zone Lymphomas Treated in the Rituximab Era. <i>Blood</i> , 2015 , 126, 5098-5098	2.2	2
37	Multisystem non-arthropathic reticulohistiocytosis: problems and pitfalls in the differential diagnosis of multisystem non-Langerhans-cell histiocytoses. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e195-e198	4.6	1
36	Hereditary apolipoprotein A1 amyloidosis with cutaneous and cardiac involvement: a long familial history. <i>European Journal of Dermatology</i> , 2014 , 24, 261-3	0.8	1
35	Aberrant Methylation of SHP-1 (SH2-Containing Phosphatases 1) and SOCS-1 (Suppressor of Cytokine Signalling 1) Genes in Immunodeficiency-Related Lymphomas.. <i>Blood</i> , 2006 , 108, 2386-2386	2.2	1
34	Splenic Marginal Zone B-Cell Lymphoma: Clinical Clustering of Immunoglobulin Heavy Chain Repertoires.. <i>Blood</i> , 2008 , 112, 1775-1775	2.2	1
33	The BRAF V600E Mutation in Hairy Cell Leukemia and Other Mature B-Cell Neoplasms. <i>Blood</i> , 2011 , 118, 262-262	2.2	1
32	Amyloid Typing: Immunoelectron Microscopy 2012 , 249-260		1

31	SNP-Arrays Provide New Insights Into the Pathogenesis of Post-Transplant Diffuse Large B-Cell Lymphoma (PT-DLBCL).. <i>Blood</i> , 2009 , 114, 444-444	2.2	1
30	Prevalence and Clinical Significance of the MYD88 (L265P) Somatic Mutation in Patients with Waldenstrom Macroglobulinemia, IgM-Monoclonal Gammopathy of Undetermined Significance or Other Mature B-Cell Neoplasms.. <i>Blood</i> , 2012 , 120, 2667-2667	2.2	1
29	MicroRNA profiling of blastic plasmacytoid dendritic cell neoplasm and myeloid sarcoma. <i>Hematological Oncology</i> , 2020 , 38, 831-833	1.3	1
28	Critical concepts and management recommendations for cutaneous T-cell lymphoma: A consensus-based position paper from the Italian Group of Cutaneous Lymphoma. <i>Hematological Oncology</i> , 2021 , 39, 275-283	1.3	1
27	Newly-Discovered Neural Features Expand the Pathobiological Knowledge of Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Cancers</i> , 2021 , 13,	6.6	1
26	Hodgkin Lymphoma With Diplopia and Nystagmus: A Paraneoplastic Cerebellar Degeneration With Ectopic Expression of DNER Antigen on Reed-Sternberg Cells. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 ,	2	0
25	Light Chain Amyloidosis and Non-Hodgkin B Lymphomas: A Peculiar Association with Distinct Clinical Features and Outcome. <i>Blood</i> , 2018 , 132, 2026-2026	2.2	0
24	Molecular Lesions Of Signalling Pathway Genes In Indolent B-Cell Lymphoproliferations Mimicking Splenic Marginal Zone Lymphoma. <i>Blood</i> , 2013 , 122, 4250-4250	2.2	0
23	Mutational and immunogenetic landscape of HCV-associated B-cell lymphoproliferative disorders. <i>American Journal of Hematology</i> , 2021 , 96, E210-E214	7.1	0
22	Prognostic relevance and putative histogenetic role of cytokeratin 7 and MUC5AC expression in Crohn B disease-associated small bowel carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 479, 667-678	5.1	0
21	Late-onset EBV-related post-transplant non-secreting plasma-cell neoplasms: Description of two cases. <i>Leukemia Research</i> , 2021 , 100, 106493	2.7	0
20	Ampullary Neuroendocrine Neoplasms: Identification of Prognostic Factors in a Multicentric Series of 119 Cases.. <i>Endocrine Pathology</i> , 2022 , 1	4.2	0
19	Primary Cutaneous B-Cell Lymphoma: An Update on Pathologic and Molecular Features. <i>Hemato</i> , 2022 , 3, 318-340	0.2	0
18	Disfiguring Nodular Cephalic Xanthoma Disseminatum: An Exceptional Variant of a Forgotten Entity. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 450-451	2.2	
17	Clinical and histological findings in bladder pain syndrome/interstitial cystitis: The implication of time of symptoms. <i>Journal of Clinical Urology</i> , 2018 , 11, 248-253	0.2	
16	Mycosis fungoides and other cutaneous T-cell lymphomas 2013 , 264-282		
15	Abdominal lymphographic pattern in connective tissue diseases is quite similar to that observed in lymphocytic lymphoma. <i>Blut</i> , 1989 , 59, 398-9		
14	Bilateral Breast Metastases from Epstein-Barr Virus-Associated Gastric Cancer during Pregnancy: Is There a Method to Its Madness?. <i>Journal of Gastric Cancer</i> , 2020 , 20, 106-114	3.2	

- 13 Evolution of a True B-Cell Chronic Lymphocytic Leukaemia (B-CLL) in a Diffuse Immunocytoma after Treatment with Fludarabine.. *Blood*, **2005**, 106, 4973-4973 2.2
- 12 High Resolution Array-CGH in Splenic Marginal Zone B-Cell Lymphoma: Correlation of Copy Number Imbalances with HCV Status and Prognostic Categories.. *Blood*, **2007**, 110, 2620-2620 2.2
- 11 Cutaneous relapse after allogenic hematopoietic stem cell transplantation for acute myeloid leukemia: a clinical and immunophenotype study of seven patients. *Giornale Italiano Di Dermatologia E Venereologia*, **2020**, 155, 250-252 0.8
- 10 Morphology of Thymic Remnants Removed after Video-Assisted Thoracoscopic Extended Thymectomy in Patients with Thymomatous Myasthenia Gravis **1997**, 289-292
- 9 Stereotyped Patterns of HCDR3 Sequences in Splenic Marginal Zone B-Cell Lymphoma (SMZL): SMZL-Biased Subsets Are Associated with a Worse Outcome.. *Blood*, **2009**, 114, 760-760 2.2
- 8 The Molecular Profile of Richter Syndrome Predicts Survival From Transformation: The Role of Clonal Relationship. *Blood*, **2010**, 116, 3601-3601 2.2
- 7 Constant Activation of the RAF-MEK-ERK Pathway As a Diagnostic and Therapeutic Target in Hairy Cell Leukemia.. *Blood*, **2012**, 120, 2657-2657 2.2
- 6 Hierarchical Clustering of B-Cell Receptor Structures in Splenic Marginal Zone Lymphoma. *Blood*, **2012**, 120, 1585-1585 2.2
- 5 Acute megakaryoblastic leukemia with a novel GATA1 mutation in a second trimester stillborn fetus with trisomy 21. *Leukemia and Lymphoma*, **2021**, 62, 2276-2279 1.9
- 4 Histologic heterogeneity and syndromic associations of non-ampullary duodenal polyps and superficial mucosal lesions. *Digestive and Liver Disease*, **2021**, 53, 1647-1654 3.3
- 3 Skin Treatment with Pulsed Monochromatic UVA1 355 Device and Computerized Morphometric Analysis of Histochemically Identified Langerhans Cells. *BioMed Research International*, **2016**, 2016, 3415-3436 3.36
- 2 Epstein-Barr virus negative smooth muscle neoplasm of the stomach in a young woman. *Clinics and Research in Hepatology and Gastroenterology*, **2021**, 45, 101471 2.4
- 1 Systemic mastocytosis and lymphoplasmacytic lymphoma: an unusual and intriguing form of SM-AHN. *Leukemia and Lymphoma*, **2021**, 62, 1782-1785 1.9