

Marco Paulli

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8356241/marco-paulli-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

210
papers

9,210
citations

51
h-index

92
g-index

222
ext. papers

10,489
ext. citations

4.2
avg, IF

5.04
L-index

#	Paper	IF	Citations
210	Ampullary Neuroendocrine Neoplasms: Identification of Prognostic Factors in a Multicentric Series of 119 Cases.. <i>Endocrine Pathology</i> , 2022 , 1	4.2	0
209	Primary Cutaneous B-Cell Lymphoma: An Update on Pathologic and Molecular Features. <i>Hemato</i> , 2022 , 3, 318-340	0.2	0
208	Genetic and Phenotypic Attributes of Splenic Marginal Zone Lymphoma. <i>Blood</i> , 2021 ,	2.2	5
207	Hodgkin Lymphoma With Diplopia and Nystagmus: A Paraneoplastic Cerebellar Degeneration With Ectopic Expression of DNER Antigen on Reed-Sternberg Cells. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021 ,	2	0
206	Acute megakaryoblastic leukemia with a novel GATA1 mutation in a second trimester stillborn fetus with trisomy 21. <i>Leukemia and Lymphoma</i> , 2021 , 62, 2276-2279	1.9	
205	Histologic heterogeneity and syndromic associations of non-ampullary duodenal polyps and superficial mucosal lesions. <i>Digestive and Liver Disease</i> , 2021 , 53, 1647-1654	3.3	
204	Mutational and immunogenetic landscape of HCV-associated B-cell lymphoproliferative disorders. <i>American Journal of Hematology</i> , 2021 , 96, E210-E214	7.1	0
203	Prognostic relevance and putative histogenetic role of cytokeratin 7 and MUC5AC expression in Crohn's disease-associated small bowel carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 479, 667-678	5.1	0
202	Double expressor and double/triple hit status among primary cutaneous diffuse large B-cell lymphoma: a comparison between leg type and not otherwise specified subtypes. <i>Human Pathology</i> , 2021 , 111, 1-9	3.7	8
201	Prognostic Role of Mismatch Repair Status, Histotype and High-Risk Pathologic Features in Stage II Small Bowel Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1167-1177	3.1	8
200	Epstein-Barr virus negative smooth muscle neoplasm of the stomach in a young woman. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2021 , 45, 101471	2.4	
199	Late-onset EBV-related post-transplant non-secreting plasma-cell neoplasms: Description of two cases. <i>Leukemia Research</i> , 2021 , 100, 106493	2.7	0
198	Critical concepts and management recommendations for cutaneous T-cell lymphoma: A consensus-based position paper from the Italian Group of Cutaneous Lymphoma. <i>Hematological Oncology</i> , 2021 , 39, 275-283	1.3	1
197	Positive predictive value for malignancy of uncertain malignant potential (B3) breast lesions diagnosed on vacuum-assisted biopsy (VAB): is surgical excision still recommended?. <i>European Radiology</i> , 2021 , 31, 920-927	8	6
196	Systemic mastocytosis and lymphoplasmacytic lymphoma: an unusual and intriguing form of SM-AHN. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1782-1785	1.9	
195	Newly-Discovered Neural Features Expand the Pathobiological Knowledge of Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Cancers</i> , 2021 , 13,	6.6	1
194	Nonlymphoplasmacytic lymphomas associated with light-chain amyloidosis. <i>Blood</i> , 2020 , 135, 293-296	2.2	13

193	PD-L1 in small bowel adenocarcinoma is associated with etiology and tumor-infiltrating lymphocytes, in addition to microsatellite instability. <i>Modern Pathology</i> , 2020 , 33, 1398-1409	9.8	18
192	HCV infection and non-Hodgkin lymphomas: an evolving story. <i>Clinical and Experimental Medicine</i> , 2020 , 20, 321-328	4.9	8
191	Bilateral Breast Metastases from Epstein-Barr Virus-Associated Gastric Cancer during Pregnancy: Is There a Method to Its Madness?. <i>Journal of Gastric Cancer</i> , 2020 , 20, 106-114	3.2	
190	Cutaneous relapse after allogenic hematopoietic stem cell transplantation for acute myeloid leukemia: a clinical and immunophenotype study of seven patients. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020 , 155, 250-252	0.8	
189	Deregulation of miRNAs-cMYC circuits is a key event in refractory celiac disease type-2 lymphomagenesis. <i>Clinical Science</i> , 2020 , 134, 1151-1166	6.5	6
188	Small-bowel carcinomas associated with celiac disease: transcriptomic profiling shows predominance of microsatellite instability-immune and mesenchymal subtypes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 476, 711-723	5.1	10
187	Whole-genome analysis uncovers recurrent IKZF1 inactivation and aberrant cell adhesion in blastic plasmacytoid dendritic cell neoplasm. <i>Genes Chromosomes and Cancer</i> , 2020 , 59, 295-308	5	7
186	Small Bowel Adenocarcinomas Featuring Special AT-Rich Sequence-Binding Protein 2 (SATB2) Expression and a Colorectal Cancer-Like Immunophenotype: A Potential Diagnostic Pitfall. <i>Cancers</i> , 2020 , 12,	6.6	4
185	Depletion of circulating IgM memory B cells predicts unfavourable outcome in COVID-19. <i>Scientific Reports</i> , 2020 , 10, 20836	4.9	18
184	MicroRNA profiling of blastic plasmacytoid dendritic cell neoplasm and myeloid sarcoma. <i>Hematological Oncology</i> , 2020 , 38, 831-833	1.3	1
183	Targeted next-generation sequencing reveals molecular heterogeneity in non-chronic lymphocytic leukemia clonal B-cell lymphocytosis. <i>Hematological Oncology</i> , 2020 , 38, 689-697	1.3	3
182	mutations and disruptions are poor prognostic biomarkers in mantle cell lymphoma receiving high-dose therapy: a FIL study. <i>Haematologica</i> , 2020 , 105, 1604-1612	6.6	52
181	Separation of Low- Versus High-grade Crohn's Disease-associated Small Bowel Carcinomas is Improved by Invasive Front Prognostic Marker Analysis. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, 295-302	1.5	6
180	Multisystem non-arthropathic reticulohistiocytosis: problems and pitfalls in the differential diagnosis of multisystem non-Langerhans-cell histiocytoses. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e195-e198	4.6	1
179	Disfiguring Nodular Cephalic Xanthoma Disseminatum: An Exceptional Variant of a Forgotten Entity. <i>Acta Dermato-Venereologica</i> , 2019 , 99, 450-451	2.2	
178	Simple, reliable detection of amyloid in fat aspirates using the fluorescent dye FSB: prospective study in 206 patients. <i>Blood</i> , 2019 , 134, 320-323	2.2	4
177	Two cases of monomorphic epitheliotropic intestinal T-cell lymphoma associated with coeliac disease. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 965-968	2.4	10
176	Clinical and molecular characteristics of lymphoplasmacytic lymphoma not associated with an IgM monoclonal protein: A multicentric study of the Rete Ematologica Lombarda (REL) network. <i>American Journal of Hematology</i> , 2019 , 94, 1193-1199	7.1	9

175	A risk-stratification model based on the initial concentration of the serum monoclonal protein and MYD88 mutation status identifies a subset of patients with IgM monoclonal gammopathy of undetermined significance at high risk of progression to Waldenström macroglobulinaemia or other lymphoproliferative disorders. <i>British Journal of Haematology</i> , 2019 , 187, 441-446	4.5	5
174	Natural history of autoimmune atrophic gastritis: a prospective, single centre, long-term experience. <i>Alimentary Pharmacology and Therapeutics</i> , 2019 , 50, 1172-1180	6.1	28
173	Neuroendocrine Tumors (NETs) of the Minor Papilla/Ampulla: Analysis of 16 Cases Underlines Homology With Major Ampulla NETs and Differences From Extra-Ampullary Duodenal NETs. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 725-736	6.7	11
172	Blastic plasmacytoid dendritic cell neoplasm: genomics mark epigenetic dysregulation as a primary therapeutic target. <i>Haematologica</i> , 2019 , 104, 729-737	6.6	33
171	Small Bowel Carcinomas Associated with Immune-Mediated Intestinal Disorders: The Current Knowledge. <i>Cancers</i> , 2018 , 11,	6.6	9
170	Clinical and histological findings in bladder pain syndrome/interstitial cystitis: The implication of time of symptoms. <i>Journal of Clinical Urology</i> , 2018 , 11, 248-253	0.2	
169	Intestinal T-cell lymphoma with enteropathy-associated T-cell lymphoma-like features arising in the setting of adult autoimmune enteropathy. <i>Hematological Oncology</i> , 2018 , 36, 481-488	1.3	12
168	In Vitro Killing of Colorectal Carcinoma Cells by Autologous Activated NK Cells is Boosted by Anti-Epidermal Growth Factor Receptor-induced ADCC Regardless of RAS Mutation Status. <i>Journal of Immunotherapy</i> , 2018 , 41, 190-200	5	19
167	Grade 3 Neuroendocrine Tumor (G3 NET) in a Background of Multiple Serotonin Cell Neoplasms of the Ileum Associated with Carcinoid Syndrome and Aggressive Behavior. <i>Endocrine Pathology</i> , 2018 , 29, 369-373	4.2	6
166	Telomeric Repeat-Containing RNAs (TERRA) Decrease in Squamous Cell Carcinoma of the Head and Neck Is Associated with Worsened Clinical Outcome. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
165	Prognostic Evaluations Tailored to Specific Gastric Neuroendocrine Neoplasms: Analysis Of 200 Cases with Extended Follow-Up. <i>Neuroendocrinology</i> , 2018 , 107, 114-126	5.6	36
164	Molecular Subtypes of Splenic Marginal Zone Lymphoma (SMZL) Are Associated with Distinct Pathogenic Mechanisms and Outcomes - Interim Analysis of the IELSG46 Study. <i>Blood</i> , 2018 , 132, 922-922 ^{2,2}		2
163	Cell-of-Origin Identification and Prognostic Correlation in HIV-Associated Diffuse Large B-Cell Lymphomas: Results of an Italian Multicentric Study. <i>Blood</i> , 2018 , 132, 5294-5294	2.2	2
162	Light Chain Amyloidosis and Non-Hodgkin's Lymphomas: A Peculiar Association with Distinct Clinical Features and Outcome. <i>Blood</i> , 2018 , 132, 2026-2026	2.2	0
161	Diode Laser-Assisted Surgical Therapy for Early Treatment of Oral Mucocele in a Newborn Patient: Case Report and Procedures Checklist. <i>Case Reports in Dentistry</i> , 2018 , 2018, 3048429	0.6	7
160	Independent prognostic impact of tumour-infiltrating macrophages in early-stage Hodgkin's lymphoma. <i>Hematological Oncology</i> , 2017 , 35, 296-302	1.3	16
159	Small Bowel Carcinomas in Coeliac or Crohn's Disease: Clinico-pathological, Molecular, and Prognostic Features. A Study From the Small Bowel Cancer Italian Consortium. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 942-953	1.5	33
158	Pattern of somatic mutations in patients with Waldenström macroglobulinemia or IgM monoclonal gammopathy of undetermined significance. <i>Haematologica</i> , 2017 , 102, 2077-2085	6.6	43

157	Epstein-Barr virus-positive ileal carcinomas associated with Crohn's disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 471, 549-552	5.1	9
156	Small bowel carcinomas in celiac or Crohn's disease: distinctive histophenotypic, molecular and histogenetic patterns. <i>Modern Pathology</i> , 2017 , 30, 1453-1466	9.8	26
155	Long-term remission of erythrodermic mycosis fungoides after persistent control of hepatitis B infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017 , 31, e108-e110	4.6	2
154	Spinal non-Hodgkin's lymphoma mimicking a flare of disease in a patient with ankylosing spondylitis treated with anti-TNF agents: case report and review of the literature. <i>Clinical Rheumatology</i> , 2016 , 35, 275-80	3.9	2
153	The genetics of nodal marginal zone lymphoma. <i>Blood</i> , 2016 , 128, 1362-73	2.2	88
152	Skin Treatment with Pulsed Monochromatic UVA1 355 Device and Computerized Morphometric Analysis of Histochemically Identified Langerhans Cells. <i>BioMed Research International</i> , 2016 , 2016, 3415-3436	5.3	36
151	Detection of Active Epstein-Barr Virus Infection in Duodenal Mucosa of Patients With Refractory Celiac Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1216-20	6.9	8
150	Epigenetic silencing of miR-26A1 in chronic lymphocytic leukemia and mantle cell lymphoma: Impact on EZH2 expression. <i>Epigenetics</i> , 2016 , 11, 335-43	5.7	17
149	Splenic marginal zone lymphoma: from genetics to management. <i>Blood</i> , 2016 , 127, 2072-81	2.2	106
148	Primary cutaneous B-cell lymphoma other than marginal zone: clinicopathologic analysis of 161 cases: Comparison with current classification and definition of prognostic markers. <i>Cancer Medicine</i> , 2016 , 5, 2740-2755	4.8	28
147	Convergent Mutations and Kinase Fusions Lead to Oncogenic STAT3 Activation in Anaplastic Large Cell Lymphoma. <i>Cancer Cell</i> , 2015 , 27, 744	24.3	2
146	Convergent mutations and kinase fusions lead to oncogenic STAT3 activation in anaplastic large cell lymphoma. <i>Cancer Cell</i> , 2015 , 27, 516-32	24.3	283
145	Rituximab with cyclophosphamide, vincristine, non-pegylated liposomal doxorubicin and prednisone as first-line treatment for splenic marginal zone lymphoma: a Fondazione Italiana Linfomi phase II study. <i>Leukemia and Lymphoma</i> , 2015 , 56, 3281-7	1.9	19
144	Hepatoid carcinoma of the pancreas with lymphoid stroma: first description of the clinical, morphological, immunohistochemical, and molecular characteristics of an unusual pancreatic carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 467, 237-45	5.1	12
143	Cutaneous blastic plasmacytoid dendritic cell neoplasm: successful palliative treatment with oral prednisone in an elderly patient. <i>British Journal of Dermatology</i> , 2015 , 172, 298-300	4	3
142	The NOTCH pathway is recurrently mutated in diffuse large B-cell lymphoma associated with hepatitis C virus infection. <i>Haematologica</i> , 2015 , 100, 246-52	6.6	51
141	Development of an algorithm for the management of cervical lymphadenopathy in children: consensus of the Italian Society of Preventive and Social Pediatrics, jointly with the Italian Society of Pediatric Infectious Diseases and the Italian Society of Pediatric Otorhinolaryngology. <i>Expert Review of Anti-Infective Therapy</i> , 2015 , 13, 1557-67	5.5	20
140	The Krüppel-like factor 2 transcription factor gene is recurrently mutated in splenic marginal zone lymphoma. <i>Leukemia</i> , 2015 , 29, 503-7	10.7	62

139	A practical approach to the diagnosis of systemic amyloidoses. <i>Blood</i> , 2015 , 125, 2239-44	2.2	120
138	Whole exome sequencing of microdissected splenic marginal zone lymphoma: a study to discover novel tumor-specific mutations. <i>BMC Cancer</i> , 2015 , 15, 773	4.8	29
137	Outcome of Transformed Marginal Zone Lymphomas Treated in the Rituximab Era. <i>Blood</i> , 2015 , 126, 5098-5098	2.2	2
136	Hereditary apolipoprotein A1 amyloidosis with cutaneous and cardiac involvement: a long familial history. <i>European Journal of Dermatology</i> , 2014 , 24, 261-3	0.8	1
135	Molecular profiling of blastic plasmacytoid dendritic cell neoplasm reveals a unique pattern and suggests selective sensitivity to NF- κ B pathway inhibition. <i>Leukemia</i> , 2014 , 28, 1606-16	10.7	116
134	Systematic analysis of human oncogenic viruses in colon cancer revealed EBV latency in lymphoid infiltrates. <i>Infectious Agents and Cancer</i> , 2014 , 9, 18	3.5	22
133	B-cell receptors expressed by lymphomas of hepatitis C virus (HCV)-infected patients rarely react with the viral proteins. <i>Blood</i> , 2014 , 123, 1512-5	2.2	34
132	Molecular lesions of signalling pathway genes in clonal B-cell lymphocytosis with marginal zone features. <i>British Journal of Haematology</i> , 2014 , 167, 718-20	4.5	19
131	Leukocytoclastic vasculitis as a complication of recombinant granulocyte colony-stimulating factor therapy in a heart transplant patient. <i>Case Reports in Transplantation</i> , 2014 , 2014, 160407	0.6	3
130	Alterations of negative regulators of cytokine signalling in immunodeficiency-related non-Hodgkin lymphoma. <i>Hematological Oncology</i> , 2013 , 31, 22-8	1.3	13
129	Primary pulmonary artery Rosai-Dorfman disease mimicking sarcoma. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, e57-9	1.5	5
128	Prevalence and clinical significance of the MYD88 (L265P) somatic mutation in Waldenström β macroglobulinemia and related lymphoid neoplasms. <i>Blood</i> , 2013 , 121, 2522-8	2.2	229
127	Epstein-Barr virus infection and altered control of apoptotic pathways in posttransplant lymphoproliferative disorders. <i>Pathobiology</i> , 2013 , 80, 53-9	3.6	16
126	Mycosis fungoides and other cutaneous T-cell lymphomas 2013 , 264-282		
125	Successful treatment of a classic Hodgkin lymphoma-type post-transplant lymphoproliferative disorder with tailored chemotherapy and Epstein-Barr virus-specific cytotoxic T lymphocytes in a pediatric heart transplant recipient. <i>Pediatric Transplantation</i> , 2013 , 17, E168-73	1.8	7
124	Absence of MYD88 L265P mutation in blastic plasmacytoid dendritic cell neoplasm. <i>British Journal of Dermatology</i> , 2013 , 168, 883-4	4	2
123	Antibiotic therapy-induced remission of bladder mucosa-associated lymphoid tissue (MALT) lymphoma carrying t(11;18)(q21;q21) apoptosis inhibitor 2-MALT1. <i>Journal of Clinical Oncology</i> , 2013 , 31, e304-6	2.2	8
122	Spleen endothelial cells from patients with myelofibrosis harbor the JAK2V617F mutation. <i>Blood</i> , 2013 , 121, 360-8	2.2	79

121	MYD88 (L265P) mutation is an independent risk factor for progression in patients with IgM monoclonal gammopathy of undetermined significance. <i>Blood</i> , 2013 , 122, 2284-5	2.2	40
120	Clinical, pathological and immunohistochemical effects of arsenical-ferruginous spa waters on mild-to-moderate psoriatic lesions: a randomized placebo-controlled study. <i>International Journal of Immunopathology and Pharmacology</i> , 2013 , 26, 495-501	3	8
119	Constant activation of the RAF-MEK-ERK pathway as a diagnostic and therapeutic target in hairy cell leukemia. <i>Haematologica</i> , 2013 , 98, 635-9	6.6	60
118	Molecular Profiling Of Blastic Plasmacytoid Dendritic CELL Neoplasm Reveals A Unique Pattern and Suggests Selective Sensitivity To NF-KB Pathway Inhibition. <i>Blood</i> , 2013 , 122, 2502-2502	2.2	3
117	Molecular Lesions Of Signalling Pathway Genes In Indolent B-Cell Lymphoproliferations Mimicking Splenic Marginal Zone Lymphoma. <i>Blood</i> , 2013 , 122, 4250-4250	2.2	0
116	IRTA1 is selectively expressed in nodal and extranodal marginal zone lymphomas. <i>Histopathology</i> , 2012 , 61, 930-41	7.3	73
115	The BRAF V600E mutation in hairy cell leukemia and other mature B-cell neoplasms. <i>Blood</i> , 2012 , 119, 188-91	2.2	136
114	Dysregulation of global microRNA expression in splenic marginal zone lymphoma and influence of chronic hepatitis C virus infection. <i>Leukemia</i> , 2012 , 26, 1654-62	10.7	87
113	Genomic aberrations affecting the outcome of immunodeficiency-related diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2012 , 53, 71-6	1.9	9
112	Three cases of primary cutaneous lymphoblastic lymphoma: microarray-based comparative genomic hybridization and gene expression profiling studies with review of literature. <i>Leukemia and Lymphoma</i> , 2012 , 53, 1978-87	1.9	12
111	Amyloid Typing: Immunoelectron Microscopy 2012 , 249-260		1
110	Constant Activation of the RAF-MEK-ERK Pathway As a Diagnostic and Therapeutic Target in Hairy Cell Leukemia.. <i>Blood</i> , 2012 , 120, 2657-2657	2.2	
109	Hierarchical Clustering of B-Cell Receptor Structures in Splenic Marginal Zone Lymphoma. <i>Blood</i> , 2012 , 120, 1585-1585	2.2	
108	Prevalence and Clinical Significance of the MYD88 (L265P) Somatic Mutation in Patients with Waldenstrom m Macroglobulinemia, IgM-Monoclonal Gammopathy of Undetermined Significance or Other Mature B-Cell Neoplasms.. <i>Blood</i> , 2012 , 120, 2667-2667	2.2	1
107	Distinctive clinical and histological features of Waldenström's macroglobulinemia and splenic marginal zone lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011 , 11, 103-5	2	18
106	Analysis of the chronic lymphocytic leukemia coding genome: role of NOTCH1 mutational activation. <i>Journal of Experimental Medicine</i> , 2011 , 208, 1389-401	16.6	483
105	CD5(-) diffuse large B-cell lymphoma with peculiar cyclin D1+ phenotype. Pathologic and molecular characterization of a single case. <i>Human Pathology</i> , 2011 , 42, 1204-8	3.7	14
104	Twenty-one cases of blastic plasmacytoid dendritic cell neoplasm: focus on biallelic locus 9p21.3 deletion. <i>Blood</i> , 2011 , 118, 4591-4	2.2	114

103	The genetics of Richter syndrome reveals disease heterogeneity and predicts survival after transformation. <i>Blood</i> , 2011 , 117, 3391-401	2.2	249
102	Prostatic adenocarcinoma with oncocytic features. <i>Journal of Clinical Pathology</i> , 2011 , 64, 177-8	3.9	5
101	Regression of indolent B-cell lymphoma after Lamivudine prophylaxis of hepatitis B virus infection. <i>Journal of Clinical Oncology</i> , 2011 , 29, e543-5	2.2	4
100	The BRAF V600E Mutation in Hairy Cell Leukemia and Other Mature B-Cell Neoplasms. <i>Blood</i> , 2011 , 118, 262-262	2.2	1
99	Validation of follicular lymphoma international prognostic index 2 (FLIPI2) score in an independent series of follicular lymphoma patients. <i>British Journal of Haematology</i> , 2010 , 149, 455-7	4.5	30
98	Single nucleotide polymorphism-arrays provide new insights in the pathogenesis of post-transplant diffuse large B-cell lymphoma. <i>British Journal of Haematology</i> , 2010 , 149, 569-77	4.5	45
97	Subcutaneous lipoma-like B-cell lymphoma associated with HCV infection: a new presentation of primary extranodal marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2010 , 21, 1189-1195	10.3	39
96	Impact of treatment-related liver toxicity on the outcome of HCV-positive non-Hodgkin B lymphomas. <i>American Journal of Hematology</i> , 2010 , 85, 46-50	7.1	47
95	Stereotyped patterns of B-cell receptor in splenic marginal zone lymphoma. <i>Haematologica</i> , 2010 , 95, 1792-6	6.6	74
94	Assessment of bone marrow involvement in non-Hodgkin B lymphomas: comparison between histology and flow cytometry. <i>European Journal of Haematology</i> , 2010 , 85, 405-15	3.8	25
93	The Molecular Profile of Richter Syndrome Predicts Survival From Transformation: The Role of Clonal Relationship. <i>Blood</i> , 2010 , 116, 3601-3601	2.2	
92	Cytoplasmic nucleophosmin is not detected in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2009 , 94, 285-8	6.6	31
91	Bone marrow histology in marginal zone B-cell lymphomas: correlation with clinical parameters and flow cytometry in 120 patients. <i>Annals of Oncology</i> , 2009 , 20, 129-36	10.3	46
90	Stereotyped B-cell receptor is an independent risk factor of chronic lymphocytic leukemia transformation to Richter syndrome. <i>Clinical Cancer Research</i> , 2009 , 15, 4415-22	12.9	155
89	Unique vascular tumor primary arising in the liver and exhibiting histopathological features consistent with so-called polymorphous hemangioendothelioma. <i>Pathology International</i> , 2009 , 59, 890-4	1.8	6
88	Nodal marginal zone lymphoma: current knowledge and future directions of a heterogeneous disease. <i>European Journal of Haematology</i> , 2009 , 83, 165-74	3.8	36
87	Bayesian models identify specific lymphoproliferative disorders associated with hepatitis C virus infection. <i>International Journal of Cancer</i> , 2009 , 124, 2246-9	7.5	7
86	Splenic marginal zone B-cell lymphoma in a HIV-positive patient: a case report. <i>Annals of Hematology</i> , 2009 , 88, 379-81	3	6

85	Congenital aggressive variant of Langerhans cells histiocytosis with CD56+/E-Cadherin- phenotype. <i>Pediatric Blood and Cancer</i> , 2009 , 53, 1107-10	3	6
84	Fine-mapping chromosomal loss at 9p21: correlation with prognosis in primary cutaneous diffuse large B-cell lymphoma, leg type. <i>Journal of Investigative Dermatology</i> , 2009 , 129, 1149-55	4.3	69
83	Gene expression profiling of isolated tumour cells from anaplastic large cell lymphomas: insights into its cellular origin, pathogenesis and relation to Hodgkin lymphoma. <i>Leukemia</i> , 2009 , 23, 2129-38	10.7	109
82	Splenic marginal zone lymphoma: Clinical clustering of immunoglobulin heavy chain repertoires. <i>Blood Cells, Molecules, and Diseases</i> , 2009 , 42, 286-91	2.1	26
81	High-resolution genome-wide array comparative genomic hybridization in splenic marginal zone B-cell lymphoma. <i>Human Pathology</i> , 2009 , 40, 1628-37	3.7	18
80	SNP-Arrays Provide New Insights Into the Pathogenesis of Post-Transplant Diffuse Large B-Cell Lymphoma (PT-DLBCL).. <i>Blood</i> , 2009 , 114, 444-444	2.2	1
79	Stereotyped Patterns of HCDR3 Sequences in Splenic Marginal Zone B-Cell Lymphoma (SMZL): SMZL-Biased Subsets Are Associated with a Worse Outcome.. <i>Blood</i> , 2009 , 114, 760-760	2.2	
78	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008 , 111, 838-45	2.2	492
77	Granulomatous mycosis fungoides and granulomatous slack skin: a multicenter study of the Cutaneous Lymphoma Histopathology Task Force Group of the European Organization For Research and Treatment of Cancer (EORTC). <i>Archives of Dermatology</i> , 2008 , 144, 1609-17		121
76	Splenic Marginal Zone B-Cell Lymphoma: Clinical Clustering of Immunoglobulin Heavy Chain Repertoires.. <i>Blood</i> , 2008 , 112, 1775-1775	2.2	1
75	An insidious presentation of splenic marginal zone lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2007 , 7, 432-3		3
74	Primary nodal marginal zone B-cell lymphoma: clinical features and prognostic assessment of a rare disease. <i>British Journal of Haematology</i> , 2007 , 136, 301-4	4.5	66
73	Preemptive therapy of EBV-related lymphoproliferative disease after pediatric haploidentical stem cell transplantation. <i>American Journal of Transplantation</i> , 2007 , 7, 1648-55	8.7	172
72	Development of a Richter syndrome with a monoclonal component from a true B-cell chronic lymphocytic leukemia (B-CLL) treated with fludarabine. <i>Annals of Hematology</i> , 2007 , 86, 619-22	3	3
71	Risk of second cancer in nongastric marginal zone B-cell lymphomas of mucosa-associated lymphoid tissue: a population-based study from northern Italy. <i>Clinical Cancer Research</i> , 2007 , 13, 182-6	12.9	5
70	Prevalence of HCV infection in nongastric marginal zone B-cell lymphoma of MALT. <i>Annals of Oncology</i> , 2007 , 18, 346-50	10.3	95
69	High Resolution Array-CGH in Splenic Marginal Zone B-Cell Lymphoma: Correlation of Copy Number Imbalances with HCV Status and Prognostic Categories.. <i>Blood</i> , 2007 , 110, 2620-2620	2.2	
68	Analysis of immunoglobulin heavy and light chain variable genes in post-transplant lymphoproliferative disorders. <i>Hematological Oncology</i> , 2006 , 24, 212-9	1.3	14

67	Marker expression in peripheral T-cell lymphoma: a proposed clinical-pathologic prognostic score. <i>Journal of Clinical Oncology</i> , 2006 , 24, 2472-9	2.2	295
66	Epithelium derived interleukin 15 regulates intraepithelial lymphocyte Th1 cytokine production, cytotoxicity, and survival in coeliac disease. <i>Gut</i> , 2006 , 55, 469-77	19.2	167
65	Nongastric marginal-zone B-cell MALT lymphoma: prognostic value of disease dissemination. <i>Oncologist</i> , 2006 , 11, 285-91	5.7	51
64	Prognostic factors in primary cutaneous B-cell lymphoma: the Italian Study Group for Cutaneous Lymphomas. <i>Journal of Clinical Oncology</i> , 2006 , 24, 1376-82	2.2	147
63	Aberrant somatic hypermutation in tumor cells of nodular-lymphocyte-predominant and classic Hodgkin lymphoma. <i>Blood</i> , 2006 , 108, 1013-20	2.2	59
62	Splenic marginal zone lymphoma: a prognostic model for clinical use. <i>Blood</i> , 2006 , 107, 4643-9	2.2	177
61	B-cell posttransplant lymphoproliferative disorders in heart and/or lungs recipients: clinical and molecular-histogenetic study of 17 cases from a single institution. <i>Transplantation</i> , 2006 , 82, 1013-23	1.8	13
60	Bilateral inguinal hernia with dislocation of great saphenous vein as complication of long-standing granulomatous slack skin: a case report. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006 , 20, 595-8	4.6	4
59	Comparative genome-wide profiling of post-transplant lymphoproliferative disorders and diffuse large B-cell lymphomas. <i>British Journal of Haematology</i> , 2006 , 134, 27-36	4.5	52
58	Correlation of the FLIPI score for follicular lymphoma with period of diagnosis and type of treatment. <i>Leukemia Research</i> , 2006 , 30, 277-82	2.7	18
57	Aberrant Methylation of SHP-1 (SH2-Containing Phosphatases 1) and SOCS-1 (Suppressor of Cytokine Signalling 1) Genes in Immunodeficiency-Related Lymphomas.. <i>Blood</i> , 2006 , 108, 2386-2386	2.2	1
56	Aberrant somatic hypermutation in transformation of follicular lymphoma and chronic lymphocytic leukemia to diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006 , 91, 1405-9	6.6	57
55	Aberrant somatic hypermutation in primary mediastinal large B-cell lymphoma. <i>Leukemia</i> , 2005 , 19, 2363-67	16.7	26
54	Evolution of a True B-Cell Chronic Lymphocytic Leukaemia (B-CLL) in a Diffuse Immunocytoma after Treatment with Fludarabine.. <i>Blood</i> , 2005 , 106, 4973-4973	2.2	
53	Incidence of novel N-glycosylation sites in the B-cell receptor of lymphomas associated with immunodeficiency. <i>British Journal of Haematology</i> , 2004 , 124, 604-9	4.5	5
52	Aberrant somatic hypermutation in post-transplant lymphoproliferative disorders. <i>British Journal of Haematology</i> , 2004 , 127, 362-4	4.5	21
51	CD27 distinguishes two phases in bone marrow infiltration of splenic marginal zone lymphoma. <i>Histopathology</i> , 2004 , 44, 381-6	7.3	11
50	Primary mediastinal large B-cell lymphoma (PMLBCL): long-term results from a retrospective multicentre Italian experience in 138 patients treated with CHOP or MACOP-B/VACOP-B. <i>British Journal of Cancer</i> , 2004 , 90, 372-6	8.7	137

49	EBV positive primary cutaneous CD30+ large T-cell lymphoma in a heart transplanted patient: case report. <i>American Journal of Transplantation</i> , 2004 , 4, 1915-20	8.7	32
48	Splenic and nodal marginal zone lymphomas are indolent disorders at high hepatitis C virus seroprevalence with distinct presenting features but similar morphologic and phenotypic profiles. <i>Cancer</i> , 2004 , 100, 107-15	6.4	101
47	The clinical value of tumor burden at diagnosis in Hodgkin lymphoma. <i>Cancer</i> , 2004 , 101, 1824-34	6.4	37
46	Littoral cell angiosarcoma: a truly malignant tumor. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1255	6.7	13
45	Aberrant promoter methylation of multiple genes throughout the clinico-pathologic spectrum of B-cell neoplasia. <i>Haematologica</i> , 2004 , 89, 154-64	6.6	69
44	Cutaneous T-cell lymphomas (including rare subtypes). Current concepts. II. <i>Haematologica</i> , 2004 , 89, 1372-88	6.6	37
43	Molecular histogenesis of posttransplantation lymphoproliferative disorders. <i>Blood</i> , 2003 , 102, 3775-85	2.2	97
42	Uncommon syndromes and treatment manifestations of malignancy: Case 1. Unusual association of lupus and sarcoma. <i>Journal of Clinical Oncology</i> , 2003 , 21, 166-7	2.2	3
41	Cytotoxic/natural killer cell cutaneous lymphomas. Report of EORTC Cutaneous Lymphoma Task Force Workshop. <i>Cancer</i> , 2003 , 97, 610-27	6.4	200
40	Frequent aberrant promoter hypermethylation of O6-methylguanine-DNA methyltransferase and death-associated protein kinase genes in immunodeficiency-related lymphomas. <i>British Journal of Haematology</i> , 2003 , 123, 475-8	4.5	40
39	Lymph node reticulum cell neoplasm with progression into cytokeratin-positive interstitial reticulum cell (CIRC) sarcoma: a case study. <i>Histopathology</i> , 2003 , 43, 583-91	7.3	18
38	Marginal zone-related neoplasms of splenic and nodal origin. <i>Haematologica</i> , 2003 , 88, 80-93	6.6	25
37	Primary cutaneous large B-cell lymphoma of the leg: histogenetic analysis of a controversial clinicopathologic entity. <i>Human Pathology</i> , 2002 , 33, 937-43	3.7	46
36	Epstein-Barr virus-positive aggressive lymphoma as a consequence of immunosuppression after multiple salvage treatments for follicular lymphoma. <i>British Journal of Haematology</i> , 2001 , 112, 373-6	4.5	13
35	Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) in a girl previously affected by acute lymphoblastic leukemia. <i>Medical and Pediatric Oncology</i> , 2001 , 37, 150-2		8
34	Nijmegen breakage syndrome-associated T-cell-rich B-cell lymphoma: case report. <i>Pediatric and Developmental Pathology</i> , 2000 , 3, 264-70	2.2	9
33	Cytophagic histiocytic panniculitis and subcutaneous panniculitis-like T-cell lymphoma: report of 7 cases. <i>Archives of Dermatology</i> , 2000 , 136, 889-96		103
32	Differential viral protein expression in Kaposi's sarcoma-associated herpesvirus-infected diseases: Kaposi's sarcoma, primary effusion lymphoma, and multicentric Castlemans disease. <i>American Journal of Pathology</i> , 2000 , 156, 743-9	5.8	325

31	The immunosuppression and potential for EBV reactivation of fludarabine combined with cyclophosphamide and dexamethasone in patients with lymphoproliferative disorders. <i>British Journal of Haematology</i> , 1999 , 107, 877-82	4.5	55
30	Mediastinal B-cell lymphoma: a study of its histomorphologic spectrum based on 109 cases. <i>Human Pathology</i> , 1999 , 30, 178-87	3.7	60
29	Cutaneous CD30+ lymphoproliferative disorders: expression of bcl-2 and proteins of the tumor necrosis factor receptor superfamily. <i>Human Pathology</i> , 1998 , 29, 1223-30	3.7	29
28	ALK expression defines a distinct group of T/null lymphomas ("ALK lymphomas") with a wide morphological spectrum. <i>American Journal of Pathology</i> , 1998 , 153, 875-86	5.8	219
27	Neuroendocrine carcinoma of the skin with lymphoepithelioma-like features. <i>American Journal of Dermatopathology</i> , 1998 , 20, 483-6	0.9	22
26	Primary mediastinal B-cell lymphoma: update of its clinicopathologic features. <i>Leukemia and Lymphoma</i> , 1997 , 26 Suppl 1, 115-23	1.9	12
25	Treatment outcome and prognostic factors for primary mediastinal (thymic) B-cell lymphoma: a multicenter study of 106 patients. <i>Journal of Clinical Oncology</i> , 1997 , 15, 1646-53	2.2	137
24	Nodular lymphocyte predominance Hodgkin's disease: long-term observation reveals a continuous pattern of recurrence. <i>Leukemia and Lymphoma</i> , 1997 , 26, 359-68	1.9	43
23	CD56/neural cell adhesion molecule expression in primary extranodal Ki-1/CD30+ lymphoma. Report of a pediatric case with simultaneous cutaneous and bone localizations. <i>American Journal of Dermatopathology</i> , 1997 , 19, 384-90	0.9	11
22	Morphology of Thymic Remnants Removed after Video-Assisted Thoracoscopic Extended Thymectomy in Patients with Thymomatous Myasthenia Gravis 1997 , 289-292		
21	A low serum beta 2-microglobulin level despite bulky tumor is a characteristic feature of primary mediastinal (thymic) large B-cell lymphoma: implications for serologic staging. <i>European Journal of Haematology</i> , 1996 , 57, 331-3	3.8	6
20	The role of human herpesvirus 8 and Epstein-Barr virus in the pathogenesis of giant lymph node hyperplasia (Castleman's disease). <i>Clinical Infectious Diseases</i> , 1996 , 22, 1120-1	11.6	57
19	Human cytomegalovirus early infection, acute rejection, and major histocompatibility class II expression in transplanted lung. Molecular, immunocytochemical, and histopathologic investigations. <i>Transplantation</i> , 1996 , 61, 418-27	1.8	19
18	CD30/Ki-1-positive lymphoproliferative disorders of the skin--clinicopathologic correlation and statistical analysis of 86 cases: a multicentric study from the European Organization for Research and Treatment of Cancer Cutaneous Lymphoma Project Group. <i>Journal of Clinical Oncology</i> , 1995 , 13, 1843-54	2.2	209
17	Splenic marginal zone cell lymphoma: report of an indolent variant without massive splenomegaly presumably representing an early phase of the disease. <i>Human Pathology</i> , 1995 , 26, 39-46	3.7	28
16	Littoral cell angiosarcoma of the spleen. Case report with immunohistochemical and ultrastructural analysis. <i>American Journal of Surgical Pathology</i> , 1995 , 19, 1203-8	6.7	70
15	Evidence for a polyclonal nature of the cell infiltrate in sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). <i>British Journal of Haematology</i> , 1995 , 91, 415-8	4.5	135
14	Cathepsin D and E co-expression in sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease) and Langerhans cell histiocytosis: further evidences of a phenotypic overlap between these histiocytic disorders. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 1994 , 164, 601-606	5.1	25

13	Primary gastric CD30 (Ki-1)-positive large cell non-HodgkinB lymphomas. A clinicopathologic analysis of six cases. <i>Cancer</i> , 1994 , 73, 541-9	6.4	19
12	Reversal of nephrotic syndrome due to reactive amyloidosis (AA-type) after excision of localized CastlemanB disease. <i>American Journal of Hematology</i> , 1994 , 46, 189-93	7.1	32
11	Primary mediastinal B-cell lymphoma with sclerosis: an aggressive tumor with distinctive clinical and pathologic features. <i>Journal of Clinical Oncology</i> , 1993 , 11, 2306-13	2.2	138
10	Primary cutaneous CD30-positive large cell lymphoma: definition of a new type of cutaneous lymphoma with a favorable prognosis. A European Multicenter Study of 47 patients. <i>Cancer</i> , 1993 , 71, 2097-104	6.4	288
9	Immunophenotypic characterization of the cell infiltrate in five cases of sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). <i>Human Pathology</i> , 1992 , 23, 647-54	3.7	78
8	Nodular sclerosing HodgkinB disease and large cell lymphoma. Immunophenotypic characterization of a composite case. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1992 , 421, 271-5		7
7	Sinus histiocytosis with massive lymphadenopathy (Rosai-Dorfman disease). Clinico-pathological analysis of a paediatric case. <i>European Journal of Pediatrics</i> , 1992 , 151, 672-5	4.1	11
6	KaposiB sarcoma in a child after autologous bone marrow transplantation for non-HodgkinB lymphoma. <i>Cancer</i> , 1991 , 68, 1361-4	6.4	25
5	Rhabdomyosarcoma with primary osteolytic lesions simulating non-HodgkinB lymphoma. <i>Pediatric Hematology and Oncology</i> , 1991 , 8, 159-64	1.7	4
4	Anaplastic large cell lymphoma, CD30/Ki-1 positive, expressing the CD15/Leu-M1 antigen. Immunohistochemical and morphological relationships to HodgkinB disease. <i>Virchows Archiv A, Pathological Anatomy and Histopathology</i> , 1990 , 416, 229-35		44
3	Multiple granulocytic sarcoma during complete hematologic remission of acute nonlymphoid leukemia. <i>Acta Haematologica</i> , 1989 , 81, 41-3	2.7	16
2	Abdominal lymphographic pattern in connective tissue diseases is quite similar to that observed in lymphocytic lymphoma. <i>Blut</i> , 1989 , 59, 398-9		
1	Adult Ki-1-positive large cell anaplastic lymphoma presenting with skin lesions. <i>Acta Haematologica</i> , 1989 , 81, 51-5	2.7	6