

# Mario Campanelli

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/835645/mario-campanelli-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

515  
papers

17,656  
citations

62  
h-index

102  
g-index

547  
ext. papers

20,519  
ext. citations

4.8  
avg. IF

1.97  
L-index

#	Paper	IF	Citations
515	The ATLAS Simulation Infrastructure. <i>European Physical Journal C</i> , <b>2010</b> , 70, 823-874	4.2	817
514	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2518	4.2	276
513	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
512	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13 TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 292	4.2	263
511	Performance of the ATLAS Trigger System in 2010. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	232
510	Performance of missing transverse momentum reconstruction in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) with ATLAS. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	217
509	Jet energy measurement with the ATLAS detector in proton-proton collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	209
508	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 299	4.2	202
507	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	199
506	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 17	4.2	194
505	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 653	4.2	188
504	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8 TeV in the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 6	4.2	185
503	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , <b>2017</b> , 77, 490	4.2	177
502	Luminosity determination in pp collisions at ( $\sqrt{s} = 7$ ) TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	167
501	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3130	4.2	166
500	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2941	4.2	160
499	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	160

498	Search for new particles decaying into dijets in proton-antiproton collisions at $s=1.96$ TeV. <i>Physical Review D</i> , <b>2009</b> , 79,	4.9	159
497	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2306	4.2	153
496	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 45	4.2	152
495	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 581	4.2	148
494	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at ( $\sqrt{s_{NN}}$ ) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	143
493	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	138
492	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
491	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	124
490	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 8TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	120
489	Search for charged Higgs bosons decaying via $H \rightarrow \tau \nu$ ( $\tau \rightarrow e \nu$ ) events using pp collision data at ( $\sqrt{s} = 7$ ;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	112
488	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , <b>2015</b> , 75, 510	4.2	109
487	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using ( $\sqrt{s}=8$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	108
486	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3109	4.2	107
485	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 476	4.2	104
484	Search for doubly charged Higgs bosons in like-sign dilepton final states at ( $\sqrt{s} = 7$ mathrm{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	104
483	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	103
482	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
481	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 349	4.2	94

480	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	92
479	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	91
478	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2043	4.2	82
477	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
476	Measurement of the Z/ $\mathbb{F}$ boson transverse momentum distribution in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	79
475	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2039	4.2	78
474	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2056	4.2	78
473	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in ( $\sqrt{s}$ ) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	76
472	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2465	4.2	76
471	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	74
470	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 209	4.2	73
469	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	72
468	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2509	4.2	71
467	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at ( $\sqrt{s} = 7$ mbox{~TeV}). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	70
466	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 5	4.2	68
465	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	67
464	Jet mass and substructure of inclusive jets in ( $\sqrt{s} = 7$ ; {text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	67
463	Direct measurement of the W production charge asymmetry in pp collisions at square root $s=1.96$ TeV. <i>Physical Review Letters</i> , <b>2009</b> , 102, 181801	7.4	67

462	Search for Higgs boson pair production in the $[Formula: see text]$ final state from collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 412	4.2	66
461	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-39	5.4	66
460	Jet substructure at the Large Hadron Collider. <i>Reviews of Modern Physics</i> , <b>2019</b> , 91,	40.5	66
459	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
458	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	65
457	Search for the $(\overline{b})$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	64
456	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at $(\sqrt{s}=8)$ TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	64
455	Measurement of the transverse momentum and $[Formula: see text]$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 291	4.2	63
454	Measurement of $\sigma$ . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2010</b> , 692, 232-239	4.2	63
453	Search for resonant diboson production in the $[Formula: see text]$ final state in $[Formula: see text]$ collisions at $[Formula: see text]$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 69	4.2	62
452	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
451	Search for dark matter in events with heavy quarks and missing transverse momentum in $[Formula: see text]$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 92	4.2	60
450	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $(\sqrt{s}) = 7$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	60
449	Measurement of the $\tau$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
448	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	59
447	Measurement of the W $\rightarrow b\bar{b}$ and Z $\rightarrow b\bar{b}$ production cross sections in proton-proton collisions at $(\sqrt{s} = 7; \text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	58
446	A search for $(\overline{t})$ resonances using lepton-plus-jets events in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	57
445	Search for charged Higgs bosons decaying via $H \rightarrow b\bar{b}$ in fully hadronic final states using pp collision data at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	56

444	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 335	4.2	56
443	Precision measurement and interpretation of inclusive $\tau$ and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
442	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=8$ TeV. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
441	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	55
440	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	55
439	Summary of the searches for squarks and gluinos using $\sqrt{s}=8$ TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	55
438	Measurements of the $t\bar{t}$ production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 82	4.2	54
437	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	54
436	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	54
435	Measurement of $W\bar{W}Z$ production in proton-proton collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	54
434	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 392	4.2	53
433	Search for new phenomena in events with at least three photons collected in collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 210	4.2	53
432	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	53
431	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	53
430	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , <b>2016</b> , 76, 666	4.2	53
429	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	52
428	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 70	4.2	52
427	Search for dark matter at $\sqrt{s}=13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52

426	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3157	4.2	52
425	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	52
424	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2015</b> , 75, 120	4.2	51
423	Measurement of the jet fragmentation function and transverse profile in proton-proton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	51
422	Measurement of the production cross section of jets in association with a Z boson in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	50
421	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50
420	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 208	4.2	50
419	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}=13$ ) (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	50
418	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 303	4.2	49
417	Measurement of charged-particle spectra in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}=2.76$ ) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	49
416	Search for high-mass resonances decaying to dilepton final states in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	49
415	Search for resonances in diphoton events at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	49
414	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
413	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 538	4.2	48
412	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 259	4.2	48
411	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
410	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of ( $\sqrt{s} = 7$ ;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	48
409	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	48

408	Measurement of the prompt $t\bar{t}$ pair production cross-section in collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 76	4.2	47
407	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4.2	47
406	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $(\sqrt{s}=7)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	47
405	Search for a new resonance decaying to a or boson and a Higgs boson in the $t\bar{t}$ final states with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 263	4.2	46
404	Light-quark and gluon jet discrimination in $t\bar{t}$ collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3023	4.2	46
403	Search for lepton-flavour-violating $H \rightarrow \tau\mu$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	46
402	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $(\sqrt{s}=8)$ TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	45
401	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	45
400	Measurement of ZZ production in pp collisions at $(\sqrt{s}=7)$ TeV and limits on anomalous ZZZ and ZZ couplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	45
399	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at $\sqrt{s}=7$ TeV in 2010. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3034	4.2	45
398	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $(\sqrt{s}=7;\text{TeV})$ pp collisions at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	45
397	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $t\bar{t}$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 318	4.2	44
396	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 154	4.2	44
395	Measurement of isolated-photon pair production in pp collisions at $(\sqrt{s}=7;\text{TeV})$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	44
394	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $(\sqrt{s}=7\text{ TeV})$ . <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	44
393	Measurement of multi-jet cross sections in proton-proton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	44
392	Angular analysis of $B \rightarrow D^* \mu^+ \mu^-$ decays in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	44
391	Performance of jet substructure techniques for large-R jets in proton-proton collisions at $(\sqrt{s}=7)$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	43

390	Measurement of the cross section for top-quark pair production in pp collisions at $(\sqrt{s}) = \{7\}, \{\text{TeV}\}$ with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	43
389	ATLAS b-jet identification performance and efficiency measurement with $(t\bar{t})$ events in pp collisions at $(\sqrt{s}) = 13$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	43
388	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4.2	42
387	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 283	4.2	42
386	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2046	4.2	42
385	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 [Interpreted in the phenomenological MSSM]. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	42
384	Search for heavy resonances in the and final states using proton-proton collisions at [ ] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4.2	41
383	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2883	4.2	41
382	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	41
381	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in $(\sqrt{s}) = 7 \sim \text{TeV}$ proton-proton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	41
380	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	40
379	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 199	4.2	39
378	Search for supersymmetry at $(\sqrt{s}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	39
377	A search for $(\overline{t}t)$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $(\sqrt{s}) = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	39
376	Search for charged Higgs bosons decaying into top and bottom quarks at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	39
375	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text] = 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 241	4.2	38
374	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 229	4.2	38
373	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $(\sqrt{s}) = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	38

372	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ( $\sqrt{s} = 13$ ) (text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	37
371	Measurement of the production of a W boson in association with a charm quark in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
370	The mass-hierarchy and CP-violation discovery reach of the LBNO long-baseline neutrino experiment. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	37
369	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	37
368	Search for the Standard Model Higgs boson in the $H \rightarrow \tau\tau$ decay mode in ( $\sqrt{s} = 7, \text{TeV}$ ) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	37
367	Limits on the production of the standard model Higgs boson in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
366	Search for massive colored scalars in four-jet final states in ( $\sqrt{s} = 7 \sim 13$ TeV) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	37
365	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 502	4.2	37
364	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s} = 13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	36
363	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at ( $\sqrt{s} = 8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	36
362	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
361	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
360	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 322	4.2	35
359	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
358	Search for second generation scalar leptoquarks in pp collisions at ( $\sqrt{s} = 7 \sim 13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	35
357	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	34
356	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	34
355	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at ( $\sqrt{s} = 7, \text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	34

354	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
353	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
352	Search for charged Higgs bosons in the $H \rightarrow \tau b$ decay channel in pp collisions at ( $\sqrt{s}=8$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	33
351	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
350	Search for charged Higgs bosons decaying via $H \rightarrow \tau \nu$ in the $b$ -jets and $\tau$ -lepton final states with 36 fb <sup>-1</sup> of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
349	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , <b>2015</b> , 75, 330	4.2	32
348	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
347	Search for pair production of Higgs bosons in the ( $\overline{b}b$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
346	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}$ ) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
345	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at ( $\sqrt{s} = 7$ TeV) with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
344	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at ( $\sqrt{s}=7$ ) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	31
343	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 23	4.2	31
342	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3134	4.2	31
341	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at ( $\sqrt{s} = 8$ ) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	31
340	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at ( $\sqrt{s}=7$ ;TeV). <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	31
339	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in ( $\sqrt{s}=7$ TeV) proton-proton collisions. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	31
338	Inclusive search for same-sign dilepton signatures in pp collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	31
337	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\overline{t}$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	31

336	Search for third generation scalar leptoquarks in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	30
335	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	30
334	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at ( $\sqrt{s}=8$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	30
333	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2328	4.2	30
332	Measurements of underlying-event properties using neutral and charged particles in pp collisions at ( $\sqrt{s}=900$ ) GeV and ( $\sqrt{s}=7$ ) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	30
331	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
330	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	29
329	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
328	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 332	4.2	29
327	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
326	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	29
325	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 466	4.2	28
324	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28
323	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2016</b> , 76, 295	4.2	28
322	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 55	4.2	28
321	Search for minimal supersymmetric standard model Higgs Bosons $\tilde{H}^0$ and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
320	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
319	Fiducial, total and differential cross-section measurements of $\gamma$ -channel single top-quark production in collisions at 8 TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 531	4.2	27

318	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	27
317	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
316	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 513	4.2	27
315	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26
314	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
313	Measurement of $\tau_1$ and $\tau_2$ production with ( $\sqrt{s}$ ) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
312	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 361	4.2	26
311	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	26
310	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	26
309	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 658	4.2	26
308	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
307	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2362	4.2	25
306	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
305	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 165	4.2	25
304	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
303	Measurement of the inclusive isolated prompt photon cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	25
302	Measurement of the top quark mass in the $(t\bar{t} \rightarrow )$ lepton+jets channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
301	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	24

300	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
299	Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W$ boson in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	24
298	Measurement of the differential cross-section of $B^+$ meson production in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	24
297	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	24
296	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 442	4.2	24
295	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
294	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
293	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	23
292	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
291	Search for Higgs boson pair production in the ( $u\bar{g}g\bar{b}$ ) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
290	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
289	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 26	4.2	22
288	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
287	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 362	4.2	22
286	Search for $W$ $W/Z$ resonance production in $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
285	A search for prompt lepton-jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	22
284	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
283	A search for high-mass resonances decaying to $\mu\mu$ in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22

282	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	22
281	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
280	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
279	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 79	4.2	21
278	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 11	4.2	21
277	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3195	4.2	21
276	Study of hard double-parton scattering in four-jet events in pp collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	21
275	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
274	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
273	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
272	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
271	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20
270	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
269	Searches for heavy diboson resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	20
268	Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
267	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20
266	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
265	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 565	4.2	20

264	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton+ jets channel with ATLAS. <i>European Physical Journal C</i> , <b>2017</b> , 77, 264	4.2	19
263	Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
262	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
261	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
260	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 403	4.2	19
259	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7 [Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 228	4.2	18
258	Search for long-lived neutral particles in pp collisions at ( $\sqrt{s}$ ) = 13 TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	18
257	Searches for third-generation scalar leptoquarks in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
256	Measurement of the underlying event in jet events from 7 (text {TeV}) proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 1	4.2	18
255	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2982	4.2	18
254	Measurement of the low-mass Drell-Yan differential cross section at ( $\sqrt{s}$ ) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	18
253	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2676	4.2	18
252	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at ( $\sqrt{s}$ ) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	18
251	Search for flavour-changing neutral current top quark decays $t \rightarrow Hq$ in pp collisions at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-65	5.4	18
250	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , <b>2015</b> , 75, 407	4.2	18
249	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 7 TeV. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	18
248	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in ( $\sqrt{s}$ ) = 7 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	18
247	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 87	4.2	18

246	Searches for heavy ZZ and ZW resonances in the $\bar{b}q$ and $\bar{b}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
245	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	17
244	Measurement of polarization in $\tau$ -decays with the ATLAS detector in collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2062	4.2	17
243	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3117	4.2	17
242	Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
241	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text] $\sqrt{s}=13$ TeV [Formula: see text] collisions at the LHC using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 517	4.2	17
240	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
239	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
238	Search for the Standard Model Higgs boson decaying into ( $\bar{b}b$ ) produced in association with top quarks decaying hadronically in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	16
237	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16
236	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
235	Search for new phenomena in events with three or more charged leptons in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
234	Measurement of the ( $\bar{t}W$ ) and ( $\bar{t}Z$ ) production cross sections in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
233	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at ( $\sqrt{s}=7$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	16
232	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3168	4.2	16
231	Measurement of the production cross-section of ( $\tau\tau$ ) $\rightarrow \mu\mu$ in pp collisions at ( $\sqrt{s}=7$ ) TeV at ATLAS. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	16
230	Search for anomalous production of prompt like-sign lepton pairs at ( $\sqrt{s}=7$ ; $\text{TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	16
229	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	16

228	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , <b>2016</b> , 76, 526	4.2	16
227	Search for the Higgs boson produced in association with a boson and decaying to four $q$ -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 605	4.2	16
226	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , <b>2016</b> , 76, 12	4.2	16
225	Measurement of fiducial and differential ( $W^+W^-$ ) production cross-sections at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
224	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02\text{~TeV}$ ) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
223	Search for pair production of heavy vector-like quarks decaying into high- $p_T$ $W$ bosons and top quarks in the lepton-plus-jets final state in $pp$ collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
222	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	15
221	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2015</b> , 75, 231	4.2	15
220	Measurement of the top quark charge in $pp$ collisions at ( $\sqrt{s}=7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
219	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in $pp$ collisions at ( $\sqrt{s}=7\text{~TeV}$ ) with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	15
218	Measurements of $\chi(3512)$ and $\chi(3872) \rightarrow J/\psi \eta$ production in $pp$ collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	15
217	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
216	Determination of the top-quark pole mass using ( $\overline{t}$ ) + 1-jet events collected with the ATLAS experiment in 7 TeV $pp$ collisions. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	15
215	Search for $WH$ production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $\sqrt{s}=7\text{~TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2013</b> , 15, 043009	2.9	15
214	Search for diphoton events with large missing transverse energy with 36 $\text{pb}^{-1}$ of 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	15
213	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in $pp$ collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
212	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $pp$ collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
211	Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 $\text{fb}^{-1}$ of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 40	4.2	14

210	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
209	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
208	Measurement of the $(\overline{t})$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
207	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	14
206	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $(\sqrt{s}) = 8$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	14
205	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	14
204	Search for charged Higgs bosons through the violation of lepton universality in $(\overline{t})$ events using pp collision data at $(\sqrt{s}=7)$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	14
203	Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow W W^*$ decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	14
202	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2083	4.2	14
201	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , <b>2010</b> , 2010, 1	5.4	14
200	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
199	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
198	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
197	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
196	Search for top-quark decays $t \rightarrow Hq$ with 36 fb of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
195	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW^* \rightarrow e\mu$ with the ATLAS detector at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
194	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13
193	Identification of high transverse momentum top quarks in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	13

192	Addendum to Measurement of the ( $t\bar{t}$ ) production cross-section using ( $e\mu$ ) events with b-tagged jets in pp collisions at ( $\sqrt{s}$ ) = 7 and 8 ( $\text{TeV}$ ) with the ATLAS detector <i>European Physical Journal C</i> , <b>2016</b> , 76, 1	4.2	13
191	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 4	4.2	13
190	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
189	Search for R-parity-violating supersymmetry in events with four or more leptons in ( $\sqrt{s}$ ) = 7 ( $\text{TeV}$ ) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	13
188	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at ( $\sqrt{s}$ ) = 7 ( $\text{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
187	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	13
186	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. <i>European Physical Journal C</i> , <b>2011</b> , 71, 1	4.2	13
185	Fluctuations of anisotropic flow in Pb+Pb collisions at ( $\sqrt{\langle s \rangle_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13
184	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
183	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at ( $\sqrt{s}$ ) = 13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	13
182	Measurements of top-quark pair differential and double-differential cross-sections in the ( $e\ell$ ) + jets channel with pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
181	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
180	Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}$ ) = 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	12
179	Measurement of the $W W + W Z$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at ( $\sqrt{s}$ ) = 7 TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	12
178	Higgs boson production cross-section measurements and their EFT interpretation in the ( $4e\ell$ ) decay channel at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
177	Search for new phenomena with photon+jet events in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
176	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12
175	Search for strong gravity in multijet final states produced in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	12

174	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 232	4.2	12
173	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1-46	5.4	12
172	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
171	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
170	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2895	4.2	12
169	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
168	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
167	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \gamma\gamma$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
166	Measurements of top quark spin observables in ( $\overline{t}$ ) events using dilepton final states in ( $\sqrt{s}=8$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
165	Measurement of the flavour composition of dijet events in pp collisions at ( $\sqrt{s}=7$ mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	12
164	Measurement of the top-quark mass in ( $\overline{t}$ ) + 1-jet events collected with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
163	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ ~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	11
162	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
161	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13 TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	11
160	Measurement of lepton differential distributions and the top quark mass in production in collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
159	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	11
158	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
157	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	11

156	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	11
155	Measurement of $W$ and $Z$ production in proton-proton collisions at ( $\sqrt{s} = 7$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2011</b> , 2011, 1	5.4	11
154	Jet energy scale and resolution measured in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
153	Measurement of the cross-section for producing a $W$ boson in association with a single top quark in $pp$ collisions at ( $\sqrt{s}=13$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
152	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in ( $\sqrt{s}=8$ ) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
151	Measurement of the CP-violating phase $\phi_s$ and the $B^0_s$ meson decay width difference with $B^0_s \rightarrow J/\psi$ decays in ATLAS. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	10
150	Search for diboson resonances in hadronic final states in 139 $\text{fb}^{-1}$ of $pp$ collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
149	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , <b>2012</b> , 72, 2040	4.2	10
148	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at 13 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10
147	Measurement of inclusive two-particle angular correlations in $pp$ collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	10
146	Measurement of the $ZZ$ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV using the $ZZ \rightarrow \mu\mu$ and ( $ZZ \rightarrow \ell\ell \nu \overline{\nu}$ ) decay channels with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
145	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
144	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 $\text{fb}^{-1}$ of ( $\sqrt{s}$ ) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	9
143	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
142	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell)$ decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
141	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
140	Measurement of jet-substructure observables in top quark, $W$ boson and light jet production in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
139	Measurement of $VH$ , ( $\text{H} \rightarrow \overline{\text{b}}\text{b}$ ) production as a function of the vector-boson transverse momentum in 13 TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8

138	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
137	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
136	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P05013-P05013	1	8
135	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
134	Measurement of splitting scales in $\tau\tau$ events at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2432	4.2	8
133	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 144	4.2	8
132	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
131	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 158	4.2	8
130	Evidence for $(t\bar{t})$ production in the multilepton final state in proton-proton collisions at $(\sqrt{s}=13)$ (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
129	Search for light long-lived neutral particles produced in pp collisions at $(\sqrt{s} = 13\text{-}\mathrm{TeV})$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
128	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
127	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
126	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
125	Search for heavy resonances decaying into a pair of Z bosons in the $(e^+e^-e^+e^-)$ and $(e^+e^-e^+\nu_{\bar{\nu}})$ final states using 139 (mathrm {fb}^{-1}) of proton-proton collisions at $(\sqrt{s} = 13,)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	8
124	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
123	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $(\sqrt{s}=8)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5.4	8
122	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb <sup>-1</sup> of $(\sqrt{s}) = 13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	8
121	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8

120	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
119	Measurements of inclusive and differential fiducial cross-sections of $(\bar{t}t\gamma)$ production in leptonic final states at ( $\sqrt{s}=13$ TeV) in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
118	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
117	Transverse momentum and process dependent azimuthal anisotropies in ( $\sqrt{s}_{\text{NN}}=8.16$ ) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
116	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
115	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 683	4.2	7
114	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
113	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
112	Measurement of the $(\overline{t}t\gamma)$ production cross section in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
111	Measurements of top-quark pair to Z-boson cross-section ratios at ( $\sqrt{s}=13$ ), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
110	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
109	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ( $\sqrt{s}=13$ ) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
108	Studies of $Z\bar{t}t$ production in association with a high-mass dijet system in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
107	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
106	Measurement of the transverse momentum distribution of $Drell\bar{\nu}\nu$ lepton pairs in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
105	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ( $\sqrt{s} = 13$ , {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
104	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $(\ell\ell\bar{b}b)$ and $(\ell\ell WW)$ final states in pp collisions at ( $\sqrt{s}=13$ ) (TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
103	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 670	4.2	7

102	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 541	4.2	7
101	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 81	4.2	7
100	Measurement of ( $W^{\pm}$ ) boson production in Pb+Pb collisions at ( $\sqrt{s_{\text{NN}}}$ ) = 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
99	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
98	Measurements of WH and ZH production in the ( $H \rightarrow b\bar{b}$ ) decay channel in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
97	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 238	4.2	6
96	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2014</b> , 2014, 1	5.4	6
95	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
94	Top-quark mass measurement in the all-hadronic ( $t \rightarrow b\bar{b}$ ) decay channel at ( $\sqrt{s}$ ) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	6
93	Search for ( $t \rightarrow b\bar{b}$ ) resonances in fully hadronic final states in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
92	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
91	Search for new phenomena in final states with b-jets and missing transverse momentum in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
90	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a lepton in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
89	Measurement of the ( $Z \rightarrow \nu\bar{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
88	Search for exclusive Higgs and Z boson decays to $\tau\bar{\tau}$ and $\mu\bar{\mu}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
87	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 220	4.2	5
86	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at ( $\sqrt{s}$ ) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
85	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5

84	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	5
83	Measurement of four-jet differential cross sections in ( $\sqrt{s}=8$ ) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1-76	5-4	5
82	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
81	Search for the HH $\rightarrow$ $b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
80	Observation of the associated production of a top quark and a Z boson in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	5
79	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
78	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	5
77	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text] with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2016</b> , 76, 375	4-2	5
76	Measurement of the relative width difference of the ( $B^0$ ) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	5
75	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	5
74	Search for dark matter in association with an energetic photon in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	5
73	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4-2	5
72	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4-2	5
71	Measurement of jet activity in top quark events using the e final state with two b-tagged jets in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2016</b> , 2016, 1	5-4	4
70	Search for heavy diboson resonances in semileptonic final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	4
69	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	4
68	Measurement of $J/\psi$ production in association with a $W$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	4
67	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	4

66	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	4
65	Search for dark matter produced in association with a single top quark in ( $\sqrt{s}=13$ ) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	4
64	Search for dijet resonances in events with an isolated charged lepton using ( $\sqrt{s}$ ) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
63	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	3
62	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4-2	3
61	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4-2	3
60	Measurement of the $k_t$ splitting scales in $Z \rightarrow \tau\tau$ events in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5-4	3
59	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector <b>2015</b> , 75, 1		3
58	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider <b>2015</b> , 75, 1		3
57	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	3
56	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s} = 8$ TeV) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4-2	3
55	Measurement of the inclusive jet cross-section in proton-proton collisions at ( $\sqrt{s}=7$ ) TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector <b>2015</b> , 2015, 1		3
54	Reconstruction and identification of boosted di-lepton systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
53	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
52	Measurement of hadronic event shapes in high-pT multijet final states at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
51	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	2
50	Measurement of the $Z \rightarrow \tau\tau$ production cross-section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
49	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5-4	2

48	Publishing unbinned differential cross section results. <i>Journal of Instrumentation</i> , <b>2022</b> , 17, P01024	1	2
47	Measurement of the $(\overline{t}t)$ production cross-section using $(e\mu)$ events with $(b)$ -tagged jets in $(pp)$ collisions at $(\sqrt{s}=7)$ and 8 TeV with the ATLAS detector <b>2014</b> , 74, 1		2
46	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $(\sqrt{s}=8\text{--})$ TeV with the ATLAS detector <b>2015</b> , 75, 1		2
45	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $(\sqrt{s} = 13\text{ TeV})$ proton-proton collision data. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
44	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in $pp$ collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
43	Measurement of the inclusive isolated-photon cross section in $pp$ collisions at $(\sqrt{s}) = 13$ TeV using 36 $\text{fb}^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
42	Measurements of inclusive and differential cross-sections of combined $(\overline{t}t\gamma)$ and $tW$ production in the $e\bar{t}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
41	Measurement of isolated-photon plus two-jet production in $pp$ collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	2
40	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	2
39	Search for supersymmetry in events with four or more charged leptons in 139 $\text{fb}^{-1}$ of $(\sqrt{s}) = 13$ TeV $pp$ collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
38	Measurement of $ZZ$ production in the $\ell\ell$ final state with the ATLAS detector in $pp$ collisions at $(\sqrt{s}) = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
37	Measurement of $(W^{\pm})$ -boson and Z-boson production cross-sections in $pp$ collisions at $(\sqrt{s}=2.76)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
36	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in $pp$ collisions at $(\sqrt{s}) = 13$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
35	A search for an excited muon decaying to a muon and two jets in $pp$ collisions at $(\sqrt{s}=8\text{--}13\text{ TeV})$ with the ATLAS detector. <i>New Journal of Physics</i> , <b>2016</b> , 18, 073021	2.9	1
34	Forward jets and large rapidity gaps. <i>International Journal of Modern Physics A</i> , <b>2015</b> , 30, 1546006	1.2	1
33	Search for production of $(WW/WZ)$ resonances decaying to a lepton, neutrino and jets in $(pp)$ collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector <b>2015</b> , 75, 1		1
32	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $(\sqrt{s}=8\text{ TeV})$ with the ATLAS detector <b>2016</b> , 76, 1		1
31	Measurement of the W-boson mass in $pp$ collisions at $(\sqrt{s}=7\text{ TeV})$ with the ATLAS detector <b>2018</b> , 78, 1		1

30	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13$ ,text {TeV}) <b>2018</b> , 78, 1		1
29	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>(-1)</sup> of pp collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
28	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>(-1)</sup> of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1		1
27	Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s}$ ) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
26	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
25	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
24	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W <sup>(+/-)</sup> and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
23	A search for the decays of stopped long-lived particles at ( $\sqrt{\text{mathrm{s}}}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	1
22	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ( $\sqrt{s}$ = 8,text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
21	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at ( $\sqrt{s}$ = 13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
20	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
19	Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
18	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
17	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	1
16	Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
15	Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
14	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	0
13	Measurement of the $t\bar{t}$ production cross section in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	0

12	Measurements of $W+W\bar{W}$ jet production cross-sections in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
11	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $(\sqrt{s}=13, \text{TeV})$ . <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
10	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
9	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	○
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb of pp collision data at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	○
7	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , <b>2022</b> , 6, 1	6	○
6	Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \tau^{\pm} \rightarrow \pi^{\pm} \nu_{\tau}$ events in Run 2 data. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	○
5	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
4	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
3	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
2	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	○
1	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , <b>2022</b> , 82, 1	4.2	