
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/835801/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Transcriptome Analysis Reveal Candidate Genes and Pathways Responses to Lactate Dehydrogenase Inhibition (Oxamate) in Hyperglycemic Human Renal Proximal Epithelial Tubular Cells. Frontiers in Endocrinology, 2022, 13, 785605.	1.5	2
2	The Evolution of Clinicopathological Diagnostic Features of Upper Tract Urothelial Carcinoma in China: A Summary of 2561 Cases in the Last 20 Years. Frontiers in Oncology, 2022, 12, 769252.	1.3	0
3	Effectiveness of adjuvant radiotherapy for high recurrence risk patients with upper tract urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2022, , .	0.8	1
4	Rat model and validation of a modified singleâ€armed suture technique for microsurgical vasoepididymostomy: Guo's SA‣IVE. Andrology, 2021, 9, 361-367.	1.9	1
5	Roles of CatSper channels in the pathogenesis of asthenozoospermia and the therapeutic effects of acupuncture-like treatment on asthenozoospermia. Theranostics, 2021, 11, 2822-2844.	4.6	25
6	Etiology and Ureteral Reconstruction Strategy for latrogenic Ureteral Injuries: A Retrospective Single-Center Experience. Urologia Internationalis, 2021, 105, 470-476.	0.6	6
7	Experience managing distal ureteral strictures with Boari flap-psoas hitch and comparison of open and laparoscopic procedures. Translational Andrology and Urology, 2021, 10, 56-65.	0.6	11
8	Minimally invasive ileal ureter replacement: Comparative analysis of robotâ€assisted laparoscopic versus conventional laparoscopic surgery. International Journal of Medical Robotics and Computer Assisted Surgery, 2021, 17, e2230.	1.2	6
9	An Online Questionnaire Survey on the Sexual Life and Sexual Function of Chinese Adult Men During the Coronavirus Disease 2019 Epidemic. Sexual Medicine, 2021, 9, 100293-100293.	0.9	39
10	Bilateral ileal ureter substitution for patients with ureteral strictures secondary to gynecological tumors radiotherapy: a multi-center retrospective study. Translational Andrology and Urology, 2021, 10, 3226-3238.	0.6	3
11	Local continuous glial cell derived neurotrophic factor release using osmotic pump promotes parasympathetic nerve rehabilitation in an animal model of cavernous nerve injury induced erectile dysfunction. Translational Andrology and Urology, 2021, 10, 258-271.	0.6	2
12	The Significance of Preoperative Serum Sodium and Hemoglobin in Outcomes of Upper Tract Urothelial Carcinoma: Multi-Center Analysis Between China and the United States. Cancer Management and Research, 2020, Volume 12, 9825-9836.	0.9	3
13	Pattern and risk factors of local recurrence after nephroureterectomy for upper tract urothelial carcinoma. World Journal of Surgical Oncology, 2020, 18, 114.	0.8	17
14	Pathologic stage as a surrogate for oncologic outcomes after receipt of neoadjuvant chemotherapy for high-grade upper tract urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 933.e7-933.e12.	0.8	10
15	Long non-coding RNA SOX2OT promotes the stemness phenotype of bladder cancer cells by modulating SOX2. Molecular Cancer, 2020, 19, 25.	7.9	74
16	<p>High Preoperative Controlling Nutritional Status Score Predicts a Poor Prognosis in Patients with Localized Upper Tract Urothelial Cancer: A Propensity Score Matching Study in a Large Chinese Center</p> . Cancer Management and Research, 2020, Volume 12, 323-335.	0.9	12
17	Improved survival after cytoreductive nephrectomy for metastatic renal cell carcinoma in the contemporary immunotherapy era: An analysis of the National Cancer Database. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 604.e9-604.e17.	0.8	77
18	Efficacy of dapoxetine treatment in Chinese patients with premature ejaculation and possible factors affecting efficacy in the real-world practice. BMC Urology, 2020, 20, 11.	0.6	6

#	Article	IF	CITATIONS
19	Comparative study of intracavernous pressure and cavernous pathology after bilateral cavernous nerve crushing and resection in rats. Asian Journal of Andrology, 2020, 22, 629.	0.8	6
20	TGF-Î <sup>2</sup> -induced transgelin promotes bladder cancer metastasis by regulating epithelial-mesenchymal transition and invadopodia formation. EBioMedicine, 2019, 47, 208-220.	2.7	60
21	<p>Increased Expression Of SOX2 Predicts A Poor Prognosis And Promotes Malignant Phenotypes In Upper Tract Urothelial Carcinoma</p> . Cancer Management and Research, 2019, Volume 11, 9095-9106.	0.9	8
22	<p>High aspartate transaminase/alanine transaminase ratio predicts poor prognosis in patients with localized upper tract urothelial cancer: a propensity score-matched study in a large Chinese center</p> . OncoTargets and Therapy, 2019, Volume 12, 2635-2648.	1.0	17
23	Prognostic performance of the 1973 and 2004 WHO grading classification in upper tract urothelial carcinoma. Urologic Oncology: Seminars and Original Investigations, 2019, 37, 529.e19-529.e25.	0.8	2
24	Androgen deprivation therapy in nonmetastatic prostate cancer patients: Indications, treatment effects, and new predictive biomarkers. Asia-Pacific Journal of Clinical Oncology, 2019, 15, 108-120.	0.7	19
25	Treatment with low-energy shock wave alleviates pain in an animal model of uroplakin 3A-induced autoimmune interstitial cystitis/painful bladder syndrome. Investigative and Clinical Urology, 2019, 60, 359.	1.0	12
26	The significance of the initial symptom in Chinese patients with upper tract urothelial carcinoma: Regular health examination is still underutilized. Kaohsiung Journal of Medical Sciences, 2018, 34, 511-521.	0.8	5
27	Comparison of clinicopathologic characteristics, epigenetic biomarkers and prognosis between renal pelvic and ureteral tumors in upper tract urothelial carcinoma. BMC Urology, 2018, 18, 22.	0.6	12
28	Preoperative predictors of nonorgan-confined disease in upper-tract urothelial carcinoma differ between China and the United States. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 88.e11-88.e18.	0.8	15
29	Segmental ureterectomy can be performed safely in patients with urothelial carcinoma of distal ureter. Canadian Urological Association Journal, 2018, 13, E202-E209.	0.3	1
30	MultiParametric Magnetic Resonance Imaging-Based Nomogram for Predicting Prostate Cancer and Clinically Significant Prostate Cancer in Men Undergoing Repeat Prostate Biopsy. BioMed Research International, 2018, 2018, 1-10.	0.9	13
31	Prostate cancer incidentally discovered at the time of radical cystoprostatectomy does not decrease overall survival: Results from a large Chinese medical center. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2018, 44, 258-266.	0.7	3
32	Predictive value of gene methylation for second recurrence following surgical treatment of first bladder recurrence of a primary upperâ€tract urothelial carcinoma. Oncology Letters, 2018, 15, 9397-9405.	0.8	8
33	A Multi-Institutional Comparison of Clinicopathological Characteristics and Oncologic Outcomes of Upper Tract Urothelial Carcinoma in China and the United States. Journal of Urology, 2017, 197, 1208-1213.	0.2	45
34	Validation of the Pretreatment Neutrophil-to-Lymphocyte Ratio as a Prognostic Factor in a Large Cohort of Chinese Patients with Upper Tract Urothelial Carcinoma. Chinese Medical Journal, 2017, 130, 2063-2068.	0.9	6
35	Are the Pathological Characteristics of Prostate Cancer More Aggressive or More Indolent Depending upon the Patient Age?. BioMed Research International, 2017, 2017, 1-6.	0.9	14
36	The Application of Internal Suspension Technique in Retroperitoneal Laparoscopic Partial Nephrectomy for Renal Ventral Tumors. BioMed Research International, 2017, 2017, 1-7.	0.9	3

#	Article	IF	CITATIONS
37	The Influence of Tumor Size on Oncologic Outcomes for Patients with Upper Tract Urothelial Carcinoma after Radical Nephroureterectomy. BioMed Research International, 2016, 2016, 1-7.	0.9	16
38	Transperitoneal Subcostal Access for Urologic Laparoscopy: Experience of a Large Chinese Center. BioMed Research International, 2016, 2016, 1-5.	0.9	2
39	Treatment strategies for upper tract urothelial carcinoma (UTUC) of a solitary kidney: a single-institutional analysis of 61 cases. International Urology and Nephrology, 2016, 48, 1601-1608.	0.6	3
40	Characteristics and treatment outcomes of pan-urothelial cell carcinoma: a descriptive analysis of 45 patients. Scientific Reports, 2016, 5, 18014.	1.6	12
41	The efficiency of multiparametric magnetic resonance imaging (mpMRI) using PI-RADS Version 2 in the diagnosis of clinically significant prostate cancer. Clinical Imaging, 2016, 40, 885-888.	0.8	65
42	Prognostic Value of Gene Methylation and Clinical Factors in Non–Muscle-Invasive Upper Tract Urothelial Carcinoma After Radical Nephroureterectomy. Clinical Genitourinary Cancer, 2016, 14, e371-e378.	0.9	12
43	Could Magnetic Resonance Imaging Help to Identify the Presence of Prostate Cancer Before Initial Biopsy? The Development of Nomogram Predicting the Outcomes of Prostate Biopsy in the Chinese Population. Annals of Surgical Oncology, 2016, 23, 4284-4292.	0.7	20
44	The prognostic impact of squamous and glandular differentiation for upper tract urothelial carcinoma patients after radical nephroureterectomy. World Journal of Urology, 2016, 34, 871-877.	1.2	33
45	Comparisons of prognosis between urothelial carcinoma of the upper urinary tract and bladder with pT3-4 cancer. International Journal of Clinical and Experimental Medicine, 2016, 9, 18308-18315.	1.3	1
46	Predictive role of preoperative hydronephrosis on poor pathological outcomes and prognosis in upper tract urothelial carcinoma patients: Experience from a nationwide high-volume center in China. Oncology Letters, 2015, 10, 3113-3122.	0.8	10
47	Interleukin-6-mediated functional upregulation of TRPV1 receptors in dorsal root ganglion neurons through the activation of JAK/PI3K signaling pathway. Pain, 2015, 156, 1124-1144.	2.0	145
48	Prevalence and Risk Factors of Prostate Cancer in Chinese Men with PSA 4–10 ng/mL Who Underwent TRUS-Guided Prostate Biopsy: The Utilization of PAMD Score. BioMed Research International, 2015, 2015, 1-7.	0.9	10
49	Growth Pattern of Clear Cell Renal Cell Carcinoma in Patients with Delayed Surgical Intervention: Fast Growth Rate Correlates with High Grade and May Result in Poor Prognosis. BioMed Research International, 2015, 2015, 1-8.	0.9	20
50	The Significance of Metastasectomy in Patients with Metastatic Renal Cell Carcinoma in the Era of Targeted Therapy. BioMed Research International, 2015, 2015, 1-8.	0.9	33
51	Contralateral upper tract urothelial carcinoma after nephroureterectomy: the predictive role of DNA methylation. Journal of Experimental and Clinical Cancer Research, 2015, 34, 5.	3.5	14
52	Presence of Concomitant Non-muscle-invasive Bladder Cancer in Chinese Patients with Upper Tract Urothelial Carcinoma: Risk Factors, Characteristics, and Predictive Value. Annals of Surgical Oncology, 2015, 22, 2789-2798.	0.7	12
53	High expression of KPNA2 defines poor prognosis in patients with upper tract urothelial carcinoma treated with radical nephroureterectomy. BMC Cancer, 2015, 15, 380.	1.1	25
54	Prognostic and predictive value of epigenetic biomarkers and clinical factors in upper tract urothelial carcinoma. Epigenomics, 2015, 7, 733-744.	1.0	25

#	Article	IF	CITATIONS
55	Incidence, characteristics, treatment strategies, and oncologic outcomes of synchronous bilateral upper tract urothelial carcinoma in the Chinese population1These authors contribute equally Urologic Oncology: Seminars and Original Investigations, 2015, 33, 66.e1-66.e11.	0.8	21
56	A Modified Suture Technique for Transperitoneal Laparoscopic Dismembered Pyeloplasty of Pelviureteric Junction Obstruction. Urology, 2015, 85, 263-267.	0.5	29
57	Nomogram Predicting Renal Insufficiency after Nephroureterectomy for Upper Tract Urothelial Carcinoma in the Chinese Population: Exclusion of Ineligible Candidates for Adjuvant Chemotherapy. BioMed Research International, 2014, 2014, 1-10.	0.9	18
58	Risk factors and treatment outcomes of new contralateral upper urinary urothelial carcinoma after nephroureterectomy: the experiences of a large Chinese center. Journal of Cancer Research and Clinical Oncology, 2014, 140, 477-485.	1.2	26
59	Pattern and risk factors of intravesical recurrence after nephroureterectomy for upper tract urothelial carcinoma: A large Chinese center experience. Journal of the Formosan Medical Association, 2014, 113, 820-827.	0.8	33
60	Prevalence and factors associated with baseline chronic kidney disease in China: A 10-year study of 785 upper urinary tract urothelial carcinoma patients. Journal of the Formosan Medical Association, 2014, 113, 521-526.	0.8	26
61	Prophylactic Intravesical Chemotherapy to Prevent Bladder Tumors after Nephroureterectomy for Primary Upper Urinary Tract Urothelial Carcinomas: A Systematic Review and Meta-Analysis. Urologia Internationalis, 2013, 91, 291-296	0.6	69