## Xinchuan Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8358071/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A collaborative 14NH3 IR spectroscopic analysis at 6000 cmâ^'1. Journal of Quantitative Spectroscopy and Radiative Transfer, 2022, 280, 108076.	2.3	2
2	The First Mid-infrared Detection of HNC in the Interstellar Medium: Probing the Extreme Environment toward the Orion Hot Core. Astrophysical Journal, 2021, 907, 51.	4.5	9
3	What It Takes to Compute Highly Accurate Rovibrational Line Lists for Use in Astrochemistry. Accounts of Chemical Research, 2021, 54, 1311-1321.	15.6	10
4	Highly Accurate Quartic Force Field and Rovibrational Spectroscopic Constants for the Azirinyl Cation (c-C <sub>2</sub> NH <sub>2</sub> <sup>+</sup> ) and Its Isomers. Journal of Physical Chemistry A, 2020, 124, 362-370.	2.5	3
5	Exploring the limits of the Data-Model-Theory synergy: "Hot―MW transitions for rovibrational IR studies. Journal of Molecular Structure, 2020, 1217, 128260.	3.6	5
6	Quantitative validation of Ames IR intensity and new line lists for 32/33/34S16O2, 32S18O2 and 16O32S18O. Journal of Quantitative Spectroscopy and Radiative Transfer, 2019, 225, 327-336.	2.3	15
7	Isotopologue consistency of semi-empirically computed infrared line lists and further improvement for rare isotopologues: CO2 and SO2 case studies. Journal of Quantitative Spectroscopy and Radiative Transfer, 2019, 230, 222-246.	2.3	13
8	High Spectral Resolution SOFIA/EXES Observations of C <sub>2</sub> H <sub>2</sub> Âtoward Orion IRc2. Astrophysical Journal, 2018, 856, 9.	4.5	15
9	The anharmonic quartic force field infrared spectra of hydrogenated and methylated PAHs. Physical Chemistry Chemical Physics, 2018, 20, 1189-1197.	2.8	46
10	High-resolution IR absorption spectroscopy of polycyclic aromatic hydrocarbons in the 3 <i>μ</i> m region: role of hydrogenation and alkylation. Astronomy and Astrophysics, 2018, 610, A65.	5.1	36
11	Astrophysical sulfur in diffuse and dark clouds: The fundamental vibrational frequencies and spectroscopic constants of hydrogen sulfide cation (H2S+). Monthly Notices of the Royal Astronomical Society, 2018, 480, 3483-3490.	4.4	7
12	Total internal partition sums for 166 isotopologues of 51 molecules important in planetary atmospheres: Application to HITRAN2016 and beyond. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 203, 70-87.	2.3	122
13	Ames-2016 line lists for 13 isotopologues of CO2: Updates, consistency, and remaining issues. Journal of Quantitative Spectroscopy and Radiative Transfer, 2017, 203, 224-241.	2.3	74
14	Towards completing the cyclopropenylidene cycle: rovibrational analysis of cyclic N <sub>3</sub> <sup>+</sup> , CNN, HCNN <sup>+</sup> , and CNC <sup>â^²</sup> . Physical Chemistry Chemical Physics, 2017, 19, 22860-22869.	2.8	4
15	The anharmonic quartic force field infrared spectra of five non-linear polycyclic aromatic hydrocarbons: Benz[a]anthracene, chrysene, phenanthrene, pyrene, and triphenylene. Journal of Chemical Physics, 2016, 145, 084313.	3.0	40
16	Ames 32S16O18O line list for high-resolution experimental IR analysis. Journal of Molecular Spectroscopy, 2016, 330, 101-111.	1.2	13
17	HIGH-RESOLUTION IR ABSORPTION SPECTROSCOPY OF POLYCYCLIC AROMATIC HYDROCARBONS IN THE 3 μm REGION: ROLE OF PERIPHERY. Astrophysical Journal, 2016, 831, 58.	4.5	30
18	ExoMol molecular line lists – XIV. The rotation–vibration spectrum of hot SO <sub>2</sub> . Monthly Notices of the Royal Astronomical Society, 2016, 459, 3890-3899.	4.4	77

#	Article	IF	CITATIONS
19	The anharmonic quartic force field infrared spectra of three polycyclic aromatic hydrocarbons: Naphthalene, anthracene, and tetracene. Journal of Chemical Physics, 2015, 143, 224314.	3.0	71
20	HIGH-RESOLUTION IR ABSORPTION SPECTROSCOPY OF POLYCYCLIC AROMATIC HYDROCARBONS: THE REALM OF ANHARMONICITY. Astrophysical Journal, 2015, 814, 23.	4.5	51
21	SO <sub>2</sub> and CO <sub>2</sub> IR line lists for atmospheric modeling on Venus and Exoplanets. Proceedings of the International Astronomical Union, 2015, 11, .	0.0	0
22	Empirical infrared line lists for five SO2 isotopologues: 32/33/34/36S16O2 and 32S18O2. Journal of Molecular Spectroscopy, 2015, 311, 19-24.	1.2	36
23	Linear transformation of anharmonic molecular force constants between normal and Cartesian coordinates. Journal of Chemical Physics, 2015, 142, 244107.	3.0	12
24	Highly accurate potential energy surface, dipole moment surface, rovibrational energy levels, and infrared line list for 32S16O2 up to 8000 cmâ^'1. Journal of Chemical Physics, 2014, 140, 114311.	3.0	46
25	QUANTUM CHEMICAL ROVIBRATIONAL DATA FOR THE INTERSTELLAR DETECTION OF <i>c</i> -C <sub>3</sub> H <sup>–</sup> . Astrophysical Journal, 2014, 796, 139.	4.5	17
26	Fundamental Vibrational Frequencies and Spectroscopic Constants of <i>cis</i> - and <i>trans</i> -HOCS, HSCO, and Isotopologues via Quartic Force Fields. Journal of Physical Chemistry B, 2014, 118, 6498-6510.	2.6	16
27	Quartic Force Field Rovibrational Analysis of Protonated Acetylene, C <sub>2</sub> H <sub>3</sub> <sup>+</sup> , and Its Isotopologues. Journal of Physical Chemistry A, 2014, 118, 7034-7043.	2.5	75
28	Reliable infrared line lists for 13 CO2 isotopologues up to E′=18,000cmâ^'1 and 1500K, with line shape parameters. Journal of Quantitative Spectroscopy and Radiative Transfer, 2014, 147, 134-144.	2.3	72
29	Comparison of independently calculated ab initio normal-mode displacements for the three C–H stretching vibrations of methanol along the internal rotation path. Journal of Molecular Spectroscopy, 2014, 299, 11-16.	1.2	9
30	Limited rotational and rovibrational line lists computed with highly accurate quartic force fields and ab initio dipole surfaces. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2014, 119, 76-83.	3.9	25
31	On the use of quartic force fields in variational calculations. Chemical Physics Letters, 2013, 574, 1-12.	2.6	66
32	Dipole Surface and Infrared Intensities for the <i>cis</i> and <i>trans</i> -HOCO and DOCO Radicals. Journal of Physical Chemistry A, 2013, 117, 6932-6939.	2.5	30
33	Semi-empirical 12C16O2 IR line lists for simulations up to 1500K and 20,000cmâ <sup>~,</sup> 1. Journal of Quantitative Spectroscopy and Radiative Transfer, 2013, 130, 134-146.	2.3	65
34	The 1 <sup>3</sup> A′ HCN and 1 <sup>3</sup> A′ HCO <sup>+</sup> Vibrational Frequencies and Spectroscopic Constants from Quartic Force Fields. Journal of Physical Chemistry A, 2013, 117, 9324-9330.	2.5	23
35	SPECTROSCOPIC CONSTANTS AND VIBRATIONAL FREQUENCIES FOR <i> </i> -C <sub>3</sub> H <sup>+</sup> AND ISOTOPOLOGUES FROM HIGHLY ACCURATE QUARTIC FORCE FIELDS: THE DETECTION OF <i> </i> -C <sub>3</sub> H <sup>+</sup> IN THE HORSEHEAD NEBULA PDR QUESTIONED. Astrophysical lournal Letters 2013 768 L25	8.3	54
36	HIGH-ACCURACY QUARTIC FORCE FIELD CALCULATIONS FOR THE SPECTROSCOPIC CONSTANTS AND VIBRATIONAL FREQUENCIES OF 1 <sup>1</sup> <i>A</i> â€2 <i>I</i> C <sub>3</sub> H <sup>â€"</sup> : A POSSIB LINK TO LINES OBSERVED IN THE HORSEHEAD NEBULA PHOTODISSOCIATION REGION. Astrophysical Journal, 2013, 772, 39.	LĘ 4.5	63

#	Article	IF	CITATIONS
37	Protonated nitrous oxide, NNOH+: Fundamental vibrational frequencies and spectroscopic constants from quartic force fields. Journal of Chemical Physics, 2013, 139, 084313.	3.0	80
38	Anharmonic rovibrational calculations of singlet cyclic C4 using a new <i>ab initio</i> potential and a quartic force field. Journal of Chemical Physics, 2013, 139, 224302.	3.0	11
39	ROVIBRATIONAL SPECTROSCOPIC CONSTANTS AND FUNDAMENTAL VIBRATIONAL FREQUENCIES FOR ISOTOPOLOGUES OF CYCLIC AND BENT SINGLET HC <sub>2</sub> N ISOMERS. Astrophysical Journal, 2013, 778, 160.	4.5	13
40	Quantum IR line list of NH3 and isotopologues for ISM and dwarf studies. Proceedings of the International Astronomical Union, 2012, 8, 248-248.	0.0	0
41	Accurate Potential Energy Surfaces and Beyond: Chemical Reactivity, Binding, Long-Range Interactions, and Spectroscopy. Advances in Physical Chemistry, 2012, 2012, 1-4.	2.0	9
42	An isotopic-independent highly accurate potential energy surface for CO2 isotopologues and an initial 12C16O2 infrared line list. Journal of Chemical Physics, 2012, 136, 124311.	3.0	78
43	Fundamental Vibrational Frequencies and Spectroscopic Constants of HOCS <sup>+</sup> , HSCO <sup>+</sup> , and Isotopologues via Quartic Force Fields. Journal of Physical Chemistry A, 2012, 116, 9582-9590.	2.5	70
44	Extended line positions, intensities, empirical lower state energies and quantum assignments of NH3 from 6300 to 7000cmâ^1. Journal of Quantitative Spectroscopy and Radiative Transfer, 2012, 113, 1066-1083.	2.3	76
45	Quartic force field predictions of the fundamental vibrational frequencies and spectroscopic constants of the cations HOCO+ and DOCO+. Journal of Chemical Physics, 2012, 136, 234309.	3.0	105
46	Highly Accurate Quartic Force Fields, Vibrational Frequencies, and Spectroscopic Constants for Cyclic and Linear C <sub>3</sub> H <sub>3</sub> <sup>+</sup> . Journal of Physical Chemistry A, 2011, 115, 5005-5016.	2.5	138
47	Rovibrational spectra of ammonia. I. Unprecedented accuracy of a potential energy surface used with nonadiabatic corrections. Journal of Chemical Physics, 2011, 134, 044320.	3.0	100
48	SPECTROSCOPIC CONSTANTS FOR <sup>13</sup> C AND DEUTERIUM ISOTOPOLOGUES OF CYCLIC AND LINEAR C <sub>3</sub> H <sub>3</sub> +. Astrophysical Journal, 2011, 736, 33.	4.5	22
49	The <i>trans</i> -HOCO radical: Quartic force fields, vibrational frequencies, and spectroscopic constants. Journal of Chemical Physics, 2011, 135, 134301.	3.0	116
50	Accurate <i>ab initio</i> quartic force fields of cyclic and bent HC2N isomers. Journal of Chemical Physics, 2011, 135, 244310.	3.0	33
51	Vibrational frequencies and spectroscopic constants from quartic force fields for <i>cis</i> -HOCO: The radical and the anion. Journal of Chemical Physics, 2011, 135, 214303.	3.0	62
52	Rovibrational spectra of ammonia. II. Detailed analysis, comparison, and prediction of spectroscopic assignments for 14NH3,15NH3, and 14ND3. Journal of Chemical Physics, 2011, 134, 044321.	3.0	73
53	Flexible, <i>ab initio</i> potential, and dipole moment surfaces for water. I. Tests and applications for clusters up to the 22-mer. Journal of Chemical Physics, 2011, 134, 094509.	3.0	238
54	Comparison of one-particle basis set extrapolation to explicitly correlated methods for the calculation of accurate quartic force fields, vibrational frequencies, and spectroscopic constants: Application to H2O, N2H+, NO2+, and C2H2. Journal of Chemical Physics, 2010, 133, 244108.	3.0	55

#	Article	IF	CITATIONS
55	Communication: Prediction of the rate constant of bimolecular hydrogen exchange in the water dimer using an <i>ab initio</i> potential energy surface. Journal of Chemical Physics, 2010, 133, 111103.	3.0	7
56	Ab-Initio-Based Potential Energy Surfaces for Complex Molecules and Molecular Complexes. Journal of Physical Chemistry Letters, 2010, 1, 1866-1874.	4.6	97
57	Accurate <i>ab initio</i> quartic force fields for NH2â^ and CCHâ^ and rovibrational spectroscopic constants for their isotopologs. Journal of Chemical Physics, 2009, 131, .	3.0	129
58	An Approach to Include the Effects of Diffuse Functions in Potential Energy Surface Calculations. Journal of Physical Chemistry A, 2009, 113, 11954-11962.	2.5	7
59	The effect of approximating some molecular integrals in coupled-cluster calculations: fundamental frequencies and rovibrational spectroscopic constants for isotopologues of cyclopropenylidene. Molecular Physics, 2009, 107, 1139-1152.	1.7	27
60	Comparison of quantum, classical, and ring-polymer molecular dynamics infra-red spectra of Clâ~ (H2O) and H+(H2O)2. Chemical Physics Letters, 2008, 450, 253-257.	2.6	28
61	An accurate global potential energy surface, dipole moment surface, and rovibrational frequencies for NH3. Journal of Chemical Physics, 2008, 129, 214304.	3.0	70
62	New <i>ab initio</i> potential energy surface and the vibration-rotation-tunneling levels of (H2O)2 and (D2O)2. Journal of Chemical Physics, 2008, 128, 034312.	3.0	104
63	A procedure for computing accurate <i>ab initio</i> quartic force fields: Application to HO2+ and H2O. Journal of Chemical Physics, 2008, 129, 044312.	3.0	148
64	Vibrational Levels of Methanol Calculated by the Reaction Path Version of MULTIMODE, Using an ab initio, Full-Dimensional Potentialâ€. Journal of Physical Chemistry A, 2007, 111, 7317-7321.	2.5	61
65	Comment on "Nature of the Chemical Bond in Protonated Methane― Journal of Physical Chemistry A, 2007, 111, 2033-2034.	2.5	8
66	The determination of molecular properties from MULTIMODE with an application to the calculation of Franck–Condon factors for photoionization of CF3to. Molecular Physics, 2006, 104, 33-45.	1.7	34
67	Ab Initio Potential Energy and Dipole Moment Surfaces of (H2O)2â€. Journal of Physical Chemistry A, 2006, 110, 445-451.	2.5	115
68	Quantum Deconstruction of the Infrared Spectrum of CH5+. Science, 2006, 311, 60-63.	12.6	97
69	Deuteration Effects on the Structure and Infrared Spectrum of CH5+. Journal of the American Chemical Society, 2006, 128, 3478-3479.	13.7	45
70	Tests of MULTIMODE calculations of rovibrational energies of CH4. Chemical Physics Letters, 2006, 426, 285-289.	2.6	34
71	The vibrational predissociation spectra of the H5O2+â^™RGn(RG=Ar,Ne) clusters: Correlation of the solvent perturbations in the free OH and shared proton transitions of the Zundel ion. Journal of Chemical Physics, 2005, 122, 244301.	3.0	228
72	Quantum studies of the vibrations in H3O2â^' and D3O2â^'. Journal of Chemical Physics, 2005, 123, 064317.	3.0	83

#	ARTICLE	IF	CITATIONS
73	Ab initio potential energy and dipole moment surfaces for H5O2+. Journal of Chemical Physics, 2005, 122, 044308.	3.0	257
74	Full-dimensional vibrational calculations for H5O2+ using an ab initio potential energy surface. Journal of Chemical Physics, 2005, 122, 061101.	3.0	97
75	Argon Predissociation Spectroscopy of the OH-·H2O and Cl-·H2O Complexes in the 1000â^1900 cm-1Region:Â Intramolecular Bending Transitions and the Search for the Shared-Proton Fundamental in the Hydroxide Monohydrate. Journal of Physical Chemistry A, 2005, 109, 571-575.	2.5	56
76	Comparison of classical, new corrected-classical, and semiclassical IR spectra of non-rotating H2O with quantum calculations. Chemical Physics Letters, 2004, 384, 80-85.	2.6	10
77	Quantum Calculations of Vibrational Energies of H3O2-on an ab Initio Potential. Journal of the American Chemical Society, 2004, 126, 5042-5043.	13.7	77
78	Ab Initio Diffusion Monte Carlo Calculations of the Quantum Behavior of CH5+ in Full Dimensionality. Journal of Physical Chemistry A, 2004, 108, 4991-4994.	2.5	87
79	MULTIMODE: A code to calculate rovibrational energies of polyatomic molecules. International Reviews in Physical Chemistry, 2003, 22, 533-549.	2.3	413
80	Full Dimensional Quantum Calculations of Vibrational Energies of H5O+2 ChemInform, 2003, 34, no.	0.0	0
81	Ab initio potential energy surface and rovibrational energies of H3O+ and its isotopomers. Journal of Chemical Physics, 2003, 118, 5431-5441.	3.0	61
82	A theoretical study of vibrational mode coupling in H5O2+. Journal of Chemical Physics, 2003, 119, 6571-6580.	3.0	79
83	Full Dimensional Quantum Calculations of Vibrational Energies of H5O2+. Journal of Physical Chemistry A, 2003, 107, 7142-7151.	2.5	45
84	Ab Initio Potential Energy Surface and Vibrational Energies of H3O+and Its Isotopomersâ€. Journal of Physical Chemistry B, 2002, 106, 8182-8188.	2.6	37
85	Full dimensional calculations of vibrational energies of H3O+ and D3O+. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2002, 58, 839-848.	3.9	30
86	The importance of an accurate CH4 vibrational partition function in full dimensionality calculations of the H+CH4→H2+CH3 reaction. Journal of Chemical Physics, 2001, 114, 9683-9684.	3.0	89