

Guillaume Vaiva

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8359763/guillaume-vaiva-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140 papers	2,973 citations	26 h-index	49 g-index
216 ext. papers	3,897 ext. citations	3.9 avg, IF	4.98 L-index

#	Paper	IF	Citations
140	Immediate treatment with propranolol decreases posttraumatic stress disorder two months after trauma. <i>Biological Psychiatry</i> , 2003 , 54, 947-9	7.9	370
139	Factors Associated With Mental Health Disorders Among University Students in France Confined During the COVID-19 Pandemic. <i>JAMA Network Open</i> , 2020 , 3, e2025591	10.4	184
138	Effect of telephone contact on further suicide attempts in patients discharged from an emergency department: randomised controlled study. <i>BMJ, The</i> , 2006 , 332, 1241-5	5.9	172
137	ALGOS: the development of a randomized controlled trial testing a case management algorithm designed to reduce suicide risk among suicide attempters. <i>BMC Psychiatry</i> , 2011 , 11, 1	4.2	134
136	Clinical features of latent inhibition in schizophrenia. <i>Schizophrenia Research</i> , 2001 , 51, 149-61	3.6	120
135	Low posttrauma GABA plasma levels as a predictive factor in the development of acute posttraumatic stress disorder. <i>Biological Psychiatry</i> , 2004 , 55, 250-4	7.9	115
134	Test for catatonia with zolpidem. <i>Lancet, The</i> , 1997 , 349, 702	40	75
133	Risk factors for treatment resistance in unipolar depression: a systematic review. <i>Journal of Affective Disorders</i> , 2015 , 171, 137-41	6.6	74
132	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 40-47	4.9	73
131	Does long-acting injectable risperidone make a difference to the real-life treatment of schizophrenia? Results of the Cohort for the General study of Schizophrenia (CGS). <i>Schizophrenia Research</i> , 2012 , 134, 187-94	3.6	70
130	Relationship between posttrauma GABA plasma levels and PTSD at 1-year follow-up. <i>American Journal of Psychiatry</i> , 2006 , 163, 1446-8	11.9	60
129	Temporal analysis of heart rate variability as a predictor of post traumatic stress disorder in road traffic accidents survivors. <i>Journal of Psychiatric Research</i> , 2012 , 46, 790-6	5.2	38
128	Catatonia and consultation-liaison psychiatry study of 12 cases. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007 , 31, 1170-6	5.5	38
127	Sleep and circadian rhythms as possible trait markers of suicide attempt in bipolar disorders: An actigraphy study. <i>Journal of Affective Disorders</i> , 2019 , 244, 1-8	6.6	36
126	Increased prevalence of psychotic disorders among third-generation migrants: results from the French Mental Health in General Population survey. <i>Schizophrenia Research</i> , 2013 , 147, 193-195	3.6	35
125	SIAM (Suicide intervention assisted by messages): the development of a post-acute crisis text messaging outreach for suicide prevention. <i>BMC Psychiatry</i> , 2014 , 14, 294	4.2	35
124	Carbamazepine in the treatment of neuroleptic malignant syndrome. <i>Biological Psychiatry</i> , 1998 , 43, 303-5	7.9	35

123	Regional cerebral blood flow in deficit/nondeficit types of schizophrenia according to SDS criteria. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002 , 26, 481-5	5.5	33
122	Directed forgetting in PTSD: a comparative study versus normal controls. <i>Journal of Psychiatric Research</i> , 2006 , 40, 70-80	5.2	32
121	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental. <i>BMC Psychiatry</i> , 2019 , 19, 262	4.2	31
120	SPECT imaging, clinical features, and cognition before and after low doses of amisulpride in schizophrenic patients with the deficit syndrome. <i>Psychiatry Research - Neuroimaging</i> , 2002 , 115, 37-48	2.9	31
119	Fright (effroi) and other peritraumatic responses after a serious motor vehicle accident: prospective influence on acute PTSD development. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 395-401	4.8	30
118	Morningness-eveningness and treatment response in major depressive disorder. <i>Chronobiology International</i> , 2014 , 31, 283-9	3.6	28
117	An "accidental" acute psychosis with ecstasy use. <i>Journal of Psychoactive Drugs</i> , 2001 , 33, 95-8	3.6	26
116	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. <i>Schizophrenia Research</i> , 2018 , 193, 336-342	3.6	25
115	Is electroconvulsive therapy an evidence-based treatment for catatonia? A systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 675-687	5.1	24
114	Is it worth assessing progress as early as week 2 to adapt antidepressive treatment strategy? Results from a study on agomelatine and a global meta-analysis. <i>European Psychiatry</i> , 2013 , 28, 362-71	6	24
113	Individuals with bipolar disorder and their relationship with the criminal justice system: a critical review. <i>Psychiatric Services</i> , 2015 , 66, 348-53	3.3	24
112	Late-life health consequences of exposure to trauma in a general elderly population: the mediating role of reexperiencing posttraumatic symptoms. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 929-35	4.6	24
111	Lithium and suicide prevention in bipolar disorder. <i>L'Encephale</i> , 2016 , 42, 234-41	2.9	22
110	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , 2017 , 210, 174-180	6.6	21
109	Dose-dependent stuttering and dystonia in a patient taking clozapine. <i>American Journal of Psychiatry</i> , 1994 , 151, 1096	11.9	21
108	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. <i>Journal of Affective Disorders</i> , 2018 , 226, 66-71	6.6	20
107	Prenatal stress exacerbates the impact of an aversive procedure on the corticosterone response to stress in female rats. <i>Psychoneuroendocrinology</i> , 2009 , 34, 786-90	5	20
106	Leveraging the Web and Social Media to Promote Access to Care Among Suicidal Individuals. <i>Frontiers in Psychology</i> , 2018 , 9, 1338	3.4	18

105	Prevalence and predictors of no lifetime utilization of mental health treatment among people with mental disorders in France: findings from the 'Mental Health in General Population' (MHGP) survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 567-576	4.5	17
104	Cerebral blood flow in major depression and dysthymia. <i>Journal of Affective Disorders</i> , 1993 , 29, 235-42	6.6	17
103	Supersensitivity psychosis in patients with schizophrenia after sudden olanzapine withdrawal. <i>Canadian Journal of Psychiatry</i> , 2001 , 46, 87-8	4.8	17
102	Categorical and dimensional study of the predictive factors of the development of a psychotrauma in victims of car accidents. <i>Journal of Anxiety Disorders</i> , 2012 , 26, 239-45	10.9	16
101	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. <i>Journal of Psychiatric Research</i> , 2018 , 102, 38-43	5.2	15
100	A case of agitated catatonia. <i>Pharmacopsychiatry</i> , 1999 , 32, 38-40	2	15
99	A latent class analysis of psychotic symptoms in the general population. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 573-584	2.6	14
98	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and Neuropsychopharmacology and the fondation FondaMental). <i>BMC Psychiatry</i> , 2019 , 19, 50	4.2	13
97	Mortality of people suffering from mental illness: a study of a cohort of patients hospitalised in psychiatry in the north of France. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 269-77	4.5	12
96	Prevalence of and factors associated with post-traumatic stress disorder among French university students 1 month after the COVID-19 lockdown. <i>Translational Psychiatry</i> , 2021 , 11, 327	8.6	12
95	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2016 , 190, 6-11	6.6	11
94	Data on diabetes from the French cohort study in schizophrenia. <i>European Psychiatry</i> , 2005 , 20 Suppl 4, S340-4	6	11
93	Catatonia and liver transplant. <i>Psychosomatics</i> , 2002 , 43, 338-9	2.6	11
92	The ability of early changes in motivation to predict later antidepressant treatment response. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2875-82	3.1	10
91	Mental health impact of the 2010 Haiti earthquake on the Miami Haitian population: A random-sample survey. <i>Disaster Health</i> , 2014 , 2, 130-137		10
90	Prediction of trauma-related disorders: a proposed cutoff score for the peritraumatic distress inventory. <i>primary care companion for CNS disorders</i> , <i>The</i> , 2013 , 15,	1.2	10
89	Association between childhood trauma and multimodal early-onset hallucinations. <i>British Journal of Psychiatry</i> , 2020 , 216, 156-158	5.4	10
88	Combining brief contact interventions (BCI) into a decision-making algorithm to reduce suicide reattempt: the VigilantS study protocol. <i>BMJ Open</i> , 2018 , 8, e022762	3	10

87	Combining green cards, telephone calls and postcards into an intervention algorithm to reduce suicide reattempt (AlgoS): P-hoc analyses of an inconclusive randomized controlled trial. <i>PLoS ONE</i> , 2019 , 14, e0210778	3.7	9
86	Treatment of agitation in the emergency department: benzodiazepines could be safer than antipsychotics in some cases of insufficient medical data. <i>Journal of Emergency Medicine</i> , 2014 , 46, 830-1 ^{1.5}		9
85	Are there specific care requirements for patients with schizophrenia and diabetes or with a risk of diabetes?. <i>European Psychiatry</i> , 2005 , 20 Suppl 4, S358-63	6	9
84	Bright Light Therapy in the Morning or at Mid-Day in the Treatment of Non-Seasonal Bipolar Depressive Episodes (LuBi): Study Protocol for a Dose Research Phase I / II Trial. <i>Psychiatry Investigation</i> , 2018 , 15, 1188-1202	3.1	9
83	Pernicious anemia presenting as catatonia: correlating vitamin B12 levels and catatonic symptoms. <i>General Hospital Psychiatry</i> , 2015 , 37, 273.e5-7	5.6	8
82	Similarities between borderline personality disorder and post traumatic stress disorder: Evidence from resting-state meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 105, 52-59	9	8
81	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017 , 8, 244	5	8
80	GPs and new compulsory admission procedures in France. <i>Psychiatric Services</i> , 2014 , 65, 271	3.3	8
79	Role and importance of consultation-liaison psychiatry during the Covid-19 epidemic. <i>Journal of Psychosomatic Research</i> , 2020 , 137, 110214	4.1	8
78	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021 , 38, 17-27	8.4	8
77	Traumatic memory reactivation with or without propranolol for PTSD and comorbid MD symptoms: a randomised clinical trial. <i>Neuropsychopharmacology</i> , 2021 , 46, 1643-1649	8.7	8
76	An increase in joy after two weeks is more specific of later antidepressant response than a decrease in sadness. <i>Journal of Affective Disorders</i> , 2015 , 185, 97-103	6.6	7
75	The impact of discontinuing methylphenidate on weight and eating behavior. <i>International Journal of Eating Disorders</i> , 2015 , 48, 345-8	6.3	7
74	Treatment of comorbid opiate addiction and attention-deficit hyperactivity disorder (residual type) with moclobemide: a case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2002 , 26, 609-11	5.5	7
73	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e15741	5.5	7
72	Depression with and without a history of psychotic symptoms in the general population: sociodemographic and clinical characteristics. <i>Journal of Affective Disorders</i> , 2020 , 273, 247-251	6.6	7
71	Non-presentation at hospital following a suicide attempt: a national survey. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	7
70	Attentional bias towards negative stimuli in healthy individuals and the effects of trait anxiety. <i>Scientific Reports</i> , 2020 , 10, 11826	4.9	7

69	Psychogenic non-epileptic seizures treated with guided transcranial direct current stimulation: A case report. <i>Brain Stimulation</i> , 2019 , 12, 794-796	5.1	6
68	'What is more familiar than I? Self, other and familiarity in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 161, 501-5	3.6	6
67	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. <i>Brain Sciences</i> , 2020 , 10,	3.4	6
66	Neuroleptic monitoring: relation between antipsychotic efficiency and radioreceptor assay of serum haloperidol. <i>European Journal of Clinical Pharmacology</i> , 1996 , 50, 357-63	2.8	5
65	Changes in the number of suicide re-attempts in a French region since the inception of Vigilans, a regionwide program combining brief contact interventions (BCI). <i>BMC Psychiatry</i> , 2020 , 20, 26	4.2	5
64	Dissociation of explicit and implicit responses during a change blindness task in schizophrenia. <i>Neuropsychologia</i> , 2015 , 71, 11-7	3.2	4
63	A blended cognitive behavioral intervention for patients with adjustment disorder with anxiety: A randomized controlled trial. <i>Internet Interventions</i> , 2020 , 21, 100329	4.4	4
62	Depression restricts visual capture and promotes the perception of negative information. <i>Biological Psychology</i> , 2020 , 154, 107923	3.2	4
61	Severe extrapyramidal symptoms with fluvoxamine despite neuroleptics withdrawal. <i>European Psychiatry</i> , 1996 , 11, 273	6	4
60	Posttraumatic stress disorder in time of COVID-19: Trauma or not trauma, is that the question?. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 310-311	6.5	4
59	At least one more reason why. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 259-260	5.5	4
58	Categorical perception of familiarity: Evidence for a hyper-familiarity in schizophrenia. <i>Journal of Psychiatric Research</i> , 2015 , 71, 63-9	5.2	3
57	Effectiveness of a French Program to Prevent Suicide Reattempt (VigilanS). <i>Archives of Suicide Research</i> , 2021 , 25, 570-581	2.3	3
56	The need for developing preconception counseling in addiction medicine. <i>Archives of Women's Mental Health</i> , 2013 , 16, 433-4	5	3
55	Efficacy of Seren@ctif, a Computer-Based Stress Management Program for Patients With Adjustment Disorder With Anxiety: Protocol for a Controlled Trial. <i>JMIR Research Protocols</i> , 2017 , 6, e190		3
54	A Latent Class Analysis of Manic and Psychotic Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 721-728	1.8	3
53	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , 2021 , 135, 20-27	5.2	3
52	Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1547-1557	5.1	3

51	Psychological impact of the COVID-19 pandemic on non-frontline healthcare workers. <i>General Hospital Psychiatry</i> , 2021 , 72, 143-144	5.6	3
50	Efficacy of tDCS for bipolar depression in a patient with spinocerebellar ataxia: A case report. <i>Bipolar Disorders</i> , 2020 , 22, 422-424	3.8	2
49	Implicit Recognition of Familiar and Unfamiliar Faces in Schizophrenia: A Study of the Skin Conductance Response in Familiarity Disorders. <i>Frontiers in Psychiatry</i> , 2017 , 8, 181	5	2
48	Corticosteroid-induced psychiatric episodes in consultation liaison psychiatry. Personality and temperament assessments. <i>Presse Medicale</i> , 2011 , 40, 203-9	2.2	2
47	Mental health among medical, healthcare, and other university students during the first COVID-19 lockdown in France. <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100260	1.4	2
46	Surveillance Is a Powerful Tool to Prevent Suicidal Acts 2016 , 269-279		2
45	Supportive effect of body contact care with ylang ylang aromatherapy and mobile intervention team for suicide prevention: A pilot study. <i>Journal of International Medical Research</i> , 2020 , 48, 300060520946237	14.2	2
44	Exposure to patient suicide and early career psychiatrists. <i>Lancet Psychiatry</i> , 2021 , 8, 179-180	23.3	2
43	A pharmacoepidemiological study of the association of suicide reattempt risk with psychotropic drug exposure. <i>Journal of Psychiatric Research</i> , 2021 , 138, 256-263	5.2	2
42	Risk Factors for Reattempt and Suicide Within 6 Months After an Attempt in the French ALGOS Cohort: A Survival Tree Analysis. <i>Journal of Clinical Psychiatry</i> , 2021 , 82,	4.6	2
41	Somatic symptom disorders and long COVID: A critical but overlooked topic. <i>General Hospital Psychiatry</i> , 2021 , 72, 149-150	5.6	2
40	The Role of Adolescence in Development Paths Toward Suicide: Specificities and Shaping of Adversity Trajectories. <i>Frontiers in Psychiatry</i> , 2020 , 11, 557131	5	1
39	Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying Psychiatric Disorders: A General Population Study. <i>Alcohol and Alcoholism</i> , 2020 , 55, 112-120	3.5	1
38	N'oublions pas les survivants ! Impact psycho-économique de la tentative de suicide sur les proches du suicidant. <i>European Psychiatry</i> , 2013 , 28, 46-47	6	1
37	Per-symptomatic brain activations in alcohol-induced hallucinosis. <i>Biological Psychiatry</i> , 2013 , 73, e13-4	7.9	1
36	Les tentatives de suicide appréhendées par un Service d'aide médicale d'urgence (Samu). <i>Annales Francaises De Medecine D'Urgence</i> , 2011 , 1, 387-394	0.2	1
35	On suicide and attempted suicide during pregnancy. <i>Crisis</i> , 1999 , 20, 22, 27, 40 passim	2.8	1
34	Life trajectories towards suicide: developmental role and specificities of adolescence		1

33	Les suicidants et leur entourage familial. <i>Perspectives Psy</i> , 2008 , 47, 330-334	0.1	1
32	Emotional response in depersonalization: A systematic review of electrodermal activity studies. <i>Journal of Affective Disorders</i> , 2020 , 276, 877-882	6.6	1
31	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021 , 16, e0250148	3.7	1
30	PTSD in prison settings: the need for direct comparisons with the general population. <i>Psychological Medicine</i> , 2021 , 1-3	6.9	1
29	Suicide reattempt in a population-wide brief contact intervention to prevent suicide attempts: The VigilantS program, France. <i>European Psychiatry</i> , 2021 , 64, e57	6	1
28	Evolution in French University Students' Mental Health One Month After the First COVID-19 Related Quarantine: Results From the COSAME Survey.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 868369	5	1
27	Research Letter: Auto-activation deficit in schizophrenia: a case report. <i>Psychological Medicine</i> , 2018 , 48, 525-527	6.9	0
26	Paris MEM: a study protocol for an effectiveness and efficiency trial on the treatment of traumatic stress in France after the 2015-16 terrorist attacks. <i>BMC Psychiatry</i> , 2019 , 19, 351	4.2	0
25	Trauma exposure and PTSD among men entering jail: A comparative study with the general population.. <i>Journal of Psychiatric Research</i> , 2021 , 145, 205-212	5.2	0
24	Intrusive experiences in posttraumatic stress disorder: Treatment response induces changes in the directed functional connectivity of the anterior insula.. <i>NeuroImage: Clinical</i> , 2022 , 34, 102964	5.3	0
23	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110479	5.5	0
22	The shallow of your smile: the ethics of expressive vocal deep-fakes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2022 , 377, 20210083	5.8	0
21	Prevalence and impact of patient suicide in psychiatrists: Results from a national French web-based survey. <i>L'Encephale</i> , 2021 , 47, 507-513	2.9	0
20	Suicide mortality after a nonfatal suicide attempt: A systematic review and meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48, 674-681	2.6	0
19	Psychiatric Hospitalizations of People Found Not Criminally Responsible on Account of Mental Disorder in France: A Ten-Year Retrospective Study (2011-2020).. <i>Frontiers in Psychiatry</i> , 2022 , 13, 812790	5	0
18	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 795666	5	0
17	Impact du traitement global/local des visages sur le sentiment de familiarité dans la schizophrénie. <i>European Psychiatry</i> , 2015 , 30, S117-S118	6	
16	L'épithésie chez les patients atteints d'une épilepsie du lobe temporal. <i>European Psychiatry</i> , 2015 , 30, S123-S123	6	

15	Associer les types de recontact du suicidant pour élargir la cible de prévention. <i>European Psychiatry</i> , 2015 , 30, S68-S69	6
14	Prévention du suicide : du recontact à la santé connectée. <i>European Psychiatry</i> , 2015 , 30, S11-S11	6
13	Impact of emotional and cognitive saliency on visual search in post-traumatic stress disorder. <i>European Psychiatry</i> , 2017 , 41, S359-S359	6
12	Développement d'un dispositif de veille par short message service (SMS) pour la prévention de la récurrence suicidaire. Protocole d'étude Suicide Intervention Assisted by Messages (SIAM). <i>European Psychiatry</i> , 2015 , 30, S12-S12	6
11	P.2.c.018 Morningness and eveningness changes after agomelatine treatment in major depression. <i>European Neuropsychopharmacology</i> , 2012 , 22, S260-S261	1.2
10	Reduced risk of hospitalisation with risperidone long-acting injectable. Results of the french cohort for the general study of schizophrenia (CGS). <i>European Psychiatry</i> , 2011 , 26, 1487-1487	6
9	Síntomas extrapiramidales graves con fluvoxamina a pesar de la supresión de neurolepticos. <i>European Psychiatry (Ed Española)</i> , 1997 , 4, 129-130	
8	Psychiatrie de catastrophe et urgence 2008 , 503-522	
7	Use of low-dose selective serotonin reuptake inhibitors and cognitive behavioral therapy in agoraphobia with panic attacks: an open study. <i>European Neuropsychopharmacology</i> , 1994 , 4, 350	1.2
6	Republication : Les troubles du sommeil et leur traitement dans le trouble stress post-traumatique. <i>Médecine Du Sommeil</i> , 2021 , 18, 165-165	0.5
5	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). <i>Journal of Affective Disorders Reports</i> , 2021 , 6, 100272	1.4
4	Enquête un jour donné sur la prise en charge des suicidants dans les services d'urgence de la région Nord-Pas-de-Calais. <i>Information Psychiatrique</i> , 2009 , 85, 899	
3	High-Fidelity Simulation: A Promising Tool to Tackle Negative Representations of Electroconvulsive Therapy in Psychiatry Residents. <i>Journal of ECT</i> , 2021 , 37, e32-e33	2
2	Loss to follow-up in a population-wide brief contact intervention to prevent suicide attempts - The Vigilans program, France.. <i>PLoS ONE</i> , 2022 , 17, e0263379	3.7
1	Four Questions Nurses Can Ask to Predict PTSD 1 Year After a Motor Vehicle Crash.. <i>Journal of Trauma Nursing: the Official Journal of the Society of Trauma Nurses</i> , 2022 , 29, 70-79	1