

Satoshi Nakata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8359932/publications.pdf>

Version: 2024-02-01

17
papers

215
citations

1307594

7
h-index

996975

15
g-index

17
all docs

17
docs citations

17
times ranked

463
citing authors

#	ARTICLE	IF	CITATIONS
1	CNS high-grade neuroepithelial tumor with <i>BCOR</i> internal tandem duplication: a comparison with its counterparts in the kidney and soft tissue. <i>Brain Pathology</i> , 2018, 28, 710-720.	4.1	67
2	Sellar Atypical Teratoid/Rhabdoid Tumor (AT/RT). <i>American Journal of Surgical Pathology</i> , 2017, 41, 932-940.	3.7	38
3	Histone H3 K27M mutations in adult cerebellar high-grade gliomas. <i>Brain Tumor Pathology</i> , 2017, 34, 113-119.	1.7	25
4	Ependymoma-like tumor with mesenchymal differentiation harboring <i>C11orf95</i> - <i>NCOA1</i> or <i>2</i> or <i>RELA</i> fusion: A hitherto unclassified tumor related to ependymoma. <i>Brain Pathology</i> , 2021, 31, e12943.	4.1	16
5	Adult-onset atypical teratoid/rhabdoid tumor featuring long spindle cells with nuclear palisading and perivascular pseudorosettes. <i>Neuropathology</i> , 2017, 37, 52-57.	1.2	15
6	Inhibition of enhancer of zest homologue 2 is a potential therapeutic target for high-MYC medulloblastoma. <i>Neuropathology</i> , 2019, 39, 71-77.	1.2	8
7	Secondary INI1-deficient rhabdoid tumors of the central nervous system: analysis of four cases and literature review. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 763-772.	2.8	8
8	CNS Low-grade Diffusely Infiltrative Tumors With INI1 Deficiency, Possessing a High Propensity to Progress to Secondary INI1-deficient Rhabdoid Tumors. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1459-1468.	3.7	8
9	A case of high-grade astrocytoma with <i>BRAF</i> and <i>ATRX</i> mutations following a long-standing course over two decades. <i>Neuropathology</i> , 2017, 37, 351-357.	1.2	5
10	Cerebellar high-grade astrocytoma with <i>IDH</i> mutations in the elderly: A report of two cases. <i>Neuropathology</i> , 2018, 38, 411-416.	1.2	5
11	A case report of adult cerebellar high-grade glioma with H3.1 K27M mutation: a rare example of an H3 K27M mutant cerebellar tumor. <i>Brain Tumor Pathology</i> , 2018, 35, 29-35.	1.7	5
12	Clinicopathological characteristics of circumscribed high-grade astrocytomas with an unusual combination of BRAF V600E, ATRX, and CDKN2A/B alternations. <i>Brain Tumor Pathology</i> , 2019, 36, 103-111.	1.7	5
13	GLI3s Associated With Neuronal Differentiation in SHH-Activated and WNT-Activated Medulloblastoma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2021, 80, 129-136.	1.7	5
14	Oligodendroglioma showing pleomorphic xanthoastrocytoma-like perivascular microlesion: With <i>IDH1</i> , <i>TERT</i> promoter mutation and 1p/19q codeletion detected in both components. <i>Pathology International</i> , 2020, 70, 40-46.	1.3	3
15	Increased Tau Expression Correlates With <i>IDH</i> Mutation in Infiltrating Gliomas and Impairs Cell Migration. <i>Journal of Neuropathology and Experimental Neurology</i> , 2020, 79, 493-499.	1.7	2
16	PATH-46. NEURONAL DIFFERENTIATION IS INDUCED BY <i>Gli3</i> IN WNT- AND SHH- ACTIVATED MEDULLOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi168-vi169.	1.2	0
17	<i>BCOR</i> Internal Tandem Duplication Expression in Neural Stem Cells Promotes Growth, Invasion, and Expression of PRC2 Targets. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3913.	4.1	0