SÅ,awomir Åawicki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/836079/publications.pdf

Version: 2024-02-01

567281 642732 47 706 15 23 citations h-index g-index papers 53 53 53 921 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Could Neutrophil-Gelatinase-Associated Lipocalin and Cystatin C Predict the Development of Contrast-Induced Nephropathy after Percutaneous Coronary Interventions in Patients with Stable Angina and Normal Serum Creatinine Values?. Kidney and Blood Pressure Research, 2007, 30, 408-415.	2.0	98
2	The plasma concentration of VEGF, HE4 and CA125 as a new biomarkers panel in different stages and sub-types of epithelial ovarian tumors. Journal of Ovarian Research, 2013, 6, 45.	3.0	49
3	Plasma levels and diagnostic utility of VEGF, MMP-9, and TIMP-1 in the diagnosis of patients with breast cancer. OncoTargets and Therapy, 2016, 9, 911.	2.0	42
4	Plasma Chemokine CCL2 and Its Receptor CCR2 Concentrations as Diagnostic Biomarkers for Breast Cancer Patients. BioMed Research International, 2018, 2018, 1-9.	1.9	27
5	Unstimulated salivary flow, pH, proteins and oral health in patients with Juvenile Idiopathic Arthritis. BMC Oral Health, 2017, 17, 94.	2.3	26
6	Plasma Levels and Diagnostic Utility of Macrophage Colony-Stimulating Factor, Matrix Metalloproteinase-9, and Tissue Inhibitor of Metalloproteinases-1 as New Biomarkers of Breast Cancer. Annals of Laboratory Medicine, 2016, 36, 223-229.	2.5	25
7	The pretreatment plasma level and diagnostic utility of M-CSF in benign breast tumor and breast cancer patients. Clinica Chimica Acta, 2006, 371, 112-116.	1.1	23
8	M-CSF in a new biomarker panel with HE4 and CA 125 in the diagnostics of epithelial ovarian cancer patients. Journal of Ovarian Research, 2015, 8, 27.	3.0	22
9	Plasma levels and diagnostic utility of VEGF, MMP-2 and TIMP-2 in the diagnostics of breast cancer patients. Biomarkers, 2017, 22, 157-164.	1.9	22
10	Diagnostic Power of Vascular Endothelial Growth Factor and Macrophage Colony-Stimulating Factor in Breast Cancer Patients Based on ROC Analysis. Mediators of Inflammation, 2016, 2016, 1-8.	3.0	18
11	Plasma Levels of IL-17, VEGF, and Adrenomedullin and S-Cone Dysfunction of the Retina in Children and Adolescents without Signs of Retinopathy and with Varied Duration of Diabetes. Mediators of Inflammation, 2013, 2013, 1-8.	3.0	17
12	Hematopoietic cytokines as tumor markers in gynecological malignancies. A multivariate analysis in epithelial ovarian cancer patients. Growth Factors, 2012, 30, 357-366.	1.7	16
13	Hematopoietic cytokines as tumor markers in breast malignancies. A multivariate analysis with ROC curve in breast cancer patients. Advances in Medical Sciences, 2013, 58, 207-215.	2.1	16
14	Diagnostic power of VEGF, MMP-9 and TIMP-1 in patients with breast cancer. A multivariate statistical analysis with ROC curve. Advances in Medical Sciences, 2019, 64, 1-8.	2.1	16
15	<p>Matrilysins and Stromelysins in Pathogenesis and Diagnostics of Cancers</p> . Cancer Management and Research, 2020, Volume 12, 10949-10964.	1.9	16
16	Plasma levels of M-CSF and VEGF in laboratory diagnostics and differentiation of selected histological types of cervical cancers. BMC Cancer, 2019, 19, 398.	2.6	15
17	Diagnostic Power of Cytokine M-CSF, Metalloproteinase 2 (MMP-2) and Tissue Inhibitor-2 (TIMP-2) in Cervical Cancer Patients Based on ROC Analysis. Pathology and Oncology Research, 2020, 26, 791-800.	1.9	15
18	Hematopoietic cytokines as tumor markers in gynecological malignancies: A multivariate analysis with ROC curve in endometrial cancer patients. Growth Factors, 2012, 30, 29-36.	1.7	14

#	Article	IF	Citations
19	VEGF, M-CSF and CA 15-3 as a new tumor marker panel in breast malignancies: a multivariate analysis with ROC curve. Growth Factors, 2013, 31, 98-105.	1.7	14
20	Plasma levels of MMP-7 and TIMP-1 in laboratory diagnostics and differentiation of selected histological types of epithelial ovarian cancers. Journal of Ovarian Research, 2017, 10, 39.	3.0	14
21	Pretreatment plasma levels and diagnostic utility of hematopoietic cytokines in cervical cancer or cervical intraepithelial neoplasia patients. Folia Histochemica Et Cytobiologica, 2012, 50, 213-219.	1.5	13
22	Plasma Concentrations of Matrilysins MMP-7 and MMP-26 as Diagnostic Biomarkers in Breast Cancer. Journal of Clinical Medicine, 2021, 10, 1436.	2.4	12
23	Plasma levels and diagnostic utility of macrophage-colony stimulating factor, matrix metalloproteinase-9 and tissue inhibitor of metalloproteinase-1 as tumor markers in cervical cancer patients. Tumor Biology, 2018, 40, 101042831879036.	1.8	10
24	Human Plasma Levels of Vascular Endothelial Growth Factor, Matrix Metalloproteinase 9, and Tissue Inhibitor of Matrix Metalloproteinase 1 and Their Applicability as Tumor Markers in Diagnoses of Cervical Cancer Based on ROC Analysis. Cancer Control, 2018, 25, 107327481878935.	1.8	10
25	Plasma Levels and Tissue Expression of Selected Cytokines, Metalloproteinases and Tissue Inhibitors in Patients With Cervical Cancer. Anticancer Research, 2019, 39, 6403-6412.	1.1	10
26	Human Plasma Levels of VEGF-A, VEGF-C, VEGF-D, their Soluble Receptor - VEGFR-2 and Applicability of these Parameters as Tumor Markers in the Diagnostics of Breast Cancer. Pathology and Oncology Research, 2019, 25, 1477-1486.	1.9	10
27	Diagnostic Power of Selected Cytokines, MMPs and TIMPs in Ovarian Cancer Patients – ROC Analysis. Anticancer Research, 2019, 39, 2575-2582.	1.1	8
28	Levels of Selected Matrix Metalloproteinases, Their Inhibitors in Saliva, and Oral Status in Juvenile Idiopathic Arthritis Patients vs. Healthy Controls. BioMed Research International, 2019, 2019, 1-9.	1.9	8
29	Possible Diagnostic Application of CXCL12 and CXCR4 as Tumor Markers in Breast Cancer Patients. Anticancer Research, 2020, 40, 3221-3229.	1.1	8
30	Plasma levels of VEGF-A, VEGF B, and VEGFR-1 and applicability of these parameters as tumor markers in diagnosis of breast cancer. Acta Biochimica Polonica, 2018, 65, 621-628.	0.5	8
31	ROC analysis of selected matrix metalloproteinases (MMPs) and tissue inhibitors of metalloproteinases (TIMPs) in psoriatic patients. Postepy Dermatologii I Alergologii, 2018, 35, 167-173.	0.9	7
32	First-trimester irisin and fetuin-A concentration in predicting macrosomia. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 2868-2873.	1.5	7
33	The Significance of Apolipoprotein E Measurement in the Screening of Fetal Down Syndrome. Journal of Clinical Medicine, 2020, 9, 3995.	2.4	7
34	Serum Chemerin Concentration Is Associated with Proinflammatory Status in Chronic Coronary Syndrome. Biomolecules, 2021, 11, 1149.	4.0	7
35	Reference values for placental growth factor (PIGF) concentration and uterine artery Doppler pulsatility index (PI) at 11–13+6 weeks of gestation in the Polish population. Ginekologia Polska, 2014, 85, 488-93.	0.7	7
36	Plasma Levels and Diagnostic Utility of M-CSF, MMP-2 and its Inhibitor TIMP-2 in the Diagnostics of Breast Cancer Patients. Clinical Laboratory, 2016, 62, 1661-1669.	0.5	7

#	Article	IF	CITATIONS
37	Plasma Levels and Diagnostic Utility of VEGF in a Three-Year Follow-Up of Patients with Breast Cancer. Journal of Clinical Medicine, 2021, 10, 5452.	2.4	7
38	Therapy of psoriasis with narrowband ultraviolet-B light influences plasma concentrations of MMP-2 and TIMP-2 in patients. Therapeutics and Clinical Risk Management, 2016, Volume 12, 1579-1585.	2.0	6
39	Prenatal Screening of Trisomy 21: Could Oxidative Stress Markers Play a Role?. Journal of Clinical Medicine, 2021, 10, 2382.	2.4	6
40	Search of reference biomarkers reflecting orbital tissue remodeling in the course of Graves' orbitopathy. Folia Histochemica Et Cytobiologica, 2020, 58, 37-45.	1.5	5
41	Plasma Level of MMP-10 May Be a Prognostic Marker in Early Stages of Breast Cancer. Journal of Clinical Medicine, 2020, 9, 4122.	2.4	5
42	Narrowband ultraviolet B light treatment changes plasma concentrations of MMP-3, MMP-9 and TIMP-3 in psoriatic patients. Therapeutics and Clinical Risk Management, 2017, Volume 13, 575-582.	2.0	4
43	Influence of narrowband ultraviolet-B phototherapy on plasma concentration of matrix metalloproteinase-12 in psoriatic patients. Postepy Dermatologii I Alergologii, 2017, 4, 328-333.	0.9	3
44	Novel Approaches to an Integrated Route for Trisomy 21 Evaluation. Biomolecules, 2021, 11, 1328.	4.0	3
45	Can VEGFR-3 be a better tumor marker for breast cancer than CA 15-3?. Acta Biochimica Polonica, 2020, 67, 25-29.	0.5	3
46	C-C motif chemokine ligand 5 and C-C chemokine receptor typeâ€,5: possible diagnostic application in breast cancer patients. Acta Biochimica Polonica, 2020, 67, 539-449.	0.5	2
47	MMP-2 i MMP-9 jako czynniki prognostyczne w udarze niedokrwiennym m $ ilde{A}^3$ zgu. Aktualnosci Neurologiczne, 2016, 16, 125-130.	0.1	О