

Chenlin Gao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8361164/publications.pdf>

Version: 2024-02-01

25
papers

738
citations

516215

16
h-index

580395

25
g-index

25
all docs

25
docs citations

25
times ranked

1031
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-Digestible Carbohydrate and the Risk of Colorectal Neoplasia: A Systematic Review. <i>Nutrition and Cancer</i> , 2021, 73, 31-44.	0.9	11
2	Short-Chain Fatty Acids Ameliorate Diabetic Nephropathy via GPR43-Mediated Inhibition of Oxidative Stress and NF- κ B Signaling. <i>Oxidative Medicine and Cellular Longevity</i> , 2020, 2020, 1-21.	1.9	102
3	Association between Circulating B-Type Natriuretic Peptide and Diabetic Peripheral Neuropathy: A Cross-Sectional Study of a Chinese Type 2 Diabetic Population. <i>Journal of Diabetes Research</i> , 2020, 2020, 1-10.	1.0	6
4	Association of Circulating Omentin-1 with Osteoporosis in a Chinese Type 2 Diabetic Population. <i>Mediators of Inflammation</i> , 2020, 2020, 1-16.	1.4	6
5	Urolithiasis, Independent of Uric Acid, Increased Risk of Coronary Artery and Carotid Atherosclerosis: A Meta-Analysis of Observational Studies. <i>BioMed Research International</i> , 2020, 2020, 1-11.	0.9	2
6	Group 2 Innate Lymphoid Cells Participate in Renal Fibrosis in Diabetic Kidney Disease Partly via TGF- β 1 Signal Pathway. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-12.	1.0	11
7	Effect of Inulin-Type Carbohydrates on Insulin Resistance in Patients with Type 2 Diabetes and Obesity: A Systematic Review and Meta-Analysis. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-13.	1.0	47
8	Sodium butyrate alleviates high-glucose-induced renal glomerular endothelial cells damage via inhibiting pyroptosis. <i>International Immunopharmacology</i> , 2019, 75, 105832.	1.7	64
9	RIPK2-Mediated Autophagy and Negatively Regulated ROS-NLRP3 Inflammasome Signaling in GMCs Stimulated with High Glucose. <i>Mediators of Inflammation</i> , 2019, 2019, 1-13.	1.4	19
10	FBW7 Regulates the Autophagy Signal in Mesangial Cells Induced by High Glucose. <i>BioMed Research International</i> , 2019, 2019, 1-9.	0.9	12
11	Resistant starch ameliorated insulin resistant in patients of type 2 diabetes with obesity: a systematic review and meta-analysis. <i>Lipids in Health and Disease</i> , 2019, 18, 205.	1.2	29
12	Effects of metformin treatment on radiotherapy efficacy in patients with cancer and diabetes: a systematic review and meta-analysis. <i>Cancer Management and Research</i> , 2018, Volume 10, 4881-4890.	0.9	30
13	Sweet Taste Receptors Mediated ROS-NLRP3 Inflammasome Signaling Activation: Implications for Diabetic Nephropathy. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-15.	1.0	27
14	Association of serum uric acid with bone mineral density and clinical fractures in Chinese type 2 diabetes mellitus patients: A cross-sectional study. <i>Clinica Chimica Acta</i> , 2018, 486, 76-85.	0.5	22
15	Maresin 1 Mitigates High Glucose-Induced Mouse Glomerular Mesangial Cell Injury by Inhibiting Inflammation and Fibrosis. <i>Mediators of Inflammation</i> , 2017, 2017, 1-11.	1.4	41
16	SUMO E3 Ligase PIASy Mediates High Glucose-Induced Activation of NF- κ B Inflammatory Signaling in Rat Mesangial Cells. <i>Mediators of Inflammation</i> , 2017, 2017, 1-9.	1.4	9
17	CYLD Deubiquitinase Negatively Regulates High Glucose-Induced NF- κ B Inflammatory Signaling in Mesangial Cells. <i>BioMed Research International</i> , 2017, 2017, 1-9.	0.9	7
18	High Glucose and Lipopolysaccharide Prime NLRP3 Inflammasome via ROS/TXNIP Pathway in Mesangial Cells. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-11.	1.0	89

#	ARTICLE	IF	CITATIONS
19	High Glucose Induces Sumoylation of Smad4 via SUMO2/3 in Mesangial Cells. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	15
20	The Role of Ubiquitination and Sumoylation in Diabetic Nephropathy. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	51
21	The Proteasome Inhibitor, MG132, Attenuates Diabetic Nephropathy by Inhibiting SnoN Degradation <i>In Vivo</i> and <i>In Vitro</i> . <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	24
22	MG132 Ameliorates Kidney Lesions by Inhibiting the Degradation of Smad7 in Streptozotocin-Induced Diabetic Nephropathy. <i>Journal of Diabetes Research</i> , 2014, 2014, 1-8.	1.0	19
23	High glucose induces activation of NF- κ B inflammatory signaling through I κ B α sumoylation in rat mesangial cells. <i>Biochemical and Biophysical Research Communications</i> , 2013, 438, 568-574.	1.0	44
24	Notch Signaling Molecules Activate TGF- β 2 in Rat Mesangial Cells under High Glucose Conditions. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-8.	1.0	21
25	Impact of High Glucose and Proteasome Inhibitor MG132 on Histone H2A and H2B Ubiquitination in Rat Glomerular Mesangial Cells. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-10.	1.0	30