

Wolfgang Freund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8361668/publications.pdf>

Version: 2024-02-01

25
papers

507
citations

623188

14
h-index

713013

21
g-index

26
all docs

26
docs citations

26
times ranked

687
citing authors

#	ARTICLE	IF	CITATIONS
1	Vestibular Nerve Atrophy After Vestibular Neuritis – Results from a Prospective High-Resolution MRI Study. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2020, 192, 854-861.	0.7	6
2	Coronal oblique orientation of the neural foramen improves cervical spine MRI: A comparison of the sensitivity of different angulations. <i>Clinical Imaging</i> , 2019, 53, 162-168.	0.8	0
3	Overdiagnosis is Stressful. <i>Deutsches &#x0308;rzteblatt International</i> , 2018, 115, 324-325.	0.6	0
4	Association between Magnetic Resonance Imaging and the Result of Medial Branch Blocks. <i>Pain Studies and Treatment</i> , 2017, 05, 1-10.	0.3	2
5	Magnetic Resonance Imaging Can Detect Symptomatic Patients with Facet Joint Pain. A Retrospective Analysis. <i>Journal of Clinical Medical and Experimental Images</i> , 2017, 1, 027-036.	0.1	1
6	First Report of Recurrent Intramuscular Lipoma after Decompression Surgery of the Lumbar Spine. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2016, 77, 068-072.	0.4	2
7	Response to Transforaminal Injection of Steroids and Correlation to MRI Findings in Patients with Cervical Radicular Pain or Radiculopathy due to Disc Herniation or Spondylosis. <i>Pain Medicine</i> , 2014, 15, 929-937.	0.9	18
8	Regionally accentuated reversible brain grey matter reduction in ultra marathon runners detected by voxel-based morphometry. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2014, 6, 4.	0.7	17
9	Correspondence to Tesarz et al. Alterations in endogenous pain modulation in endurance athletes: An experimental study using quantitative sensory testing and the cold-pressor task. <i>PAIN®</i> 154, 1022â€“29, 2013. <i>Pain</i> , 2013, 154, 2234-2235.	2.0	5
10	Ultraâ€“marathon runners <A>re <D>ifferent: <I>nvestigations into <P>ain <T>olerance and <P>ersonality <T>raits of <P>articipants of the TransEurope FootRace 2009. <i>Pain Practice</i> , 2013, 13, 524-532.	0.9	64
11	The foot in multistage ultra-marathon runners: experience in a cohort study of 22 participants of the Trans Europe Footrace Project with mobile MRI. <i>BMJ Open</i> , 2012, 2, e001118.	0.8	28
12	Comparison of inversion recovery and contrast-enhanced T1-weighted fat-suppressed sequences for the staging of cervical lymphoma. <i>Clinical Imaging</i> , 2012, 36, 568-573.	0.8	0
13	The Transeurope Footrace Project: longitudinal data acquisition in a cluster randomized mobile MRI observational cohort study on 44 endurance runners at a 64-stage 4,486km transcontinental ultramarathon. <i>BMC Medicine</i> , 2012, 10, 78.	2.3	47
14	Long-Term Outcome in Transient Global Amnesia Patients with and without Focal Hyperintensities in the CA1 Region of the Hippocampus. <i>European Neurology</i> , 2012, 67, 155-160.	0.6	24
15	Substantial and reversible brain gray matter reduction but no acute brain lesions in ultramarathon runners: experience from the TransEurope-FootRace Project. <i>BMC Medicine</i> , 2012, 10, 170.	2.3	27
16	Sixty-four MDCT achieves higher contrast in pancreas with optimization of scan time delay. <i>World Journal of Radiology</i> , 2012, 4, 324.	0.5	2
17	The Role of Periaqueductal Gray and Cingulate Cortex During Suppression of Pain in Complex Regional Pain Syndrome. <i>Clinical Journal of Pain</i> , 2011, 27, 796-804.	0.8	33
18	Empty nose syndrome: Limbic system activation observed by functional magnetic resonance imaging. <i>Laryngoscope</i> , 2011, 121, 2019-2025.	1.1	38

#	ARTICLE	IF	CITATIONS
19	Caudate Nucleus and Insular Activation During a Pain Suppression Paradigm Comparing Thermal and Electrical Stimulation. <i>Open Neuroimaging Journal</i> , 2011, 5, 1-8.	0.2	37
20	Different Activation of Opercular and Posterior Cingulate Cortex (PCC) in Patients With Complex Regional Pain Syndrome (CRPS I) Compared With Healthy Controls During Perception of Electrically Induced Pain: A Functional MRI Study. <i>Clinical Journal of Pain</i> , 2010, 26, 339-347.	0.8	46
21	Cortical Activation during a Pitch Discrimination Task in Tinnitus Patients and Controls – An fMRI Study. <i>Audiology and Neuro-Otology</i> , 2010, 15, 137-148.	0.6	17
22	Graded cutaneous electrical vs thermal stimulation in humans shows different insular and cingulate cortex activation. <i>Somatosensory & Motor Research</i> , 2010, 27, 15-27.	0.4	5
23	MRI-Based Separation of Congenital and Acquired Vertebrobasilar Artery Anomalies in Ischemic Stroke of the Posterior Circulation. <i>Stroke</i> , 2008, 39, 2382-2384.	1.0	6
24	Cortical correlates of perception and suppression of electrically induced pain. <i>Somatosensory & Motor Research</i> , 2007, 24, 203-212.	0.4	35
25	MR neurography with multiplanar reconstruction of 3D MRI datasets: an anatomical study and clinical applications. <i>Neuroradiology</i> , 2007, 49, 335-341.	1.1	47