

Lena Gustafsson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8362511/lena-gustafsson-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

5,035
citations

34
h-index

70
g-index

90
ext. papers

5,593
ext. citations

4.4
avg, IF

5.54
L-index

#	Paper	IF	Citations
85	Burn severity and soil chemistry are weak drivers of early vegetation succession following a boreal mega-fire in a production forest landscape. <i>Journal of Vegetation Science</i> , 2021 , 32, e12966	3.1	1
84	Resilience impacts of a secondary disturbance: Meta-analysis of salvage logging effects on tree regeneration. <i>Journal of Ecology</i> , 2021 , 109, 3224-3232	6	4
83	Environmental policies to cope with novel disturbance regimes—steps to address a world scientists' warning to humanity. <i>Environmental Research Letters</i> , 2021 , 16, 021003	6.2	6
82	Interactions between local and global drivers determine long-term trends in boreal forest understorey vegetation. <i>Global Ecology and Biogeography</i> , 2021 , 30, 1765-1780	6.1	2
81	Disturbance interval modulates the starting point for vegetation succession. <i>Ecology</i> , 2021 , 102, e03439	4.6	1
80	What does FSC forest certification contribute to biodiversity conservation in relation to national legislation?. <i>Journal of Environmental Management</i> , 2021 , 299, 113606	7.9	1
79	Salvage logging effects on regulating ecosystem services and fuel loads. <i>Frontiers in Ecology and the Environment</i> , 2020 , 18, 391-400	5.5	24
78	Fewer butterflies and a different composition of bees, wasps and hoverflies on recently burned compared to unburned clear-cuts, regardless of burn severity. <i>Forest Ecology and Management</i> , 2020 , 463, 118033	3.9	7
77	Research on retention forestry in Northern Europe. <i>Ecological Processes</i> , 2020 , 9,	3.6	21
76	Retention as an integrated biodiversity conservation approach for continuous-cover forestry in Europe. <i>Ambio</i> , 2020 , 49, 85-97	6.5	51
75	Keeping pace with forestry: Multi-scale conservation in a changing production forest matrix. <i>Ambio</i> , 2020 , 49, 1050-1064	6.5	37
74	Rapid ecological response and intensified knowledge accumulation following a north European mega-fire. <i>Scandinavian Journal of Forest Research</i> , 2019 , 34, 234-253	1.7	30
73	The effectiveness of area protection to capture coastal bird richness and occurrence in the Swedish archipelago. <i>Global Ecology and Conservation</i> , 2019 , 17, e00528	2.8	0
72	Half a century of multiple anthropogenic stressors has altered northern forest understorey plant communities. <i>Ecological Applications</i> , 2019 , 29, e01874	4.9	26
71	Epiphytic lichen responses to environmental change due to clear-cutting differ among tree taxa. <i>Journal of Vegetation Science</i> , 2018 , 29, 1065-1074	3.1	2
70	Salvage logging in the world's forests: Interactions between natural disturbance and logging need recognition. <i>Global Ecology and Biogeography</i> , 2018 , 27, 1140-1154	6.1	72
69	Salvage logging effects on regulating and supporting ecosystem services—a systematic map. <i>Canadian Journal of Forest Research</i> , 2018 , 48, 983-1000	1.9	48

68	Biodiversity and ecosystem services in forest ecosystems: a research agenda for applied forest ecology. <i>Journal of Applied Ecology</i> , 2017 , 54, 12-27	5.8	178
67	Landscape properties affect biodiversity response to retention approaches in forestry. <i>Journal of Applied Ecology</i> , 2017 , 54, 1627-1637	5.8	21
66	Economic development, institutions, and biodiversity loss at the global scale. <i>Regional Environmental Change</i> , 2016 , 16, 445-457	4.3	14
65	A cross-continental comparison of plant and beetle responses to retention of forest patches during timber harvest. <i>Ecological Applications</i> , 2016 , 26, 2493-2504	4.9	32
64	Life history traits predict the response to increased light among 33 tropical rainforest tree species. <i>Forest Ecology and Management</i> , 2016 , 362, 20-28	3.9	24
63	Weak response of bryophyte assemblages to second commercial thinning in boreal spruce forest of south-central Sweden. <i>Scandinavian Journal of Forest Research</i> , 2016 , 31, 19-28	1.7	2
62	How climate change adaptation and mitigation strategies can threaten or enhance the biodiversity of production forests: Insights from Sweden. <i>Biological Conservation</i> , 2016 , 194, 11-20	6.2	75
61	Considering Future Potential Regarding Structural Diversity in Selection of Forest Reserves. <i>PLoS ONE</i> , 2016 , 11, e0148960	3.7	7
60	Tree traits and canopy closure data from an experiment with 34 planted species native to Sabah, Borneo. <i>Data in Brief</i> , 2016 , 6, 466-70	1.2	2
59	Conservation values of certified-driven voluntary forest set-asides. <i>Forest Ecology and Management</i> , 2016 , 375, 249-258	3.9	12
58	Retention forestry in Sweden: driving forces, debate and implementation 1968-2003. <i>Scandinavian Journal of Forest Research</i> , 2015 , 30, 154-173	1.7	36
57	Functional redundancy of multiple forest taxa along an elevational gradient: predicting the consequences of non-random species loss. <i>Journal of Biogeography</i> , 2015 , 42, 1383-1396	4.1	21
56	Natural Versus National Boundaries: the Importance of Considering Biogeographical Patterns in Forest Conservation Policy. <i>Conservation Letters</i> , 2015 , 8, 50-57	6.9	15
55	Tree Species Composition Predicts Epiphytic Lichen Communities in an African Montane Rain Forest. <i>Biotropica</i> , 2015 , 47, 542-549	2.3	6
54	Does post-disturbance salvage logging affect the provision of ecosystem services? A systematic review protocol. <i>Environmental Evidence</i> , 2015 , 4,	3.3	16
53	Nesting of solitary wasps and bees in natural and artificial holes in dead wood in young boreal forest stands. <i>Insect Conservation and Diversity</i> , 2015 , 8, 493-504	3.8	19
52	Tree retention practices in boreal forests: what kind of future landscapes are we creating?. <i>Scandinavian Journal of Forest Research</i> , 2015 , 30, 526-537	1.7	10
51	The value of information in conservation planning: Selecting retention trees for lichen conservation. <i>Forest Ecology and Management</i> , 2014 , 318, 175-182	3.9	12

50	Spatial and temporal scales relevant for conservation of dead-wood associated species: current status and perspectives. <i>Biodiversity and Conservation</i> , 2014 , 23, 513-535	3.4	67
49	Biological legacies buffer local species extinction after logging. <i>Journal of Applied Ecology</i> , 2014 , 51, 53-62	5.8	36
48	Can retention forestry help conserve biodiversity? A meta-analysis. <i>Journal of Applied Ecology</i> , 2014 , 51, 1669-1679	5.8	243
47	How reserve selection is affected by preferences in Swedish boreal forests. <i>Forest Policy and Economics</i> , 2014 , 41, 40-50	3.6	2
46	Survival and vitality of a macrolichen 14 years after transplantation on aspen trees retained at clearcutting. <i>Forest Ecology and Management</i> , 2013 , 291, 436-441	3.9	20
45	Higher levels of multiple ecosystem services are found in forests with more tree species. <i>Nature Communications</i> , 2013 , 4, 1340	17.4	776
44	Retaining trees for conservation at clearcutting has increased structural diversity in young Swedish production forests. <i>Forest Ecology and Management</i> , 2013 , 304, 312-321	3.9	42
43	Lichen species richness on retained aspens increases with time since clear-cutting. <i>Forest Ecology and Management</i> , 2013 , 293, 49-56	3.9	25
42	Retention Forestry to Maintain Multifunctional Forests: A World Perspective. <i>BioScience</i> , 2012 , 62, 633-645	5.7	540
41	Does the amount of trees retained at clearfelling of temperate and boreal forests influence biodiversity response?. <i>Environmental Evidence</i> , 2012 , 1, 5	3.3	2
40	A major shift to the retention approach for forestry can help resolve some global forest sustainability issues. <i>Conservation Letters</i> , 2012 , 5, 421-431	6.9	274
39	Hotspots in cold climate: Conservation value of woodland key habitats in boreal forests. <i>Biological Conservation</i> , 2011 , 144, 2061-2067	6.2	39
38	Introducing Intensively Managed Spruce Plantations in Swedish Forest Landscapes will Impair Biodiversity Decline. <i>Forests</i> , 2011 , 2, 610-630	2.8	17
37	Forests regenerating after clear-cutting function as habitat for bryophyte and lichen species of conservation concern. <i>PLoS ONE</i> , 2011 , 6, e18639	3.7	35
36	Cost-effective age structure and geographical distribution of boreal forest reserves. <i>Journal of Applied Ecology</i> , 2011 , 48, 133-142	5.8	20
35	Fine-scale conservation planning outside of reserves: Cost-effective selection of retention patches at final harvest. <i>Ecological Economics</i> , 2011 , 70, 771-777	5.6	11
34	Tree retention as a conservation measure in clear-cut forests of northern Europe: a review of ecological consequences. <i>Scandinavian Journal of Forest Research</i> , 2010 , 25, 295-308	1.7	171
33	Co-variation of lichens, bryophytes, saproxylic beetles and dead wood in Swedish boreal forests. <i>Systematics and Biodiversity</i> , 2010 , 8, 247-256	1.7	12

32	Woodland key habitats in northern Europe: concepts, inventory and protection. <i>Scandinavian Journal of Forest Research</i> , 2010 , 25, 309-324	1.7	95
31	Biodiversity conservation in Swedish forests: ways forward for a 30-year-old multi-scaled approach. <i>Ambio</i> , 2010 , 39, 546-54	6.5	53
30	Cost-effectiveness of conservation strategies implemented in boreal forests: The area selection process. <i>Biological Conservation</i> , 2009 , 142, 614-624	6.2	21
29	Retention patches as potential refugia for bryophytes and lichens in managed forest landscapes. <i>Biological Conservation</i> , 2009 , 142, 1125-1133	6.2	61
28	Conservation goals and the relative importance of costs and benefits in reserve selection. <i>Conservation Biology</i> , 2008 , 22, 1331-9	6	33
27	Does forest continuity matter in conservation? A study of epiphytic lichens and bryophytes in beech forests of southern Sweden. <i>Biological Conservation</i> , 2008 , 141, 655-668	6.2	130
26	Biodiversity Conservation in Southeast Asian Timber Concessions: a Critical Evaluation of Policy Mechanisms and Guidelines. <i>Ecology and Society</i> , 2008 , 13,	4.1	32
25	Bryophytes and lichens in different types of forest set-asides in boreal Sweden. <i>Forest Ecology and Management</i> , 2007 , 242, 374-390	3.9	30
24	Effects of forest-fuel harvesting on the amount of deadwood on clear-cuts. <i>Scandinavian Journal of Forest Research</i> , 2005 , 20, 235-242	1.7	58
23	Biodiversity value of potential forest fertilisation stands, as assessed by red-listed and signal bryophytes and lichens. <i>Silva Fennica</i> , 2005 , 39,	1.9	6
22	High occurrence of red-listed bryophytes and lichens in mature managed forests in boreal Sweden. <i>Basic and Applied Ecology</i> , 2004 , 5, 123-129	3.2	39
21	Uncommon bryophytes in Swedish forests: key habitats and production forests compared. <i>Forest Ecology and Management</i> , 2004 , 194, 11-22	3.9	30
20	Presence and Abundance of Red-Listed Plant Species in Swedish Forests. <i>Conservation Biology</i> , 2002 , 16, 377-388	6	54
19	Effects on ground vegetation of the application of wood ash to a Swedish Scots pine stand. <i>Basic and Applied Ecology</i> , 2001 , 2, 233-241	3.2	36
18	Red-listed and indicator lichens in woodland key habitats and production forests in Sweden. <i>Canadian Journal of Forest Research</i> , 2001 , 31, 1617-1628	1.9	25
17	Red-listed species and indicators. <i>Biological Conservation</i> , 2000 , 92, 35-43	6.2	43
16	Uncommon vascular plant species in an East-Central Swedish forest area-a comparison between young and old stands. <i>Nordic Journal of Botany</i> , 2000 , 20, 51-60	1.1	4
15	Evaluation of Swedish woodland key habitats using red-listed bryophytes and lichens. <i>Biodiversity and Conservation</i> , 1999 , 8, 1101-1114	3.4	45

14	Retention of trees at final harvest—Evaluation of a conservation technique using epiphytic bryophyte and lichen transplants. <i>Biological Conservation</i> , 1999 , 90, 133-142	6.2	110
13	Presence and abundance of four epiphytic bryophytes in relation to density of aspen (<i>Populus tremula</i>) and other stand characteristics. <i>Forest Ecology and Management</i> , 1998 , 107, 147-158	3.9	52
12	RAPD and morphological analysis of the rare plant species <i>Vicia pisiformis</i> (Fabaceae). <i>Biological Journal of the Linnean Society</i> , 1997 , 61, 325-343	1.9	2
11	RAPD and morphological analysis of the rare plant species <i>Vicia pisiformis</i> (Fabaceae). <i>Biological Journal of the Linnean Society</i> , 1997 , 61, 325-343	1.9	11
10	Factors of Importance for the Epiphytic Vegetation of Aspen <i>Populus tremula</i> with Special Emphasis on Bark Chemistry and Soil Chemistry. <i>Journal of Applied Ecology</i> , 1995 , 32, 412	5.8	99
9	Threat Levels and Threats to Red-Listed Species in Swedish Forests. <i>Conservation Biology</i> , 1995 , 9, 1629-1633	7.1	71
8	Low genetic variation in Swedish populations of the rare species <i>Vicia pisiformis</i> (Fabaceae) revealed with rflp (rDNA) and RAPD. <i>Plant Systematics and Evolution</i> , 1994 , 189, 133-148	1.3	26
7	Threatened Plant, Animal, and Fungus Species in Swedish Forests: Distribution and Habitat Associations. <i>Conservation Biology</i> , 1994 , 8, 718-731	6	474
6	A comparison of biological characteristics and distribution between Swedish threatened and non-threatened forest vascular plants. <i>Ecography</i> , 1994 , 17, 39-49	6.5	29
5	Factors of Importance to Some Lichen Species of Deciduous Broad-Leaved Woods in Southern Sweden. <i>Lichenologist</i> , 1992 , 24, 255-266	1.1	43
4	Semi-natural deciduous broadleaved woods in southern Sweden—habitat factors of importance to some bryophyte species. <i>Biological Conservation</i> , 1992 , 59, 175-181	6.2	32
3	Bryophyte flora and vegetation of managed and virgin coniferous forests in South-West Sweden. <i>Biological Conservation</i> , 1988 , 44, 283-300	6.2	79
2	Vegetation succession during the establishment of an energy forest on a sphagnum peat bog in east-central Sweden. <i>Scandinavian Journal of Forest Research</i> , 1988 , 3, 371-385	1.7	5
1	Plant conservation aspects of energy forestry—A new type of land use in Sweden. <i>Forest Ecology and Management</i> , 1987 , 21, 141-161	3.9	32