

Makrina Totsika

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8362646/makrina-totsika-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

4,258
citations

37
h-index

64
g-index

106
ext. papers

5,240
ext. citations

5.7
avg, IF

5.51
L-index

#	Paper	IF	Citations
91	Global dissemination of a multidrug resistant Escherichia coli clone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5694-9	11.5	354
90	Host-pathogen checkpoints and population bottlenecks in persistent and intracellular uropathogenic Escherichia coli bladder infection. <i>FEMS Microbiology Reviews</i> , 2012 , 36, 616-48	15.1	231
89	DSB proteins and bacterial pathogenicity. <i>Nature Reviews Microbiology</i> , 2009 , 7, 215-25	22.2	217
88	Bacterial Biofilm Eradication Agents: A Current Review. <i>Frontiers in Chemistry</i> , 2019 , 7, 824	5	171
87	Discovery of an archetypal protein transport system in bacterial outer membranes. <i>Nature Structural and Molecular Biology</i> , 2012 , 19, 506-10, S1	17.6	157
86	Insights into a multidrug resistant Escherichia coli pathogen of the globally disseminated ST131 lineage: genome analysis and virulence mechanisms. <i>PLoS ONE</i> , 2011 , 6, e26578	3.7	149
85	Uropathogenic Escherichia coli virulence and innate immune responses during urinary tract infection. <i>Current Opinion in Microbiology</i> , 2013 , 16, 100-7	7.9	136
84	UpaG, a new member of the trimeric autotransporter family of adhesins in uropathogenic Escherichia coli. <i>Journal of Bacteriology</i> , 2008 , 190, 4147-61	3.5	119
83	Chaperone-usher fimbriae of Escherichia coli. <i>PLoS ONE</i> , 2013 , 8, e52835	3.7	111
82	Sortase A: an ideal target for anti-virulence drug development. <i>Microbial Pathogenesis</i> , 2014 , 77, 105-12	3.8	106
81	The serum resistome of a globally disseminated multidrug resistant uropathogenic Escherichia coli clone. <i>PLoS Genetics</i> , 2013 , 9, e1003834	6	106
80	A FimH inhibitor prevents acute bladder infection and treats chronic cystitis caused by multidrug-resistant uropathogenic Escherichia coli ST131. <i>Journal of Infectious Diseases</i> , 2013 , 208, 921-8	7	96
79	The antigen 43 structure reveals a molecular Velcro-like mechanism of autotransporter-mediated bacterial clumping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 457-62	11.5	88
78	Structure and function of DsbA, a key bacterial oxidative folding catalyst. <i>Antioxidants and Redox Signaling</i> , 2011 , 14, 1729-60	8.4	86
77	Virulence properties of asymptomatic bacteriuria Escherichia coli. <i>International Journal of Medical Microbiology</i> , 2009 , 299, 53-63	3.7	78
76	Contribution of siderophore systems to growth and urinary tract colonization of asymptomatic bacteriuria Escherichia coli. <i>Infection and Immunity</i> , 2012 , 80, 333-44	3.7	76
75	The complete genome sequence of Escherichia coli EC958: a high quality reference sequence for the globally disseminated multidrug resistant E. coli O25b:H4-ST131 clone. <i>PLoS ONE</i> , 2014 , 9, e104400	3.7	75

74	Innate transcriptional networks activated in bladder in response to uropathogenic Escherichia coli drive diverse biological pathways and rapid synthesis of IL-10 for defense against bacterial urinary tract infection. <i>Journal of Immunology</i> , 2012 , 188, 781-92	5.3	71
73	Uropathogenic Escherichia coli mediated urinary tract infection. <i>Current Drug Targets</i> , 2012 , 13, 1386-993		71
72	UpaH is a newly identified autotransporter protein that contributes to biofilm formation and bladder colonization by uropathogenic Escherichia coli CFT073. <i>Infection and Immunity</i> , 2010 , 78, 1659-69	3.7	70
71	Demonstration of regulatory cross-talk between P fimbriae and type 1 fimbriae in uropathogenic Escherichia coli. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 1143-1153	2.9	67
70	Molecular characterization of UpaB and UpaC, two new autotransporter proteins of uropathogenic Escherichia coli CFT073. <i>Infection and Immunity</i> , 2012 , 80, 321-32	3.7	66
69	Role of capsule and O antigen in the virulence of uropathogenic Escherichia coli. <i>PLoS ONE</i> , 2014 , 9, e94386	3.86	63
68	The saliva microbiome profiles are minimally affected by collection method or DNA extraction protocols. <i>Scientific Reports</i> , 2017 , 7, 8523	4.9	62
67	Oral Microbiome: A New Biomarker Reservoir for Oral and Oropharyngeal Cancers. <i>Theranostics</i> , 2017 , 7, 4313-4321	12.1	60
66	Characterization of two homologous disulfide bond systems involved in virulence factor biogenesis in uropathogenic Escherichia coli CFT073. <i>Journal of Bacteriology</i> , 2009 , 191, 3901-8	3.5	60
65	Strain- and host species-specific inflammasome activation, IL-1 β release, and cell death in macrophages infected with uropathogenic Escherichia coli. <i>Mucosal Immunology</i> , 2016 , 9, 124-36	9.2	57
64	Molecular characterization of the EhaG and UpaG trimeric autotransporter proteins from pathogenic Escherichia coli. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 2179-89	4.8	56
63	The co-transcriptome of uropathogenic Escherichia coli-infected mouse macrophages reveals new insights into host-pathogen interactions. <i>Cellular Microbiology</i> , 2015 , 17, 730-46	3.9	55
62	The Performance of an Oral Microbiome Biomarker Panel in Predicting Oral Cavity and Oropharyngeal Cancers. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018 , 8, 267	5.9	54
61	Molecular analysis of the Acinetobacter baumannii biofilm-associated protein. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 6535-43	4.8	49
60	Intramacrophage survival of uropathogenic Escherichia coli: differences between diverse clinical isolates and between mouse and human macrophages. <i>Immunobiology</i> , 2011 , 216, 1164-71	3.4	49
59	Autotransporters of Escherichia coli: a sequence-based characterization. <i>Microbiology (United Kingdom)</i> , 2010 , 156, 2459-2469	2.9	47
58	Structural and functional characterization of three DsbA paralogues from Salmonella enterica serovar typhimurium. <i>Journal of Biological Chemistry</i> , 2010 , 285, 18423-32	5.4	41
57	The Escherichia coli O157:H7 EhaB autotransporter protein binds to laminin and collagen I and induces a serum IgA response in O157:H7 challenged cattle. <i>Environmental Microbiology</i> , 2009 , 11, 1803-14	5.2	40

56	Molecular analysis of type 3 fimbrial genes from Escherichia coli, Klebsiella and Citrobacter species. <i>BMC Microbiology</i> , 2010 , 10, 183	4.5	39
55	Comparative proteomics of uropathogenic Escherichia coli during growth in human urine identify UCA-like (UCL) fimbriae as an adherence factor involved in biofilm formation and binding to uroepithelial cells. <i>Journal of Proteomics</i> , 2016 , 131, 177-189	3.9	38
54	Application of fragment-based screening to the design of inhibitors of Escherichia coli DsbA. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 2179-84	16.4	36
53	The cytochrome bd-I respiratory oxidase augments survival of multidrug-resistant Escherichia coli during infection. <i>Scientific Reports</i> , 2016 , 6, 35285	4.9	34
52	Regulation of P-fimbrial phase variation frequencies in Escherichia coli CFT073. <i>Infection and Immunity</i> , 2007 , 75, 3325-34	3.7	34
51	F9 fimbriae of uropathogenic Escherichia coli are expressed at low temperature and recognise Gal β -3GlcNAc-containing glycans. <i>PLoS ONE</i> , 2014 , 9, e93177	3.7	30
50	Identification of genes important for growth of asymptomatic bacteriuria Escherichia coli in urine. <i>Infection and Immunity</i> , 2012 , 80, 3179-88	3.7	30
49	UafB is a serine-rich repeat adhesin of Staphylococcus saprophyticus that mediates binding to fibronectin, fibrinogen and human uroepithelial cells. <i>Microbiology (United Kingdom)</i> , 2011 , 157, 1161-1173	12.9	29
48	Regulatory interplay between pap operons in uropathogenic Escherichia coli. <i>Molecular Microbiology</i> , 2008 , 67, 996-1011	4.1	29
47	Functional heterogeneity of the UpaH autotransporter protein from uropathogenic Escherichia coli. <i>Journal of Bacteriology</i> , 2012 , 194, 5769-82	3.5	28
46	Comparative analysis of the uropathogenic Escherichia coli surface proteome by tandem mass-spectrometry of artificially induced outer membrane vesicles. <i>Journal of Proteomics</i> , 2015 , 115, 93-106	3.9	26
45	Comparative analysis of FimB and FimE recombinase activity. <i>Microbiology (United Kingdom)</i> , 2007 , 153, 4138-4149	2.9	26
44	Benefits and Challenges of Antivirulence Antimicrobials at the Dawn of the Post-Antibiotic Era. <i>Drug Delivery Letters</i> , 2016 , 6, 30-37	0.8	26
43	Phage library screening for the rapid identification and in vivo testing of candidate genes for a DNA vaccine against Mycoplasma mycoides subsp. mycoides small colony biotype. <i>Infection and Immunity</i> , 2006 , 74, 167-74	3.7	25
42	Intestinal Colonization Traits of Pandemic Multidrug-Resistant Escherichia coli ST131. <i>Journal of Infectious Diseases</i> , 2018 , 218, 979-990	7	24
41	Inhibition of Diverse DsbA Enzymes in Multi-DsbA Encoding Pathogens. <i>Antioxidants and Redox Signaling</i> , 2018 , 29, 653-666	8.4	24
40	The role of H4 flagella in Escherichia coli ST131 virulence. <i>Scientific Reports</i> , 2015 , 5, 16149	4.9	24
39	Escherichia coli isolates causing asymptomatic bacteriuria in catheterized and noncatheterized individuals possess similar virulence properties. <i>Journal of Clinical Microbiology</i> , 2010 , 48, 2449-58	9.7	24

38	Characterization of EhaJ, a New Autotransporter Protein from Enterohemorrhagic and Enteropathogenic Escherichia coli. <i>Frontiers in Microbiology</i> , 2011 , 2, 120	5.7	22
37	Molecular characterization of Escherichia coli strains that cause symptomatic and asymptomatic urinary tract infections. <i>Journal of Clinical Microbiology</i> , 2012 , 50, 1027-30	9.7	22
36	Molecular Characterization of the Vacuolating Autotransporter Toxin in Uropathogenic Escherichia coli. <i>Journal of Bacteriology</i> , 2016 , 198, 1487-98	3.5	21
35	Molecular analysis of asymptomatic bacteriuria Escherichia coli strain VR50 reveals adaptation to the urinary tract by gene acquisition. <i>Infection and Immunity</i> , 2015 , 83, 1749-64	3.7	20
34	Molecular characterization of endocarditis-associated Staphylococcus aureus. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 2131-8	9.7	20
33	Escherichia coli 83972 expressing a P fimbriae oligosaccharide receptor mimic impairs adhesion of uropathogenic E. coli. <i>Journal of Infectious Diseases</i> , 2012 , 206, 1242-9	7	20
32	Biofilm formation by multidrug resistant Escherichia coli ST131 is dependent on type 1 fimbriae and assay conditions. <i>Pathogens and Disease</i> , 2016 , 74,	4.2	16
31	A shape-shifting redox foldase contributes to Proteus mirabilis copper resistance. <i>Nature Communications</i> , 2017 , 8, 16065	17.4	15
30	Characterisation of a cell wall-anchored protein of Staphylococcus saprophyticus associated with linoleic acid resistance. <i>BMC Microbiology</i> , 2012 , 12, 8	4.5	15
29	Comprehensive analysis of type 1 fimbriae regulation in fimB-null strains from the multidrug resistant Escherichia coli ST131 clone. <i>Molecular Microbiology</i> , 2016 , 101, 1069-87	4.1	13
28	YeeJ is an inverse autotransporter from Escherichia coli that binds to peptidoglycan and promotes biofilm formation. <i>Scientific Reports</i> , 2017 , 7, 11326	4.9	12
27	Experimental colonization of the canine urinary tract with the asymptomatic bacteriuria Escherichia coli strain 83972. <i>Veterinary Microbiology</i> , 2011 , 147, 205-8	3.3	11
26	Moraxella catarrhalis NucM is an entry nuclease involved in extracellular DNA and RNA degradation, cell competence and biofilm scaffolding. <i>Scientific Reports</i> , 2019 , 9, 2579	4.9	9
25	Rapid Elaboration of Fragments into Leads by X-ray Crystallographic Screening of Parallel Chemical Libraries (REFIL). <i>Journal of Medicinal Chemistry</i> , 2020 , 63, 6863-6875	8.3	9
24	Differential Regulation of the Surface-Exposed and Secreted SsIE Lipoprotein in Extraintestinal Pathogenic Escherichia coli. <i>PLoS ONE</i> , 2016 , 11, e0162391	3.7	8
23	Eradicating uropathogenic biofilms with a ciprofloxacin-dinitroxide conjugate. <i>MedChemComm</i> , 2019 , 10, 699-711	5	7
22	Muramidases found in the foregut microbiome of the Tammar wallaby can direct cell aggregation and biofilm formation. <i>ISME Journal</i> , 2011 , 5, 341-50	11.9	7
21	Expression and crystallization of SeDsbA, SeDsbL and SeSrgA from Salmonella enterica serovar Typhimurium. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 601-4		7

20	Nitroxide Functionalized Antibiotics Are Promising Eradication Agents against <i>Staphylococcus aureus</i> Biofilms. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 64,	5.9	7
19	Profluorescent Fluoroquinolone-Nitroxides for Investigating Antibiotic-Bacterial Interactions. <i>Antibiotics</i> , 2019 , 8,	4.9	5
18	Self-derived structure-disrupting peptides targeting methionine aminopeptidase in pathogenic bacteria: a new strategy to generate antimicrobial peptides. <i>FASEB Journal</i> , 2019 , 33, 2095-2104	0.9	5
17	Elaboration of a benzofuran scaffold and evaluation of binding affinity and inhibition of <i>Escherichia coli</i> DsbA: A fragment-based drug design approach to novel antivirulence compounds. <i>Bioorganic and Medicinal Chemistry</i> , 2021 , 45, 116315	3.4	5
16	BcfH Is a Trimeric Thioredoxin-Like Bifunctional Enzyme with Both Thiol Oxidase and Disulfide Isomerase Activities. <i>Antioxidants and Redox Signaling</i> , 2021 , 35, 21-39	8.4	4
15	A high-throughput cell-based assay pipeline for the preclinical development of bacterial DsbA inhibitors as antivirulence therapeutics. <i>Scientific Reports</i> , 2021 , 11, 1569	4.9	4
14	Combination Therapies for Biofilm Inhibition and Eradication: A Comparative Review of Laboratory and Preclinical Studies.. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022 , 12, 850030	5.9	4
13	Chemoradiation therapy changes oral microbiome and metabolomic profiles in patients with oral cavity cancer and oropharyngeal cancer. <i>Head and Neck</i> , 2021 , 43, 1521-1534	4.2	3
12	Application of Fragment-Based Screening to the Design of Inhibitors of <i>Escherichia coli</i> DsbA. <i>Angewandte Chemie</i> , 2015 , 127, 2207-2212	3.6	2
11	Differential Afa/Dr Fimbriae Expression in the Multidrug-Resistant <i>Escherichia coli</i> ST131 Clone.. <i>MBio</i> , 2022 , e0351921	7.8	2
10	The Wzi outer membrane protein mediates assembly of a tight capsular polysaccharide layer on the <i>Acinetobacter baumannii</i> cell surface. <i>Scientific Reports</i> , 2021 , 11, 21741	4.9	2
9	Antivirulence DsbA inhibitors attenuate serovar Typhimurium fitness without detectable resistance. <i>FASEB BioAdvances</i> , 2021 , 3, 231-242	2.8	2
8	Structural bioinformatic analysis of DsbA proteins and their pathogenicity associated substrates. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 4725-4737	6.8	2
7	An Reconstructed Human Skin Equivalent Model to Study the Role of Skin Integration Around Percutaneous Devices Against Bacterial Infection. <i>Frontiers in Microbiology</i> , 2020 , 11, 670	5.7	1
6	Nitroxide functionalized antibiotics are promising eradication agents against <i>Staphylococcus aureus</i> biofilms		1
5	Variation of Antigen 43 self-association modulates bacterial compacting within aggregates and biofilms.. <i>Npj Biofilms and Microbiomes</i> , 2022 , 8, 20	8.2	1
4	Isothiazolone-Nitroxide Hybrids with Activity against Antibiotic-Resistant Biofilms.. <i>ACS Omega</i> , 2022 , 7, 5300-5310	3.9	0
3	The suppressor of copper sensitivity protein C from <i>Caulobacter crescentus</i> is a trimeric disulfide isomerase that binds copper(I) with subpicomolar affinity.. <i>Acta Crystallographica Section D: Structural Biology</i> , 2022 , 78, 337-352	5.5	0

- | | | | |
|---|--|-----|---|
| 2 | Co-Occurrence of Multidrug Resistant <i>Klebsiella pneumoniae</i> Pathogenic Clones of Human Relevance in an Equine Pneumonia Case.. <i>Microbiology Spectrum</i> , 2022 , e0215821 | 8.9 | o |
| 1 | Loss of β Ketoacyl Acyl Carrier Protein Synthase III Activity Restores Multidrug-Resistant <i>Escherichia coli</i> Sensitivity to Previously Ineffective Antibiotics.. <i>MSphere</i> , 2022 , e0011722 | 5 | o |