## Sandra Linde

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/836294/publications.pdf

Version: 2024-02-01

361045 454577 34 951 20 citations h-index g-index papers

34 34 34 1555 citing authors docs citations times ranked all docs

30

#	Article	IF	Citations
1	Immunological and non-immunological effects of cytokines and chemokines in the pathogenesis of chronic Chagas disease cardiomyopathy. Memorias Do Instituto Oswaldo Cruz, 2009, 104, 252-258.	0.8	98
2	TNF gene polymorphisms are associated with reduced survival in severe Chagas' disease cardiomyopathy patients. Microbes and Infection, 2006, 8, 598-603.	1.0	53
3	ATM down-regulation is associated with poor prognosis in sporadic breast carcinomas. Annals of Oncology, 2014, 25, 69-75.	0.6	51
4	HLA and $\hat{l}^2$ -myosin heavy chain do not influence susceptibility to Chagas' disease cardiomyopathy. Microbes and Infection, 2000, 2, 745-751.	1.0	49
5	BAT1,a Putative Antiâ€Inflammatory Gene, Is Associated with Chronic Chagas Cardiomyopathy. Journal of Infectious Diseases, 2006, 193, 1394-1399.	1.9	49
6	<scp>STEAP</scp> 1 protein overexpression is an independent marker for biochemical recurrence in prostate carcinoma. Histopathology, 2013, 63, 678-685.	1.6	45
7	Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor α polymorphisms at position â^308. Journal of Hepatology, 2001, 35, 24-28.	1.8	41
8	Alterations in PTEN, MDM2, TP53 and AR protein and gene expression are associated with canine prostate carcinogenesis. Research in Veterinary Science, 2016, 106, 56-61.	0.9	39
9	Integrative miRNA and mRNA analysis in penile carcinomas reveals markers and pathways with potential clinical impact. Oncotarget, 2017, 8, 15294-15306.	0.8	39
10	Polymorphisms in the Gene for Lymphotoxinâ€Î± Predispose to Chronic Chagas Cardiomyopathy. Journal of Infectious Diseases, 2007, 196, 1836-1843.	1.9	36
11	Down-Regulation of <i>SLC8A1</i> as a Putative Apoptosis Evasion Mechanism by Modulation of Calcium Levels in Penile Carcinoma. Journal of Urology, 2015, 194, 245-251.	0.2	36
12	Circulating miR-16-5p, miR-92a-3p, and miR-451a in Plasma from Lung Cancer Patients: Potential Application in Early Detection and a Regulatory Role in Tumorigenesis Pathways. Cancers, 2020, 12, 2071.	1.7	34
13	MicroRNA modulated networks of adaptive and innate immune response in pancreatic ductal adenocarcinoma. PLoS ONE, 2019, 14, e0217421.	1.1	33
14	Immunohistochemical panel to characterize canine prostate carcinomas according to aberrant p63 expression. PLoS ONE, 2018, 13, e0199173.	1.1	32
15	Common chromosomal imbalances and stemness-related protein expression markers in endometriotic lesions from different anatomical sites: the potential role of stem cells. Human Reproduction, 2012, 27, 3187-3197.	0.4	31
16	Lack of association of tumor necrosis factor-α polymorphisms with Chagas disease in Brazilian patients. Immunology Letters, 2007, 108, 109-111.	1.1	30
17	PSEN1 and PSEN2 Gene Expression in Alzheimer's Disease Brain: A New Approach. Journal of Alzheimer's Disease, 2014, 42, 757-760.	1.2	28
18	Integrated miRNA and mRNA expression analysis uncovers drug targets in laryngeal squamous cell carcinoma patients. Oral Oncology, 2019, 93, 76-84.	0.8	25

#	Article	IF	CITATIONS
19	Genomic Signatures Predict Poor Outcome in Undifferentiated Pleomorphic Sarcomas and Leiomyosarcomas. PLoS ONE, 2013, 8, e67643.	1.1	24
20	Comprehensive Genomic Profiling of Androgen-Receptor-Negative Canine Prostate Cancer. International Journal of Molecular Sciences, 2019, 20, 1555.	1.8	23
21	Absence of transforming growth factor- $\hat{l}^2$ type II receptor is associated with poorer prognosis in HER2-negative breast tumours. Annals of Oncology, 2010, 21, 734-740.	0.6	22
22	Molecular Expression Profile Reveals Potential Biomarkers and Therapeutic Targets in Canine Endometrial Lesions. PLoS ONE, 2015, 10, e0133894.	1.1	21
23	Oncogenic drivers in $11q13$ associated with prognosis and response to therapy in advanced oropharyngeal carcinomas. Oral Oncology, 2018, 83, 81-90.	0.8	20
24	DNA Methylation-Based Method to Differentiate Malignant from Benign Thyroid Lesions. Thyroid, 2019, 29, 1244-1254.	2.4	19
25	A comprehensive characterization of cell cultures and xenografts derived from a human verrucous penile carcinoma. Tumor Biology, 2016, 37, 11375-11384.	0.8	16
26	Differential Expression of Ribosomal Genes in Brain and Blood of Alzheimer's Disease Patients. Current Alzheimer Research, 2015, 12, 984-989.	0.7	11
27	Nuclear loss and cytoplasmic expression of androgen receptor in penile carcinomas: role as a driver event and as a prognosis factor. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2018, 473, 607-614.	1.4	7
28	<i>HABP2</i> p.G534E variant in patients with family history of thyroid and breast cancer. Oncotarget, 2017, 8, 40896-40905.	0.8	7
29	Recurrent copy number gains of ACVR1 and corresponding transcript overexpression are associated with survival in head and neck squamous cell carcinomas. Histopathology, 2011, 59, 81-89.	1.6	6
30	Chromosomal imbalances exclusively detected in invasive front area are associated with poor outcome in laryngeal carcinomas from different anatomical sites. Tumor Biology, 2013, 34, 3015-3026.	0.8	6
31	Downregulation of ATM Gene and Protein Expression in Canine Mammary Tumors. Veterinary Pathology, 2016, 53, 1154-1159.	0.8	6
32	Defining Metabolic Rewiring in Lung Squamous Cell Carcinoma. Metabolites, 2019, 9, 47.	1.3	6
33	Deregulated microRNAs Are Associated with Patient Survival and Predicted to Target Genes That Modulate Lung Cancer Signaling Pathways. Cancers, 2020, 12, 2711.	1.7	5
34	Germline Mutation in MUS81 Resulting in Impaired Protein Stability is Associated with Familial Breast and Thyroid Cancer. Cancers, 2020, 12, 1289.	1.7	3