

Sandra Linde

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/836294/publications.pdf>

Version: 2024-02-01

34
papers

951
citations

361045

20
h-index

454577

30
g-index

34
all docs

34
docs citations

34
times ranked

1555
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating miR-16-5p, miR-92a-3p, and miR-451a in Plasma from Lung Cancer Patients: Potential Application in Early Detection and a Regulatory Role in Tumorigenesis Pathways. <i>Cancers</i> , 2020, 12, 2071.	1.7	34
2	Deregulated microRNAs Are Associated with Patient Survival and Predicted to Target Genes That Modulate Lung Cancer Signaling Pathways. <i>Cancers</i> , 2020, 12, 2711.	1.7	5
3	Germline Mutation in MUS81 Resulting in Impaired Protein Stability is Associated with Familial Breast and Thyroid Cancer. <i>Cancers</i> , 2020, 12, 1289.	1.7	3
4	DNA Methylation-Based Method to Differentiate Malignant from Benign Thyroid Lesions. <i>Thyroid</i> , 2019, 29, 1244-1254.	2.4	19
5	MicroRNA modulated networks of adaptive and innate immune response in pancreatic ductal adenocarcinoma. <i>PLoS ONE</i> , 2019, 14, e0217421.	1.1	33
6	Integrated miRNA and mRNA expression analysis uncovers drug targets in laryngeal squamous cell carcinoma patients. <i>Oral Oncology</i> , 2019, 93, 76-84.	0.8	25
7	Defining Metabolic Rewiring in Lung Squamous Cell Carcinoma. <i>Metabolites</i> , 2019, 9, 47.	1.3	6
8	Comprehensive Genomic Profiling of Androgen-Receptor-Negative Canine Prostate Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1555.	1.8	23
9	Nuclear loss and cytoplasmic expression of androgen receptor in penile carcinomas: role as a driver event and as a prognosis factor. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 607-614.	1.4	7
10	Oncogenic drivers in 11q13 associated with prognosis and response to therapy in advanced oropharyngeal carcinomas. <i>Oral Oncology</i> , 2018, 83, 81-90.	0.8	20
11	Immunohistochemical panel to characterize canine prostate carcinomas according to aberrant p63 expression. <i>PLoS ONE</i> , 2018, 13, e0199173.	1.1	32
12	Integrative miRNA and mRNA analysis in penile carcinomas reveals markers and pathways with potential clinical impact. <i>Oncotarget</i> , 2017, 8, 15294-15306.	0.8	39
13	<i>HABP2</i> p.G534E variant in patients with family history of thyroid and breast cancer. <i>Oncotarget</i> , 2017, 8, 40896-40905.	0.8	7
14	Downregulation of ATM Gene and Protein Expression in Canine Mammary Tumors. <i>Veterinary Pathology</i> , 2016, 53, 1154-1159.	0.8	6
15	Alterations in PTEN, MDM2, TP53 and AR protein and gene expression are associated with canine prostate carcinogenesis. <i>Research in Veterinary Science</i> , 2016, 106, 56-61.	0.9	39
16	A comprehensive characterization of cell cultures and xenografts derived from a human verrucous penile carcinoma. <i>Tumor Biology</i> , 2016, 37, 11375-11384.	0.8	16
17	Molecular Expression Profile Reveals Potential Biomarkers and Therapeutic Targets in Canine Endometrial Lesions. <i>PLoS ONE</i> , 2015, 10, e0133894.	1.1	21
18	Down-Regulation of <i>SLC8A1</i> as a Putative Apoptosis Evasion Mechanism by Modulation of Calcium Levels in Penile Carcinoma. <i>Journal of Urology</i> , 2015, 194, 245-251.	0.2	36

#	ARTICLE	IF	CITATIONS
19	Differential Expression of Ribosomal Genes in Brain and Blood of Alzheimer's Disease Patients. <i>Current Alzheimer Research</i> , 2015, 12, 984-989.	0.7	11
20	ATM down-regulation is associated with poor prognosis in sporadic breast carcinomas. <i>Annals of Oncology</i> , 2014, 25, 69-75.	0.6	51
21	PSEN1 and PSEN2 Gene Expression in Alzheimer's Disease Brain: A New Approach. <i>Journal of Alzheimer's Disease</i> , 2014, 42, 757-760.	1.2	28
22	Chromosomal imbalances exclusively detected in invasive front area are associated with poor outcome in laryngeal carcinomas from different anatomical sites. <i>Tumor Biology</i> , 2013, 34, 3015-3026.	0.8	6
23	STEAP1 protein overexpression is an independent marker for biochemical recurrence in prostate carcinoma. <i>Histopathology</i> , 2013, 63, 678-685.	1.6	45
24	Genomic Signatures Predict Poor Outcome in Undifferentiated Pleomorphic Sarcomas and Leiomyosarcomas. <i>PLoS ONE</i> , 2013, 8, e67643.	1.1	24
25	Common chromosomal imbalances and stemness-related protein expression markers in endometriotic lesions from different anatomical sites: the potential role of stem cells. <i>Human Reproduction</i> , 2012, 27, 3187-3197.	0.4	31
26	Recurrent copy number gains of ACVR1 and corresponding transcript overexpression are associated with survival in head and neck squamous cell carcinomas. <i>Histopathology</i> , 2011, 59, 81-89.	1.6	6
27	Absence of transforming growth factor- β type II receptor is associated with poorer prognosis in HER2-negative breast tumours. <i>Annals of Oncology</i> , 2010, 21, 734-740.	0.6	22
28	Immunological and non-immunological effects of cytokines and chemokines in the pathogenesis of chronic Chagas disease cardiomyopathy. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009, 104, 252-258.	0.8	98
29	Polymorphisms in the Gene for Lymphotoxin- α Predispose to Chronic Chagas Cardiomyopathy. <i>Journal of Infectious Diseases</i> , 2007, 196, 1836-1843.	1.9	36
30	Lack of association of tumor necrosis factor- β polymorphisms with Chagas disease in Brazilian patients. <i>Immunology Letters</i> , 2007, 108, 109-111.	1.1	30
31	TNF gene polymorphisms are associated with reduced survival in severe Chagas' disease cardiomyopathy patients. <i>Microbes and Infection</i> , 2006, 8, 598-603.	1.0	53
32	BAT1, a Putative Anti-inflammatory Gene, Is Associated with Chronic Chagas Cardiomyopathy. <i>Journal of Infectious Diseases</i> , 2006, 193, 1394-1399.	1.9	49
33	Autoimmune hepatitis in Brazilian patients is not linked to tumor necrosis factor- β polymorphisms at position 308. <i>Journal of Hepatology</i> , 2001, 35, 24-28.	1.8	41
34	HLA and β -myosin heavy chain do not influence susceptibility to Chagas' disease cardiomyopathy. <i>Microbes and Infection</i> , 2000, 2, 745-751.	1.0	49