

Fredric B Kraemer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8362997/fredric-b-kraemer-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

7,339
citations

47
h-index

82
g-index

144
ext. papers

8,145
ext. citations

5.7
avg, IF

5.77
L-index

#	Paper	IF	Citations
141	Hormone-sensitive lipase protects adipose triglyceride lipase-deficient mice from lethal lipotoxic cardiomyopathy.. <i>Journal of Lipid Research</i> , 2022 , 100194	6.3	0
140	Hormone sensitive lipase ablation promotes bone regeneration. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2022 , 166449	6.9	0
139	SNAP25 mutation disrupts metabolic homeostasis, steroid hormone production and central neurobehavior. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2021 , 1868, 166304	6.9	0
138	Chemerin regulates formation and function of brown adipose tissue: Ablation results in increased insulin resistance with high fat challenge and aging. <i>FASEB Journal</i> , 2021 , 35, e21687	0.9	0
137	SOD2 deficiency-induced oxidative stress attenuates steroidogenesis in mouse ovarian granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2021 , 519, 110888	4.4	5
136	Hormone-sensitive lipase deficiency affects the expression of SR-BI, LDLr, and ABCA1 receptors/transporters involved in cellular cholesterol uptake and efflux and disturbs fertility in mouse testis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021 , 1866, 159043	5	0
135	FXR activation promotes intestinal cholesterol excretion and attenuates hyperlipidemia in SR-B1-deficient mice fed a high-fat and high-cholesterol diet. <i>Physiological Reports</i> , 2020 , 8, e14387	2.6	5
134	Molecular changes in hepatic metabolism in ZDSD rats-A new polygenic rodent model of obesity, metabolic syndrome, and diabetes. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165688	6.9	2
133	The role of miRNAs in regulating adrenal and gonadal steroidogenesis. <i>Journal of Molecular Endocrinology</i> , 2020 , 64, R21-R43	4.5	12
132	Scavenger receptor class B, type 1 facilitates cellular fatty acid uptake. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020 , 1865, 158554	5	10
131	Identification of p115 as a novel ACSL4 interacting protein and its role in regulating ACSL4 degradation. <i>Journal of Proteomics</i> , 2020 , 229, 103926	3.9	1
130	Slc43a3 is a regulator of free fatty acid flux. <i>Journal of Lipid Research</i> , 2020 , 61, 734-745	6.3	3
129	Cardiac overexpression of perilipin 2 induces atrial steatosis, connexin 43 remodeling, and atrial fibrillation in aged mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 317, E1193-E1204	6	9
128	Tissue-Specific Ablation of ACSL4 Results in Disturbed Steroidogenesis. <i>Endocrinology</i> , 2019 , 160, 2517-2528	4.5	7
127	Liver-specific knockdown of long-chain acyl-CoA synthetase 4 reveals its key role in VLDL-TG metabolism and phospholipid synthesis in mice fed a high-fat diet. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E880-E894	6	12
126	Plasma membrane cholesterol trafficking in steroidogenesis. <i>FASEB Journal</i> , 2019 , 33, 1389-1400	0.9	6
125	Creosote bush-derived NDGA attenuates molecular and pathological changes in a novel mouse model of non-alcoholic steatohepatitis (NASH). <i>Molecular and Cellular Endocrinology</i> , 2019 , 498, 110538	4.4	6

124	Novel ABCA1 peptide agonists with antidiabetic action. <i>Molecular and Cellular Endocrinology</i> , 2019 , 480, 1-11	4.4	3
123	Anti-hyperlipidaemic effects of synthetic analogues of nordihydroguaiaretic acid in dyslipidaemic rats. <i>British Journal of Pharmacology</i> , 2019 , 176, 369-385	8.6	3
122	Nordihydroguaiaretic Acid, a Lignan from (Creosote Bush), Protects Against American Lifestyle-Induced Obesity Syndrome Diet-Induced Metabolic Dysfunction in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018 , 365, 281-290	4.7	12
121	Scavenger receptor B type 1: expression, molecular regulation, and cholesterol transport function. <i>Journal of Lipid Research</i> , 2018 , 59, 1114-1131	6.3	55
120	SR-B1: A Unique Multifunctional Receptor for Cholesterol Influx and Efflux. <i>Annual Review of Physiology</i> , 2018 , 80, 95-116	23.1	146
119	Farnesoid X Receptor Activation by Obeticholic Acid Elevates Liver Low-Density Lipoprotein Receptor Expression by mRNA Stabilization and Reduces Plasma Low-Density Lipoprotein Cholesterol in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2448-2459	9.4	14
118	PPARs: regulators of metabolism and as therapeutic targets in cardiovascular disease. Part I: PPAR- α <i>Future Cardiology</i> , 2017 , 13, 259-278	1.3	72
117	PPARs: regulators of metabolism and as therapeutic targets in cardiovascular disease. Part II: PPAR- β and PPAR- δ <i>Future Cardiology</i> , 2017 , 13, 279-296	1.3	97
116	Cardiac overexpression of perilipin 2 induces dynamic steatosis: prevention by hormone-sensitive lipase. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 313, E699-E709	6	19
115	Regulation of adrenal and ovarian steroidogenesis by miR-132. <i>Journal of Molecular Endocrinology</i> , 2017 , 59, 269-283	4.5	26
114	SNAREs and cholesterol movement for steroidogenesis. <i>Molecular and Cellular Endocrinology</i> , 2017 , 441, 17-21	4.4	15
113	Microarray analysis of gene expression in liver, adipose tissue and skeletal muscle in response to chronic dietary administration of NDGA to high-fructose fed dyslipidemic rats. <i>Nutrition and Metabolism</i> , 2016 , 13, 63	4.6	10
112	Post-transcriptional and Post-translational Regulation of Steroidogenesis 2016 , 253-275		
111	Lipid droplets and steroidogenic cells. <i>Experimental Cell Research</i> , 2016 , 340, 209-14	4.2	81
110	SNARE-Mediated Cholesterol Movement to Mitochondria Supports Steroidogenesis in Rodent Cells. <i>Molecular Endocrinology</i> , 2016 , 30, 234-47		30
109	ACTH Regulation of Adrenal SR-B1. <i>Frontiers in Endocrinology</i> , 2016 , 7, 42	5.7	15
108	Hormone-sensitive lipase deficiency disturbs lipid composition of plasma membrane microdomains from mouse testis. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1142-1150	5	8
107	Using SRM-MS to quantify nuclear protein abundance differences between adipose tissue depots of insulin-resistant mice. <i>Journal of Lipid Research</i> , 2015 , 56, 1068-78	6.3	8

106	Quantification of stromal vascular cell mechanics with a linear cell monolayer rheometer. <i>Journal of Rheology</i> , 2015 , 59, 33-50	4.1	3
105	Effect of Creosote Bush-Derived NDGA on Expression of Genes Involved in Lipid Metabolism in Liver of High-Fructose Fed Rats: Relevance to NDGA Amelioration of Hypertriglyceridemia and Hepatic Steatosis. <i>PLoS ONE</i> , 2015 , 10, e0138203	3.7	16
104	Adipose Triglyceride Lipase, Not Hormone-Sensitive Lipase, Is the Primary Lipolytic Enzyme in Fasting Elephant Seals (<i>Mirounga angustirostris</i>). <i>Physiological and Biochemical Zoology</i> , 2015 , 88, 284-94	4.2	3
103	A Novel Role of Salt-Inducible Kinase 1 (SIK1) in the Post-Translational Regulation of Scavenger Receptor Class B Type 1 Activity. <i>Biochemistry</i> , 2015 , 54, 6917-30	3.2	19
102	p38 MAPK regulates steroidogenesis through transcriptional repression of STAR gene. <i>Journal of Molecular Endocrinology</i> , 2014 , 53, 1-16	4.5	26
101	The proteome of cholesteryl-ester-enriched versus triacylglycerol-enriched lipid droplets. <i>PLoS ONE</i> , 2014 , 9, e105047	3.7	47
100	Gerald M. Reaven, MD: Demonstration of the central role of insulin resistance in type 2 diabetes and cardiovascular disease. <i>Diabetes Care</i> , 2014 , 37, 1178-81	14.6	30
99	Scavenger receptor class B type I (SR-BI): a versatile receptor with multiple functions and actions. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 875-86	12.7	66
98	Anti-hyperlipidemic actions of synthetic nordihydroguaiaretic acid analogs (767.1). <i>FASEB Journal</i> , 2014 , 28, 767.1	0.9	
97	Cholesterol ester droplets and steroidogenesis. <i>Molecular and Cellular Endocrinology</i> , 2013 , 371, 15-9	4.4	46
96	The mineralocorticoid receptor agonist, fludrocortisone, differentially inhibits pituitary-adrenal activity in humans with psychotic major depression. <i>Psychoneuroendocrinology</i> , 2013 , 38, 115-21	5	38
95	Regulation of expression and function of scavenger receptor class B, type I (SR-BI) by Na ⁺ /H ⁺ exchanger regulatory factors (NHERFs). <i>Journal of Biological Chemistry</i> , 2013 , 288, 11416-35	5.4	30
94	Nordihydroguaiaretic acid improves metabolic dysregulation and aberrant hepatic lipid metabolism in mice by both PPAR α -dependent and -independent pathways. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, G72-86	5.1	19
93	Lipid droplet metabolism. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2013 , 16, 632-7	3.8	59
92	Fat-specific protein 27 modulates nuclear factor of activated T cells 5 and the cellular response to stress. <i>Journal of Lipid Research</i> , 2013 , 54, 734-743	6.3	36
91	Mechanisms of action of hormone-sensitive lipase in mouse Leydig cells: its role in the regulation of the steroidogenic acute regulatory protein. <i>Journal of Biological Chemistry</i> , 2013 , 288, 8505-8518	5.4	53
90	Age-related modulation of the effects of obesity on gene expression profiles of mouse bone marrow and epididymal adipocytes. <i>PLoS ONE</i> , 2013 , 8, e72367	3.7	27
89	Hormonal regulation of microRNA expression in steroid producing cells of the ovary, testis and adrenal gland. <i>PLoS ONE</i> , 2013 , 8, e78040	3.7	51

88	HSL-knockout mouse testis exhibits class B scavenger receptor upregulation and disrupted lipid raft microdomains. <i>Journal of Lipid Research</i> , 2012 , 53, 2586-97	6.3	18
87	Ablation of vimentin results in defective steroidogenesis. <i>Endocrinology</i> , 2012 , 153, 3249-57	4.8	50
86	MicroRNAs 125a and 455 repress lipoprotein-supported steroidogenesis by targeting scavenger receptor class B type I in steroidogenic cells. <i>Molecular and Cellular Biology</i> , 2012 , 32, 5035-45	4.8	95
85	Hormone-sensitive lipase modulates adipose metabolism through PPAR α . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011 , 1811, 9-16	5	47
84	The role of lipid droplets in metabolic disease in rodents and humans. <i>Journal of Clinical Investigation</i> , 2011 , 121, 2102-10	15.9	43 ¹
83	Characterization of age-related gene expression profiling in bone marrow and epididymal adipocytes. <i>BMC Genomics</i> , 2011 , 12, 212	4.5	98
82	Hormone-sensitive lipase-knockout mice maintain high bone density during aging. <i>FASEB Journal</i> , 2011 , 25, 2722-30	0.9	8
81	Lipid droplet meets a mitochondrial protein to regulate adipocyte lipolysis. <i>EMBO Journal</i> , 2011 , 30, 4337-9	13	15
80	Strong induction of PCSK9 gene expression through HNF1alpha and SREBP2: mechanism for the resistance to LDL-cholesterol lowering effect of statins in dyslipidemic hamsters. <i>Journal of Lipid Research</i> , 2010 , 51, 1486-95	6.3	175
79	IL-17 regulates adipogenesis, glucose homeostasis, and obesity. <i>Journal of Immunology</i> , 2010 , 185, 6947-59	5.9	257
78	Vimentin is a functional partner of hormone sensitive lipase and facilitates lipolysis. <i>Journal of Proteome Research</i> , 2010 , 9, 1786-94	5.6	26
77	Adipocytes decrease Runx2 expression in osteoblastic cells: roles of PPAR γ and adiponectin. <i>Journal of Cellular Physiology</i> , 2010 , 225, 837-45	7	60
76	Functional interaction of hormone-sensitive lipase and perilipin in lipolysis. <i>Journal of Lipid Research</i> , 2009 , 50, 2306-13	6.3	86
75	Identification of mRNA binding proteins that regulate the stability of LDL receptor mRNA through AU-rich elements. <i>Journal of Lipid Research</i> , 2009 , 50, 820-31	6.3	66
74	Effects of hormone-sensitive lipase disruption on cardiac energy metabolism in response to fasting and refeeding. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E1115-24	6	17
73	Cardiac overexpression of hormone-sensitive lipase inhibits myocardial steatosis and fibrosis in streptozotocin diabetic mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E1109-18	6	50
72	Analysis of polymorphisms in the 3' untranslated region of the LDL receptor gene and their effect on plasma cholesterol levels and drug response. <i>International Journal of Molecular Medicine</i> , 2008 , 21, 345-53	4.4	11
71	Transcriptional activation of hepatic ACSL3 and ACSL5 by oncostatin m reduces hypertriglyceridemia through enhanced beta-oxidation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 2198-205	9.4	38

70	Control of adipose triglyceride lipase action by serine 517 of perilipin A globally regulates protein kinase A-stimulated lipolysis in adipocytes. <i>Journal of Biological Chemistry</i> , 2007 , 282, 996-1002	5.4	218
69	The LDL receptor is not necessary for acute adrenal steroidogenesis in mouse adrenocortical cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007 , 292, E408-12	6	24
68	Effects of rosiglitazone and high fat diet on lipase/esterase expression in adipose tissue. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2007 , 1771, 177-84	5	34
67	Regulation of hormone-sensitive lipase in islets. <i>Diabetes Research and Clinical Practice</i> , 2007 , 75, 14-26	7.4	5
66	Adrenal cholesterol utilization. <i>Molecular and Cellular Endocrinology</i> , 2007 , 265-266, 42-5	4.4	116
65	Generation of novel adipocyte monolayer cultures from embryonic stem cells. <i>Stem Cells and Development</i> , 2007 , 16, 371-80	4.4	13
64	The medicinal plant goldenseal is a natural LDL-lowering agent with multiple bioactive components and new action mechanisms. <i>Journal of Lipid Research</i> , 2006 , 47, 2134-47	6.3	39
63	Elucidation of an SRE-1/SREBP-independent cellular pathway for LDL-receptor regulation: from the cell surface to the nucleus. <i>Future Cardiology</i> , 2006 , 2, 605-12	1.3	3
62	Perilipin promotes hormone-sensitive lipase-mediated adipocyte lipolysis via phosphorylation-dependent and -independent mechanisms. <i>Journal of Biological Chemistry</i> , 2006 , 281, 15837-44	5.4	220
61	Hormone-sensitive lipase knockouts. <i>Nutrition and Metabolism</i> , 2006 , 3, 12	4.6	40
60	Mutational analysis of the "regulatory module" of hormone-sensitive lipase. <i>Biochemistry</i> , 2005 , 44, 1953-9	3.9	17
59	In vivo activities of cytokine oncostatin M in the regulation of plasma lipid levels. <i>Journal of Lipid Research</i> , 2005 , 46, 1163-71	6.3	14
58	Hormone-sensitive lipase is required for high-density lipoprotein cholesteryl ester-supported adrenal steroidogenesis. <i>Molecular Endocrinology</i> , 2004 , 18, 549-57		81
57	Absence of hormone-sensitive lipase inhibits obesity and adipogenesis in Lep ob/ob mice. <i>Journal of Biological Chemistry</i> , 2004 , 279, 15084-90	5.4	45
56	Physical association between the adipocyte fatty acid-binding protein and hormone-sensitive lipase: a fluorescence resonance energy transfer analysis. <i>Journal of Biological Chemistry</i> , 2004 , 279, 52399-405	5.4	45
55	Function of hormone-sensitive lipase in diacylglycerol-protein kinase C pathway. <i>Diabetes Research and Clinical Practice</i> , 2004 , 65, 209-15	7.4	9
54	Lipase-selective functional domains of perilipin A differentially regulate constitutive and protein kinase A-stimulated lipolysis. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51535-42	5.4	101
53	Angiotensin II activates cholesterol ester hydrolase in bovine adrenal glomerulosa cells through phosphorylation mediated by p42/p44 mitogen-activated protein kinase. <i>Endocrinology</i> , 2003 , 144, 4905-15	4.8	42

52	Interaction of hormone-sensitive lipase with steroidogenic acute regulatory protein: facilitation of cholesterol transfer in adrenal. <i>Journal of Biological Chemistry</i> , 2003 , 278, 43870-6	5.4	61
51	Resistance to high-fat diet-induced obesity and altered expression of adipose-specific genes in HSL-deficient mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003 , 285, E1182-95	6	126
50	Sterol-mediated regulation of hormone-sensitive lipase in 3T3-L1 adipocytes. <i>Lipids</i> , 2003 , 38, 743-50	1.6	1
49	Overexpression of leptin in transgenic mice leads to decreased basal lipolysis, PKA activity, and perilipin levels. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 312, 1165-70	3.4	9
48	Fatty acid-binding protein-hormone-sensitive lipase interaction. Fatty acid dependence on binding. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47636-43	5.4	77
47	Identification of Egr1 as the oncostatin M-induced transcription activator that binds to sterol-independent regulatory element of human LDL receptor promoter. <i>Journal of Lipid Research</i> , 2002 , 43, 1477-85	6.3	22
46	Cardiac gene expression profile and lipid accumulation in response to starvation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2002 , 283, E94-E102	6	42
45	Modulation of hormone-sensitive lipase and protein kinase A-mediated lipolysis by perilipin A in an adenoviral reconstituted system. <i>Journal of Biological Chemistry</i> , 2002 , 277, 8267-72	5.4	185
44	Adrenal neutral cholesteryl ester hydrolase: identification, subcellular distribution, and sex differences. <i>Endocrinology</i> , 2002 , 143, 801-6	4.8	50
43	Hormone-sensitive lipase: control of intracellular tri-(di-)acylglycerol and cholesteryl ester hydrolysis. <i>Journal of Lipid Research</i> , 2002 , 43, 1585-94	6.3	363
42	Effectiveness of diabetes management: is improvement feasible?. <i>American Journal of Medicine</i> , 2002 , 112, 670-2	2.4	6
41	Human BMP-7/OP-1 induces the growth and differentiation of adipocytes and osteoblasts in bone marrow stromal cell cultures. <i>Journal of Cellular Biochemistry</i> , 2001 , 82, 187-99	4.7	58
40	Oncostatin M-induced growth inhibition and morphological changes of MDA-MB231 breast cancer cells are abolished by blocking the MEK/ERK signaling pathway. <i>Breast Cancer Research and Treatment</i> , 2001 , 66, 111-21	4.4	21
39	Stimulation of lipolysis and hormone-sensitive lipase via the extracellular signal-regulated kinase pathway. <i>Journal of Biological Chemistry</i> , 2001 , 276, 45456-61	5.4	264
38	Characterization of the functional interaction of adipocyte lipid-binding protein with hormone-sensitive lipase. <i>Journal of Biological Chemistry</i> , 2001 , 276, 49443-8	5.4	64
37	Subcellular localization of insulin receptor substrate family proteins associated with phosphatidylinositol 3-kinase activity and alterations in lipolysis in primary mouse adipocytes from IRS-1 null mice. <i>Diabetes</i> , 2001 , 50, 1455-63	0.9	18
36	Requirement of Sp1 and estrogen receptor alpha interaction in 17beta-estradiol-mediated transcriptional activation of the low density lipoprotein receptor gene expression. <i>Endocrinology</i> , 2001 , 142, 1546-53	4.8	86
35	Absence of cardiac lipid accumulation in transgenic mice with heart-specific HSL overexpression. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2001 , 281, E857-66	6	45

34	Masoprocol decreases rat lipolytic activity by decreasing the phosphorylation of HSL. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000 , 279, E593-600	6	11
33	Identification of a novel sterol-independent regulatory element in the human low density lipoprotein receptor promoter. <i>Journal of Biological Chemistry</i> , 2000 , 275, 5214-21	5.4	44
32	Translocation of hormone-sensitive lipase and perilipin upon lipolytic stimulation of rat adipocytes. <i>Journal of Biological Chemistry</i> , 2000 , 275, 5011-5	5.4	185
31	Lipoprotein receptors, macrophages, and sphingomyelinase. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2000 , 20, 2509-10	9.4	3
30	Do automated calls with nurse follow-up improve self-care and glycemic control among vulnerable patients with diabetes?. <i>American Journal of Medicine</i> , 2000 , 108, 20-7	2.4	249
29	Hormone-sensitive lipase functions as an oligomer. <i>Biochemistry</i> , 2000 , 39, 2392-8	3.2	56
28	Interaction of rat hormone-sensitive lipase with adipocyte lipid-binding protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 5528-32	11.5	175
27	Induction of low density lipoprotein receptor (LDLR) transcription by oncostatin M is mediated by the extracellular signal-regulated kinase signaling pathway and the repeat 3 element of the LDLR promoter. <i>Journal of Biological Chemistry</i> , 1999 , 274, 6747-53	5.4	43
26	Insulin regulates lipoprotein lipase activity in rat adipose cells via wortmannin- and rapamycin-sensitive pathways. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 555-9	12.7	50
25	Mutational analysis of structural features of rat hormone-sensitive lipase. <i>Biochemistry</i> , 1998 , 37, 8973-9	3.2	68
24	Retinyl ester hydrolysis and retinol efflux from BFC-1beta adipocytes. <i>Journal of Biological Chemistry</i> , 1997 , 272, 14159-65	5.4	71
23	Aberrations in normal systemic lipid metabolism in ovarian cancer patients. <i>Gynecologic Oncology</i> , 1996 , 60, 35-41	4.9	39
22	Down-regulation of hormone-sensitive lipase in sterol ester-laden J774.2 macrophages. <i>Biochemical Journal</i> , 1996 , 318 (Pt 1), 173-7	3.8	25
21	Regulation of hormone-sensitive lipase in streptozotocin-induced diabetic rats. <i>Metabolism: Clinical and Experimental</i> , 1995 , 44, 1391-6	12.7	60
20	Characterization of a partially purified diacylglycerol lipase from bovine aorta. <i>Lipids and Lipid Metabolism</i> , 1995 , 1254, 311-8		22
19	Generation of antibodies against a human lipoprotein lipase fusion protein. <i>Life Sciences</i> , 1995 , 57, 1709-13	4.8	4
18	Differences in hormone-sensitive lipase expression in white adipose tissue from various anatomic locations of the rat. <i>Metabolism: Clinical and Experimental</i> , 1994 , 43, 241-7	12.7	50
17	Role of lipoprotein lipase and apolipoprotein E secretion by macrophages in modulating lipoprotein uptake. Possible role in acceleration of atherosclerosis in diabetes. <i>Diabetes</i> , 1992 , 41 Suppl 2, 77-80	0.9	13

16	Responsiveness of superficial hand veins to alpha-adrenoceptor agonists in insulin-dependent diabetic patients. <i>Clinical Science</i> , 1992 , 82, 163-8	6.5	24
15	A micromethod for the isolation of total RNA from adipose tissue. <i>Analytical Biochemistry</i> , 1990 , 186, 60-3	3.1	27
14	Regulation of macrophage lipoprotein lipase secretion by the scavenger receptor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988 , 972, 17-24	4.9	11
13	The regulation of hydroxymethylglutaryl-CoA reductase in cultured cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988 , 970, 251-61	4.9	6
12	Regulation of macrophage lipoprotein lipase secretion by the scavenger receptor. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1988 , 972, 17-24	4.6	7
11	Diabetes and lipoprotein receptors. <i>Diabetes/metabolism Reviews</i> , 1987 , 3, 591-618		7
10	Inhibition of cholesterol synthesis by ketoconazole. <i>American Journal of Medicine</i> , 1986 , 80, 616-22	2.4	44
9	Regulation of the secretion of lipoprotein lipase by mouse macrophages. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1986 , 889, 346-54	4.9	17
8	Effects of noninsulin-dependent diabetes mellitus on the uptake of very low density lipoproteins by thioglycolate-elicited mouse peritoneal macrophages. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1985 , 61, 335-42	5.6	54
7	Increased plasma inactive renin in diabetes mellitus. A marker of microvascular complications. <i>New England Journal of Medicine</i> , 1985 , 312, 1412-7	59.2	288
6	Effects of moderate increases in dietary polyunsaturated: saturated fat on plasma triglyceride and cholesterol levels in man. <i>British Journal of Nutrition</i> , 1982 , 47, 259-66	3.6	14
5	Relationship between insulin resistance, insulin secretion, very low density lipoprotein kinetics, and plasma triglyceride levels in normotriglyceridemic man. <i>Metabolism: Clinical and Experimental</i> , 1981 , 30, 165-71	12.7	226
4	Effect of age on plasma triglyceride concentrations in man. <i>Metabolism: Clinical and Experimental</i> , 1980 , 29, 1095-9	12.7	35
3	Requirement of Sp1 and Estrogen Receptor Interaction in 17 β Estradiol-Mediated Transcriptional Activation of the Low Density Lipoprotein Receptor Gene Expression		21
2	Adrenal Neutral Cholesteryl Ester Hydrolase: Identification, Subcellular Distribution, and Sex Differences		16
1	Early enforcement of cell identity by a functional component of the terminally differentiated state		1