

Susan O Meakin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8363423/publications.pdf>

Version: 2024-02-01

58
papers

3,089
citations

185998

28
h-index

155451

55
g-index

58
all docs

58
docs citations

58
times ranked

2844
citing authors

#	ARTICLE	IF	CITATIONS
1	Brain pH Measurement Using AACID CEST MRI Incorporating the 2 ppm Amine Resonance. <i>Tomography</i> , 2022, 8, 730-739.	0.8	0
2	The Monocarboxylate transporter inhibitor Quercetin induces intracellular acidification in a mouse model of Glioblastoma Multiforme: in-vivo detection using magnetic resonance imaging. <i>Investigational New Drugs</i> , 2019, 37, 595-601.	1.2	20
3	Brain tumor acidification using drugs simultaneously targeting multiple pH regulatory mechanisms. <i>Journal of Neuro-Oncology</i> , 2019, 144, 453-462.	1.4	17
4	TrkB Regulates N-Methyl-D-Aspartate Receptor Signaling by Uncoupling and Recruiting the Brain-Specific Guanine Nucleotide Exchange Factor, RasGrf1. <i>Journal of Molecular Neuroscience</i> , 2019, 67, 97-110.	1.1	5
5	Dichloroacetate induced intracellular acidification in glioblastoma: in vivo detection using AACID-CEST MRI at 9.4ÅTesla. <i>Journal of Neuro-Oncology</i> , 2018, 136, 255-262.	1.4	30
6	In vivo detection of acute intracellular acidification in glioblastoma multiforme following a single dose of cariporide. <i>International Journal of Clinical Oncology</i> , 2018, 23, 812-819.	1.0	15
7	Signaling adaptor ShcD suppresses extracellular signal-regulated kinase (Erk) phosphorylation distal to the Ret and Trk neurotrophic receptors. <i>Journal of Biological Chemistry</i> , 2017, 292, 5748-5759.	1.6	8
8	Topiramate induces acute intracellular acidification in glioblastoma. <i>Journal of Neuro-Oncology</i> , 2016, 130, 465-472.	1.4	39
9	Unravelling the Mechanism of TrkA-Induced Cell Death by Macropinocytosis in Medulloblastoma Daoy Cells. <i>Molecular and Cellular Biology</i> , 2016, 36, 2596-2611.	1.1	13
10	Arf6 controls beta-amyloid production by regulating macropinocytosis of the Amyloid Precursor Protein to lysosomes. <i>Molecular Brain</i> , 2015, 8, 41.	1.3	29
11	The Signaling Adapter, FRS2, Facilitates Neuronal Branching in Primary Cortical Neurons via Both Grb2- and Shp2-Dependent Mechanisms. <i>Journal of Molecular Neuroscience</i> , 2015, 55, 663-677.	1.1	12
12	Imaging chemical exchange saturation transfer (CEST) effects following tumor-selective acidification using lonidamine. <i>NMR in Biomedicine</i> , 2015, 28, 566-575.	1.6	32
13	Quantitative Tissue Ph Measurement during Cerebral Ischemia Using Amine and Amide Concentration-Independent Detection (AACID) with MRI. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014, 34, 690-698.	2.4	137
14	Nerve Growth Factor Receptor TrkA, a New Receptor in Insulin Signaling Pathway in PC12 Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 23807-23813.	1.6	23
15	Ras Guanine Nucleotide Releasing Factor 1 (RasGrf1) Enhancement of Trk Receptor-Mediated Neurite Outgrowth Requires Activation of Both H-Ras and Rac. <i>Journal of Molecular Neuroscience</i> , 2013, 49, 38-51.	1.1	15
16	Nesca, a novel neuronal adapter protein, links the molecular motor kinesin with the pre-synaptic membrane protein, syntaxin-1, in hippocampal neurons. <i>Journal of Neurochemistry</i> , 2012, 121, 861-880.	2.1	11
17	Role and expression of FRS2 and FRS3 in prostate cancer. <i>BMC Cancer</i> , 2011, 11, 484.	1.1	17
18	In vivo detection of MRI-PARACEST agents in mouse brain tumors at 9.4 T. <i>Magnetic Resonance in Medicine</i> , 2011, 66, 67-72.	1.9	30

#	ARTICLE	IF	CITATIONS
19	The fibroblast growth factor receptor substrate 3 adapter is a developmentally regulated microtubule-associated protein expressed in migrating and differentiated neurons. <i>Journal of Neurochemistry</i> , 2010, 112, 924-939.	2.1	11
20	Nerve growth factor activation of the TrkA receptor induces cell death, by macropinocytosis, in medulloblastoma Daoy cells. <i>Journal of Neurochemistry</i> , 2010, 112, 882-899.	2.1	62
21	Trypanosome trans-sialidase mediates neuroprotection against oxidative stress, serum/glucose deprivation, and hypoxia-induced neurite retraction in Trk-expressing PC12 cells. <i>Glycobiology</i> , 2007, 17, 725-734.	1.3	28
22	Trk receptor binding and neurotrophin/fibroblast growth factor (FGF)-dependent activation of the FGF receptor substrate (FRS)-3. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 366-380.	1.9	27
23	Nerve growth factor increases connexin43 phosphorylation and gap junctional intercellular communication. <i>Journal of Neuroscience Research</i> , 2005, 82, 788-801.	1.3	23
24	Human Tumorous Imaginal Disc 1 (TID1) Associates with Trk Receptor Tyrosine Kinases and Regulates Neurite Outgrowth in nnr5-TrkA Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 19461-19471.	1.6	28
25	Neurotrophin-dependent Tyrosine Phosphorylation of Ras Guanine-releasing Factor 1 and Associated Neurite Outgrowth Is Dependent on the HIKE Domain of TrkA. <i>Journal of Biological Chemistry</i> , 2005, 280, 225-235.	1.6	43
26	Nesca, a novel adapter, translocates to the nuclear envelope and regulates neurotrophin-induced neurite outgrowth. <i>Journal of Cell Biology</i> , 2004, 164, 851-862.	2.3	21
27	Trypanosome trans-sialidase targets TrkA tyrosine kinase receptor and induces receptor internalization and activation. <i>Glycobiology</i> , 2004, 14, 987-998.	1.3	29
28	ShcA regulates neurite outgrowth stimulated by neural cell adhesion molecule but not by fibroblast growth factor 2: evidence for a distinct fibroblast growth factor receptor response to neural cell adhesion molecule activation. <i>Journal of Neurochemistry</i> , 2004, 91, 694-703.	2.1	26
29	Genomic organization and comparative sequence analysis of the mouse and human FRS2, FRS3 genes. <i>Molecular Biology Reports</i> , 2003, 30, 15-25.	1.0	9
30	Cyclic phosphatidic acid elicits neurotrophin-like actions in embryonic hippocampal neurons. <i>Journal of Neurochemistry</i> , 2003, 87, 1272-1283.	2.1	53
31	Acidic substitution of the activation loop tyrosines in TrkA supports nerve growth factor-dependent, but not nerve growth factor-independent, differentiation and cell cycle arrest in the human neuroblastoma cell line, SY5Y. <i>Oncogene</i> , 2003, 22, 8774-8785.	2.6	12
32	Ectopic expression of the TrkA receptor in adult dopaminergic mesencephalic neurons promotes retrograde axonal NGF transport and NGF-dependent neuroprotection. <i>Experimental Neurology</i> , 2003, 183, 367-378.	2.0	11
33	The Signaling Adapters Fibroblast Growth Factor Receptor Substrate 2 and 3 Are Activated by the Thyroid TRK Oncoproteins. <i>Endocrinology</i> , 2003, 144, 922-928.	1.4	31
34	Neutralizing Intraspinal Nerve Growth Factor with a trkA-IgG Fusion Protein Blocks the Development of Autonomic Dysreflexia in a Clip-Compression Model of Spinal Cord Injury. <i>Journal of Neurotrauma</i> , 2002, 19, 1531-1541.	1.7	60
35	ShcB and ShcC Activation by the Trk Family of Receptor Tyrosine Kinases. <i>Journal of Biological Chemistry</i> , 2002, 277, 26046-26056.	1.6	51
36	Chapter 7 Central mechanisms for autonomic dysreflexia after spinal cord injury. <i>Progress in Brain Research</i> , 2002, 137, 83-95.	0.9	31

#	ARTICLE	IF	CITATIONS
37	PC12nr5 cells expressing TrkA receptors undergo morphological but not cholinergic phenotypic differentiation in response to nerve growth factor. <i>Journal of Neurochemistry</i> , 2002, 80, 501-511.	2.1	19
38	Overexpression of the signaling adapter FRS2 reconstitutes the cell cycle deficit of a nerve growth factor non-responsive TrkA receptor mutant. <i>Journal of Neurochemistry</i> , 2002, 81, 820-831.	2.1	8
39	A Differential Role of Extracellular Signal-Regulated Kinase in Stimulated PC12 Pheochromocytoma Cell Movement. <i>Experimental Cell Research</i> , 2001, 263, 254-264.	1.2	29
40	Developmental expression patterns of the signaling adapters FRS-2 and FRS-3 during early embryogenesis. <i>Mechanisms of Development</i> , 2001, 103, 145-148.	1.7	39
41	p75 Co-receptors Regulate Ligand-dependent and Ligand-independent Trk Receptor Activation, in Part by Altering Trk Docking Subdomains. <i>Journal of Biological Chemistry</i> , 2001, 276, 31023-31029.	1.6	80
42	Direct Binding of the Signaling Adapter Protein Grb2 to the Activation Loop Tyrosines on the Nerve Growth Factor Receptor Tyrosine Kinase, TrkA. <i>Journal of Biological Chemistry</i> , 2000, 275, 18225-18233.	1.6	47
43	Acidic substitution of the activation loop tyrosines in TrkA supports nerve growth factor-independent cell survival and neuronal differentiation. <i>Oncogene</i> , 2000, 19, 417-430.	2.6	13
44	Subpopulations of Rat B2+ Neuroblasts Exhibit Differential Neurotrophin Responsiveness during Sympathetic Development. <i>Developmental Biology</i> , 2000, 218, 367-377.	0.9	8
45	Neutralizing Intraspinal Nerve Growth Factor Blocks Autonomic Dysreflexia Caused By Spinal Cord Injury. <i>Journal of Neuroscience</i> , 1999, 19, 7405-7414.	1.7	204
46	The Signaling Adapter FRS-2 Competes with Shc for Binding to the Nerve Growth Factor Receptor TrkA. <i>Journal of Biological Chemistry</i> , 1999, 274, 9861-9870.	1.6	206
47	Distinct human NUMB isoforms regulate differentiation vs. proliferation in the neuronal lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 10472-10476.	3.3	186
48	Activity-Dependent Interaction of the Intracellular Domain of Rat TrkA with Intermediate Filament Proteins, the Î ² -6 Proteasomal Subunit, Ras-GRF1, and the p162 Subunit of eIF3. <i>Journal of Molecular Neuroscience</i> , 1999, 13, 141-158.	1.1	40
49	A Novel Juxtamembrane Deletion in Rat TrkA Blocks Differentiative but Not Mitogenic Cell Signaling in Response to Nerve Growth Factor. <i>Journal of Neurochemistry</i> , 1998, 71, 1875-1888.	2.1	35
50	A Kinase Insert Isoform of Rat TrkA Supports Nerve Growth Factorâ€Dependent Cell Survival but Not Neurite Outgrowth. <i>Journal of Neurochemistry</i> , 1997, 69, 954-967.	2.1	25
51	Deletions in the Extracellular Domain of Rat TrkA Lead to an Altered Differentiative Phenotype in Neurotrophin Responsive Cells. <i>Molecular and Cellular Neurosciences</i> , 1996, 7, 371-390.	1.0	39
52	The rat trk protooncogene product exhibits properties characteristic of the slow nerve growth factor receptor.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 2374-2378.	3.3	185
53	The nerve growth factor family of receptors. <i>Trends in Neurosciences</i> , 1992, 15, 323-331.	4.2	621
54	Molecular investigations on the high-affinity nerve growth factor receptor. <i>Neuron</i> , 1991, 6, 153-163.	3.8	163

#	ARTICLE	IF	CITATIONS
55	Tyrosine kinase activity coupled to the high-affinity nerve growth factor-receptor complex.. Proceedings of the National Academy of Sciences of the United States of America, 1991, 88, 5862-5866.	3.3	42
56	A rabbit lens epithelial cell line supports expression of an exogenous crystallin gene characteristic of lens fiber cell differentiation. Experimental Eye Research, 1989, 48, 131-137.	1.2	16
57	Aging effects of vitamin C on a human lens protein produced in vitro. FASEB Journal, 1987, 1, 32-35.	0.2	30
58	Assignment of human gamma crystallin multigene family to chromosome 2. Somatic Cell and Molecular Genetics, 1985, 11, 511-516.	0.7	45