Ezequiel Ruiz-Mateos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/836346/publications.pdf

Version: 2024-02-01

122 papers

3,056 citations

172443 29 h-index 206102 48 g-index

127 all docs

127 docs citations

times ranked

127

4214 citing authors

#	Article	IF	CITATIONS
1	In macrophages, HIV-1 assembles into an intracellular plasma membrane domain containing the tetraspanins CD81, CD9, and CD53. Journal of Cell Biology, 2007, 177, 329-341.	5.2	292
2	Follicular CD8 T cells accumulate in HIV infection and can kill infected cells in vitro via bispecific antibodies. Science Translational Medicine, 2017, 9 , .	12.4	135
3	Inositol pyrophosphate mediated pyrophosphorylation of AP3B1 regulates HIV-1 Gag release. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 21161-21166.	7.1	127
4	Thymic function failure and C-reactive protein levels are independent predictors of all-cause mortality in healthy elderly humans. Age, 2013, 35, 251-259.	3.0	95
5	Age-related deregulation of naive T cell homeostasis in elderly humans. Age, 2011, 33, 197-207.	3.0	89
6	Dendritic cell deficiencies persist seven months after SARS-CoV-2 infection. Cellular and Molecular Immunology, 2021, 18, 2128-2139.	10.5	81
7	Long-Term Suppressive Combined Antiretroviral Treatment Does Not Normalize the Serum Level of Soluble CD14. Journal of Infectious Diseases, 2013, 207, 1221-1225.	4.0	69
8	Rate and predictors of progression in elite and viremic HIV-1 controllers. Aids, 2016, 30, 1209-1220.	2.2	69
9	Plasmacytoid Dendritic Cells Reduce HIV Production in Elite Controllers. Journal of Virology, 2012, 86, 4245-4252.	3.4	66
10	Plasmacytoid Dendritic Cells (pDCs) From HIV Controllers Produce Interferon-α and Differentiate Into Functional Killer pDCs Under HIV Activation. Journal of Infectious Diseases, 2012, 206, 790-801.	4.0	62
11	Sensitive Deep-Sequencing-Based HIV-1 Genotyping Assay To Simultaneously Determine Susceptibility to Protease, Reverse Transcriptase, Integrase, and Maturation Inhibitors, as Well as HIV-1 Coreceptor Tropism. Antimicrobial Agents and Chemotherapy, 2014, 58, 2167-2185.	3.2	61
12	Hepatitis C Therapy With Interferon-α and Ribavirin Reduces CD4 T-Cell–Associated HIV-1 DNA in HIV-1/Hepatitis C Virus–Coinfected Patients. Journal of Infectious Diseases, 2014, 209, 1315-1320.	4.0	60
13	Factors Leading to the Loss of Natural Elite Control of HIV-1 Infection. Journal of Virology, 2018, 92, .	3.4	58
14	Immunometabolism is a key factor for the persistent spontaneous elite control of HIV-1 infection. EBioMedicine, 2019, 42, 86-96.	6.1	55
15	A reliable and simplified sj/ \hat{l}^2 -TREC ratio quantification method for human thymic output measurement. Journal of Immunological Methods, 2010, 352, 111-117.	1.4	54
16	Differential Gag-Specific Polyfunctional T Cell Maturation Patterns in HIV-1 Elite Controllers. Journal of Virology, 2012, 86, 3667-3674.	3.4	52
17	Signatures of immune selection in intact and defective proviruses distinguish HIV-1 elite controllers. Science Translational Medicine, 2021, 13, eabl4097.	12.4	52
18	Permanent control of HIV-1 pathogenesis in exceptional elite controllers: a model of spontaneous cure. Scientific Reports, 2020, 10, 1902.	3.3	50

#	Article	IF	Citations
19	CD63 Is Not Required for Production of Infectious Human Immunodeficiency Virus Type 1 in Human Macrophages. Journal of Virology, 2008, 82, 4751-4761.	3.4	46
20	TNF-Â levels in HIV-infected patients after long-term suppressive cART persist as high as in elderly, HIV-uninfected subjects. Journal of Antimicrobial Chemotherapy, 2014, 69, 3041-3046.	3.0	46
21	Thymic volume is associated independently with the magnitude of short- and long-term repopulation of CD4+ T cells in HIV-infected adults after highly active antiretroviral therapy (HAART) 1. Clinical and Experimental Immunology, 2004, 136, 501-506.	2.6	41
22	Different biological significance of sCD14 and LPS in HIV-infection: Importance of the immunovirology stage and association with HIV-disease progression markers. Journal of Infection, 2012, 65, 431-438.	3.3	41
23	Endogenous IL-7 is associated with increased thymic volume in adult HIV-infected patients under highly active antiretroviral therapy. Aids, 2003, 17, 947-954.	2.2	36
24	A sensitive phenotypic assay for the determination of human immunodeficiency virus type 1 tropism. Journal of Antimicrobial Chemotherapy, 2010, 65, 2493-2501.	3.0	35
25	Analysis of Non-AIDS-Defining Events in HIV Controllers. Clinical Infectious Diseases, 2016, 62, 1304-1309.	5.8	34
26	HIV Infection-Related Premature Immunosenescence: High Rates of Immune Exhaustion After Short Time of Infection. Current HIV Research, 2011, 9, 289-294.	0.5	33
27	Monocyte Phenotype and Polyfunctionality Are Associated With Elevated Soluble Inflammatory Markers, Cytomegalovirus Infection, and Functional and Cognitive Decline in Elderly Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 610-618.	3.6	33
28	Thymic Function Failure Is Associated With Human Immunodeficiency Virus Disease Progression. Clinical Infectious Diseases, 2017, 64, 1191-1197.	5.8	30
29	Pegylated Interferon-α–Induced Natural Killer Cell Activation Is Associated With Human Immunodeficiency Virus-1 DNA Decline in Antiretroviral Therapy–Treated HIV-1/Hepatitis C Virus–Coinfected Patients. Clinical Infectious Diseases, 2018, 66, 1910-1917.	5.8	30
30	Impact of CD4 and CD8 dynamics and viral rebounds on loss of virological control in HIV controllers. PLoS ONE, 2017, 12, e0173893.	2.5	30
31	Different profiles of immune reconstitution in children and adults with HIV-infection after highly active antiretroviral therapy. BMC Infectious Diseases, 2006, 6, 112.	2.9	29
32	Hepatitis C virus replication in Caucasian HIV controllers. Journal of Viral Hepatitis, 2011, 18, e350-7.	2.0	29
33	Differential alterations of the CD4 and CD8 T cell subsets in HIV-infected patients on highly active antiretroviral therapy with low CD4 T cell restoration. Journal of Antimicrobial Chemotherapy, 2012, 67, 1228-1237.	3.0	29
34	Correlation between the Trofile(R) test and virological response to a short-term maraviroc exposure in HIV-infected patients. Journal of Antimicrobial Chemotherapy, 2009, 64, 845-849.	3.0	28
35	CD4 T-cell regeneration in HIV-1 elite controllers. Aids, 2012, 26, 701-706.	2.2	28
36	HLA-B*57 and IFNL4-related polymorphisms are associated with protection against HIV-1 disease progression in controllers. Clinical Infectious Diseases, 2017, 64, ciw833.	5.8	28

#	Article	IF	Citations
37	Thymic Function Impacts the Peripheral CD4/CD8 Ratio of HIV-Infected Subjects. Clinical Infectious Diseases, 2017, 64, 152-158.	5.8	26
38	Immunological history governs human stem cell memory CD4 heterogeneity via the Wnt signaling pathway. Nature Communications, 2020, 11, 821.	12.8	25
39	Changes in thymus volume in adult HIV-infected patients under HAART: correlation with the T-cell repopulation. Clinical and Experimental Immunology, 2002, 130, 121-126.	2.6	24
40	PLA2G1B is involved in CD4 anergy and CD4 lymphopenia in HIV-infected patients. Journal of Clinical Investigation, 2020, 130, 2872-2887.	8.2	24
41	Specific patterns of CD4-associated immunosenescence in vertically HIV-infected subjects. Clinical Microbiology and Infection, 2013, 19, 558-565.	6.0	23
42	Maraviroc Reduces the Regulatory T-Cell Frequency in Antiretroviral-Naive HIV-Infected Subjects. Journal of Infectious Diseases, 2014, 210, 890-898.	4.0	23
43	WNT Signaling Suppression in the Senescent Human Thymus. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2015, 70, 273-281.	3.6	23
44	Proteomic Profile Associated With Loss of Spontaneous Human Immunodeficiency Virus Type 1 Elite Control. Journal of Infectious Diseases, 2019, 219, 867-876.	4.0	23
45	Evidence of Thymic Function in Heavily Antiretroviralâ€Treated Human Immunodeficiency Virus Type 1–Infected Adults with Longâ€Term Virologic Treatment Failure. Journal of Infectious Diseases, 2002, 186, 410-414.	4.0	22
46	IL28B Single-Nucleotide Polymorphism rs12979860 Is Associated With Spontaneous HIV Control in White Subjects. Journal of Infectious Diseases, 2013, 207, 651-655.	4.0	22
47	Long-term virological outcome and resistance mutations at virological rebound in HIV-infected adults on protease inhibitor-sparing highly active antiretroviral therapy. Journal of Antimicrobial Chemotherapy, 2003, 53, 95-101.	3.0	21
48	TROCAI (Tropism Coreceptor Assay Information): a New Phenotypic Tropism Test and Its Correlation with Trofile Enhanced Sensitivity and Genotypic Approaches. Journal of Clinical Microbiology, 2010, 48, 4453-4458.	3.9	21
49	Prevalence of Transmitted HIV-1 Drug Resistance Mutations in Children and Adolescents in São Paulo, Brazil. Pediatric Infectious Disease Journal, 2012, 31, e255-e257.	2.0	21
50	Detectable Viral Load Aggravates Immunosenescence Features of CD8 T-Cell Subsets in Vertically HIV-Infected Children. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 447-454.	2.1	20
51	CD27 and CCR7 expression on naive T cells, are both necessary?. Immunology Letters, 2010, 127, 157-158.	2.5	19
52	Correlation of the Virological Response to Short-Term Maraviroc Monotherapy with Standard and Deep-Sequencing-Based Genotypic Tropism Prediction Methods. Antimicrobial Agents and Chemotherapy, 2012, 56, 1202-1207.	3.2	19
53	Effect of Maraviroc on HIV Disease Progression-Related Biomarkers. Antimicrobial Agents and Chemotherapy, 2012, 56, 5858-5864.	3.2	19
54	Class-modeling analysis reveals T-cell homeostasis disturbances involved in loss of immune control in elite controllers. BMC Medicine, 2018, 16, 30.	5.5	19

#	Article	IF	Citations
55	IFNL4 ss469415590 polymorphism is associated with unfavourable clinical and immunological status in HIV-infected individuals. Clinical Microbiology and Infection, 2015, 21, 289.e1-289.e4.	6.0	18
56	Long-Term Immunovirogical Effect and Tolerability of a Maraviroc-Containing Regimen in Routine Clinical Practice. Current HIV Research, 2010, 8, 482-486.	0.5	17
57	A Lower Baseline CD4/CD8 T-Cell Ratio Is Independently Associated with Immunodiscordant Response to Antiretroviral Therapy in HIV-Infected Subjects. Antimicrobial Agents and Chemotherapy, 2017, 61, .	3.2	17
58	Baseline Thymic Volume is a Predictor for CD4 T Cell Repopulation in Adult HIV-Infected Patients under Highly Active Antiretroviral Therapy. Antiviral Therapy, 2002, 7, 159-163.	1.0	17
59	Immunity in HIV-1-Infected Adults with a Previous State of Moderate-Severe Immune-Suppression and More Than 500 CD4+ T Cell After Highly Active Antiretroviral Therapy. Journal of Clinical Immunology, 2004, 24, 379-388.	3.8	16
60	Thymic Function-Related Markers Within the Thymus and Peripheral Blood: Are They Comparable?. Journal of Clinical Immunology, 2006, 26, 96-100.	3.8	16
61	Toll-Like Receptor 7 (TLR-7) and TLR-9 Agonists Improve Hepatitis C Virus Replication and Infectivity Inhibition by Plasmacytoid Dendritic Cells. Journal of Virology, 2018, 92, .	3.4	16
62	Circulating metabolomic profile can predict dyslipidemia in HIV patients undergoing antiretroviral therapy. Atherosclerosis, 2018, 273, 28-36.	0.8	15
63	Immune Correlates of Natural HIV Elite Control and Simultaneous HCV Clearanceâ€"Supercontrollers. Frontiers in Immunology, 2018, 9, 2897.	4.8	15
64	High Levels of CD57+CD28-T-Cells, Low T-Cell Proliferation and Preferential Expansion of Terminally Differentiated CD4+ T-Cells in HIVElite Controllers. Current HIV Research, 2010, 8, 471-481.	0.5	15
65	Maintenance of virologic efficacy and decrease in levels of \hat{I}^2 2-microglobulin, soluble CD40L and soluble CD14 after switching previously treated HIV-infected patients to an NRTI-sparing dual therapy. Antiviral Research, 2014, 111, 26-32.	4.1	14
66	Phenotype and Polyfunctional Deregulation Involving Interleukin 6 (IL-6)– and IL-10–Producing Monocytes in HIV-Infected Patients Receiving Combination Antiretroviral Therapy Differ From Those in Healthy Older Individuals. Journal of Infectious Diseases, 2016, 213, 999-1007.	4.0	14
67	Elevated Anti-SARS-CoV-2 Antibodies and IL-6, IL-8, MIP- $1\hat{l}^2$, Early Predictors of Severe COVID-19. Microorganisms, 2021, 9, 2259.	3.6	14
68	Massive Release of CD9+ Microvesicles in Human Immunodeficiency Virus Infection, Regardless of Virologic Control. Journal of Infectious Diseases, 2022, 225, 1040-1049.	4.0	13
69	Comparison of Thymic Function-Related Markers to Predict Early Cd4 T-Cell Repopulation in Adult HIV-Infected Patients on Haart. Antiviral Therapy, 2003, 8, 289-294.	1.0	13
70	High Thymic Volume Is Associated With Viral Replication and Immunologic Impairment Only Early After HAART Interruption in Chronic HIV Infection. Viral Immunology, 2005, 18, 740-746.	1.3	11
71	Virological Response after Short-Term CCR5 Antagonist Exposure in HIV-Infected Patients: Frequency of Subjects with Virological Response and Associated Factors. Antimicrobial Agents and Chemotherapy, 2011, 55, 4664-4669.	3.2	11
72	IFNγ ^{â^³} TNFα ^{â^³} IL2 ^{â^³} MIP1α ^{â^³} CD107a ⁺ PRF1 <pp65-specific -="" 1210-1218.<="" 2015,="" 70,="" a="" and="" associated="" biological="" death="" elderly="" gerontology="" humans.="" in="" independently="" is="" journals="" medical="" of="" response="" sciences="" sciences,="" series="" t-cell="" td="" time="" to="" with=""><td>(sup>+3.6</td><td>up>CD8 11</td></pp65-specific>	(sup>+3.6	up>CD8 11

#	Article	IF	CITATIONS
73	Altered Expression of CD300a Inhibitory Receptor on CD4+ T Cells From Human Immunodeficiency Virus-1-Infected Patients: Association With Disease Progression Markers. Frontiers in Immunology, 2018, 9, 1709.	4.8	11
74	Antiretroviral Treatment for HIV Elite Controllers?. Pathogens and Immunity, 2020, 5, 121.	3.1	11
75	SARS-CoV-2 Evolution and Spike-Specific CD4+ T-Cell Response in Persistent COVID-19 with Severe HIV Immune Suppression. Microorganisms, 2022, 10, 143.	3.6	11
76	Fetuinâ€A, interâ€Î±â€ŧrypsin inhibitor, glutamic acid and ChoE (18:0) are key biomarkers in a panel distinguishing mild from critical coronavirus disease 2019 outcomes. Clinical and Translational Medicine, 2022, 12, e704.	4.0	11
77	Effect of Hepatitis C Virus Coinfection on Humoral Immune Alterations in Naà ve HIV-Infected Adults on HAART: A Three Year Follow-Up Study. Journal of Clinical Immunology, 2005, 25, 296-302.	3.8	10
78	Discordance rates between Trofile $\hat{A}^{\text{@}}$ test and short-term virological response to maraviroc. Antiviral Research, 2011, 89, 182-185.	4.1	10
79	Maraviroc contributes to the restoration of the homeostasis of regulatory T-cell subsets in antiretroviral-naive HIV-infected subjects. Clinical Microbiology and Infection, 2016, 22, 461.e1-461.e5.	6.0	10
80	Immunovirologic Characteristics of Human Immunodeficiency Virus-Infected Patients Consisting Mainly of Injecting Drug Users on Highly Active Antiretroviral Treatment with Prolonged Virologic Failure. Viral Immunology, 2006, 19, 759-767.	1.3	9
81	T-cell changes after a short-term exposure to maraviroc in HIV-infected patients are related to antiviral activity. Journal of Infection, 2012, 64, 417-423.	3.3	9
82	CCR5+ CD8 T-cell levels and monocyte activation precede the onset of acute coronary syndrome in HIV-infected patients on antiretroviral therapy. Thrombosis and Haemostasis, 2017, 117, 1141-1149.	3.4	9
83	Prevalence of HIV-1 Dual Infection in Long-Term Nonprogressor–Elite Controllers. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 64, 225-231.	2.1	8
84	Mesenchymal stromal cells in human immunodeficiency virusâ€infected patients with discordant immune response: Early results of a phase I/II clinical trial. Stem Cells Translational Medicine, 2021, 10, 534-541.	3.3	8
85	Deciphering the quality of SARSâ€CoVâ€2 specific Tâ€cell response associated with disease severity, immune memory and heterologous response. Clinical and Translational Medicine, 2022, 12, e802.	4.0	8
86	HIV-1 Tropism Evolution after Short-Term Maraviroc Monotherapy in HIV-1-Infected Patients. Antimicrobial Agents and Chemotherapy, 2012, 56, 3981-3983.	3.2	7
87	Immunovirological Efficacy of Once-Daily Maraviroc Plus Ritonavir-Boosted Atazanavir After 48 Weeks in Naive HIV-Infected Patients. Viral Immunology, 2016, 29, 471-477.	1.3	7
88	The Other Side of SARS-CoV-2 Infection: Neurological Sequelae in Patients. Frontiers in Aging Neuroscience, 2021, 13, 632673.	3.4	7
89	Patients on a combined antiretroviral therapy after maraviroc clinical test show no immunovirological impairment. Antiviral Research, 2012, 95, 207-211.	4.1	6
90	Efficacy and tolerability after 24weeks of treatment with telaprevir, pegylated interferon and ribavirin in cirrhotic HIV–HCV coinfected subjects. Antiviral Research, 2014, 104, 59-61.	4.1	6

#	Article	IF	CITATIONS
91	Increased CD127+ and decreased CD57+ T cell expression levels in HIV-infected patients on NRTI-sparing regimens. Journal of Translational Medicine, 2017, 15, 259.	4.4	6
92	Association of heterozygous CCR5î"32 deletion with survival in HIV-infection: A cohort study. Antiviral Research, 2018, 150, 15-19.	4.1	6
93	High CD8 T cell percentage and HCV replication control are common features in HIV-1 controllers and HTLV-2-co-infected patients with a history of injection drug use. Virus Research, 2019, 264, 40-44.	2.2	6
94	Development of Immature CD4+CD8+T Cells Into Mature CD4+ T Cells Requires Alpha-1 Antitrypsin as Observed by Treatment in HIV-1 Infected and Uninfected Controls. Frontiers in Cell and Developmental Biology, 2019, 7, 278.	3.7	6
95	Disseminate and fatal cytomegalovirus disease with thymitis in a naive HIV-patient after early initiation of HAART: Immune restoration disease?. Journal of Clinical Virology, 2006, 36, 13-16.	3.1	5
96	Maraviroc Clinical Test (MCT) as an alternative tool to decide CCR5-antagonists prescription in na \tilde{A} -ve HIV-infected patients. Antiviral Research, 2015, 121, 94-96.	4.1	5
97	Relationship between CCR5(WTsi 32) heterozygosity and HIV-1 reservoir size in adolescents and young adults with perinatally acquired HIV-1 infection. Clinical Microbiology and Infection, 2017, 23, 318-324.	6.0	5
98	Long-term Persistent Elite HIV-controllers: The Right Model of Functional Cure. EBioMedicine, 2018, 28, 15-16.	6.1	5
99	Improved CD4 T cell profile in HIV-infected subjects on maraviroc-containing therapy is associated with better responsiveness to HBV vaccination. Journal of Translational Medicine, 2018, 16, 238.	4.4	5
100	Comparison of thymic function-related markers to predict early CD4 T-cell repopulation in adult HIV-infected patients on HAART. Antiviral Therapy, 2003, 8, 289-94.	1.0	5
101	Simplified sequence-specific oligonucleotide-based polymerase chain reaction protocol to characterize human major histocompatibility complex A*02 and A*24 specificities. Human Immunology, 2011, 72, 869-871.	2.4	4
102	Association between a Suppressive Combined Antiretroviral Therapy Containing Maraviroc and the Hepatitis B Virus Vaccine Response. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	4
103	Is immune recovery different depending on the use of integrase strand transfer inhibitor-, non-nucleoside reverse transcriptase- or boosted protease inhibitor-based regimens in antiretroviral-naive HIV-infected patients?. Journal of Antimicrobial Chemotherapy, 2020, 75, 200-207.	3.0	4
104	IL-7/IL-7R gene variants impact circulating IL-7/IL-7R homeostasis and ART-associated immune recovery status. Scientific Reports, 2019, 9, 15722.	3.3	4
105	Hepatitis C virus and cumulative infections are associated with atherogenic cardiovascular events in HIV-infected subjects. Antiviral Research, 2019, 169, 104527.	4.1	4
106	Polyfunctional HIV-1 specific response by CD8+ T lymphocytes expressing high levels of CD300a. Scientific Reports, 2020, 10, 6070.	3.3	4
107	Elevated α-Ketoglutaric Acid Concentrations and a Lipid-Balanced Signature Are the Key Factors in Long-Term HIV Control. Frontiers in Immunology, 2022, 13, 822272.	4.8	4
108	Role of toll-like receptor 4 Asp299Gly polymorphism in the development of cardiovascular diseases in HIV-infected patients. Aids, 2018, 32, 1035-1041.	2,2	3

#	Article	IF	CITATIONS
109	Modulation of Monocyte Activation and Function during Direct Antiviral Agent Treatment in Patients Coinfected with HIV and Hepatitis C Virus. Antimicrobial Agents and Chemotherapy, 2020, 64, .	3.2	3
110	Differential miRNA plasma profiles associated with the spontaneous loss of HIVâ€1 control: miRâ€199aâ€3p and its potential role as a biomarker for quick screening of elite controllers. Clinical and Translational Medicine, 2021, 11, e474.	4.0	3
111	Immunoescape of HIV-1 in Env-EL9 CD8 + T cell response restricted by HLA-B*14:02 in a Non progressor who lost twenty-seven years of HIV-1 control. Retrovirology, 2022, 19, 6.	2.0	3
112	Short-term maraviroc exposure, a clinical approach to decide on maraviroc prescription in HIV-1-infected treatment-naïve patients. Drug Design, Development and Therapy, 2016, 10, 353.	4.3	2
113	Role of APOBEC3H in the Viral Control of HIV Elite Controller Patients. International Journal of Medical Sciences, 2018, 15, 95-100.	2.5	2
114	CD300a identifies a CD4+ memory T cell subset with a higher susceptibility to HIV-1 infection. Aids, 2020, 34, 1249-1252.	2.2	2
115	Persistent HIVâ€controllers are more prone to spontaneously clear HCV: a retrospective cohort study. Journal of the International AIDS Society, 2020, 23, e25607.	3.0	2
116	Evolution of Serum Acute-Phase Glycoproteins Assessed by 1H-NMR in HIV Elite Controllers. Frontiers in Immunology, 2021, 12, 730691.	4.8	2
117	Past and future of HIV infection. A document based on expert opinion. Revista Espanola De Quimioterapia, 2022, 35, 131-156.	1.3	2
118	Validation of the HIV Tropism Test TROCAI Using the Virological Response to a Short-Term Maraviroc Monotherapy Exposure. Antimicrobial Agents and Chemotherapy, 2016, 60, 6398-6401.	3.2	0
119	Reply to Kuniholm et al. Clinical Infectious Diseases, 2017, 65, 1244-1245.	5.8	O
120	Specific Patterns of T Cell Immunosenescence in Vertically HIV-Infected Subjects., 2018, , 1-18.		0
121	In macrophages, HIV-1 assembles into an intracellular plasma membrane domain containing the tetraspanins CD81, CD9, and CD53. Journal of Experimental Medicine, 2007, 204, i13-i13.	8.5	O
122	Specific Patterns of T Cell Immunosenescence in Vertically HIV-Infected Subjects., 2019, , 1865-1882.		0