

Hidenori Arai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/836395/hidenori-arai-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

192
papers

11,970
citations

52
h-index

107
g-index

213
ext. papers

15,282
ext. citations

3.9
avg, IF

6.18
L-index

#	Paper	IF	Citations
192	Twenty-year prospective cohort study of the association between gait speed and incident disability: The NILS-LSA project.. <i>Geriatrics and Gerontology International</i> , 2022 ,	2.9	
191	Five-repetition sit-to-stand test: End with the fifth stand or sit?. <i>Geriatrics and Gerontology International</i> , 2022 ,	2.9	2
190	Reply to the comments on "Five-repetition sit-to-stand test: End with the fifth stand or sit?". <i>Geriatrics and Gerontology International</i> , 2022 ,	2.9	
189	An update on cognitive frailty: Its definition, impact, associated factors and underlying mechanisms, and interventions. <i>Geriatrics and Gerontology International</i> , 2021 ,	2.9	5
188	Differences in instrumental activities of daily living between mild cognitive impairment and Alzheimer's disease: A study using a detailed executive function assessment. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 1111-1117	2.9	0
187	Handgrip strength: Should repeated measurements be performed in both hands?. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 426-432	2.9	1
186	Usefulness of a computerized cognitive assessment and training tool for detecting dementia. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 438-439	2.9	
185	Associations between diabetes-related foot disease, diabetes, and age-related complications in older patients. <i>European Geriatric Medicine</i> , 2021 , 12, 1003-1009	3	0
184	Differences in the mass and quality of the quadriceps with age and sex and their relationships with knee extension strength. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 900-912	10.3	7
183	Validating muscle mass cutoffs of four international sarcopenia-working groups in Japanese people using DXA and BIA. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 1000-1010	10.3	4
182	Kihon Checklist: Thai version. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 749-752	2.9	0
181	Implementation of advance care planning amid the COVID-19 crisis: A narrative review and synthesis. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 779-787	2.9	1
180	Toward the development of a vibrant, super-aged society: The future of medicine and society in Japan. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 601-613	2.9	3
179	Does the COVID-19 pandemic robustly influence the incidence of frailty?. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 754-755	2.9	2
178	Effect of Sarcopenia Status on Disability Incidence Among Japanese Older Adults. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 846-852	5.9	6
177	Dietary diversity is associated with longitudinal changes in hippocampal volume among Japanese community dwellers. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 946-953	5.2	3
176	Microvascular complications and frailty can predict adverse outcomes in older patients with diabetes. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 359-363	2.9	3

175	Video demonstrating NCGG-HEPOP 2020 exercises for older adults. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 871-872	2.9	1
174	Walking speed and short physical performance battery are associated with conversion to long-term care need: A study in outpatients of a locomotive syndrome-frailty clinic. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 919-925	2.9	1
173	COVID-19 and older people in Asia: Asian Working Group for Sarcopenia calls to actions. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 547-558	2.9	56
172	Factors associated with the job satisfaction of certified nurses and nurse specialists in cancer care in Japan: Analysis based on the Basic Plan to Promote Cancer Control Programs. <i>PLoS ONE</i> , 2020 , 15, e0232336	3.7	3
171	Simplified Chinese translation of the Kihon checklist. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 643-644	2.9	2
170	Physical domain of the Kihon Checklist: A possible surrogate for physical function tests. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 644-646	2.9	2
169	Subtypes of physical frailty and their long-term outcomes: a longitudinal cohort study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1223-1231	10.3	15
168	Balancing infection control and frailty prevention during and after the COVID-19 pandemic: Introduction of the National Center for Geriatrics and Gerontology Home Exercise Program for Older People Home Exercise Program for Older People 2020. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 646-648	2.9	6
167	Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 300-307.e2	5.9	967
166	Long-Term Care System in Japan. <i>Annals of Geriatric Medicine and Research</i> , 2020 , 24, 174-180	2.9	25
165	The revised Japanese version of the Cardiovascular Health Study criteria (revised J-CHS criteria). <i>Geriatrics and Gerontology International</i> , 2020 , 20, 992-993	2.9	33
164	Reconsidering the effects of active standing-up exercise in stroke rehabilitation. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 1096-1097	2.9	1
163	Proposal for revising the nutrition intervention standards on the Kihon Checklist. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 731-732	2.9	
162	Asian Working Group for Sarcopenia Response to the Emphasis on Anterior Thigh Muscle Mass in Sarcopenia Diagnosis. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1174-1175	5.9	2
161	The Japan Geriatrics Society consensus statement "recommendations for older persons to receive the best medical and long-term care during the COVID-19 outbreak-considering the timing of advance care planning implementation". <i>Geriatrics and Gerontology International</i> , 2020 , 20, 1112-1119	2.9	5
160	Questionnaire for medical checkup of old-old (QMCOO). <i>Geriatrics and Gerontology International</i> , 2020 , 20, 991-992	2.9	3
159	Oral hypofunction and its association with frailty in community-dwelling older people. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 917-926	2.9	17
158	Sarcopenia and dysphagia: Position paper by four professional organizations. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 91-97	2.9	144

157	Two-Year Weight Loss but Not Body Mass Index Predicts Mortality and Disability in an Older Japanese Community-Dwelling Population. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1654.e11-1654.e18	5.9	8
156	Efficacy and safety of pemafibrate in people with type 2 diabetes and elevated triglyceride levels: 52-week data from the PROVIDE study. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1737-1744	6.7	27
155	Response to Handgrip strength cut-off thresholds to define sarcopenia. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 271	2.9	
154	Synergistic effect of bodyweight resistance exercise and protein supplementation on skeletal muscle in sarcopenic or dynapenic older adults. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 429-437	2.9	36
153	Estimating Years of Life Lost Due to Cardiovascular Disease in Japan. <i>Circulation Journal</i> , 2019 , 83, 1006-1010	3.0	3
152	Long-Term Efficacy and Safety of Pemafibrate, a Novel Selective Peroxisome Proliferator-Activated Receptor- α Modulator (SPPARM α) in Dyslipidemic Patients with Renal Impairment. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	33
151	Prevalence and factors associated with sarcopenia in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2019 , 29, 589-595	3.3	52
150	Efficacy and Safety of Pemafibrate, a Novel Selective Peroxisome Proliferator-Activated Receptor α Modulator (SPPARM α) Pooled Analysis of Phase 2 and 3 Studies in Dyslipidemic Patients with or without Statin Combination. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	15
149	Links Between Physical Frailty and Regional Gray Matter Volumes in Older Adults: A Voxel-Based Morphometry Study. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1587-1592.e7	5.9	16
148	Development of the Positive Photo Appreciation for Dementia program for people with mild cognitive impairment and early-stage Alzheimer's disease: A feasibility study. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 1064-1066	2.9	1
147	Effects of a novel selective peroxisome proliferator-activated receptor- α modulator, pemafibrate, on hepatic and peripheral glucose uptake in patients with hypertriglyceridemia and insulin resistance. <i>Journal of Diabetes Investigation</i> , 2018 , 9, 1323-1332	3.9	23
146	Community activities predict disability and mortality in community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 1114-1124	2.9	17
145	Oral function as an indexing parameter for mild cognitive impairment in older adults. <i>Geriatrics and Gerontology International</i> , 2018 , 18, 790-798	2.9	24
144	Effects of Pemafibrate, a Novel Selective PPAR α Modulator, on Lipid and Glucose Metabolism in Patients With Type 2 Diabetes and Hypertriglyceridemia: A Randomized, Double-Blind, Placebo-Controlled, Phase 3 Trial. <i>Diabetes Care</i> , 2018 , 41, 538-546	14.6	89
143	Efficacy and Safety of Pemafibrate Versus Fenofibrate in Patients with High Triglyceride and Low HDL Cholesterol Levels: A Multicenter, Placebo-Controlled, Double-Blind, Randomized Trial. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 521-538	4	61
142	Effect of a Positive Photo Appreciation Program on Depressive Mood in Older Adults: A Pilot Randomized Controlled Trial. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
141	Effects of pemafibrate (K-877) on cholesterol efflux capacity and postprandial hyperlipidemia in patients with atherogenic dyslipidemia. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 1267-1279.e4	4.9	21
140	Chapter 1 Definitions and diagnosis of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2018 , 18 Suppl 1, 7-12	2.9	21

139	Chapter 2 Epidemiology of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2018 , 18 Suppl 1, 13-22	2.9	18
138	Chapter 3 Prevention of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2018 , 18 Suppl 1, 23-27	2.9	12
137	Chapter 4 Treatment of sarcopenia. <i>Geriatrics and Gerontology International</i> , 2018 , 18 Suppl 1, 28-44	2.9	38
136	Cognitive Frailty in Geriatrics. <i>Clinics in Geriatric Medicine</i> , 2018 , 34, 667-675	3.8	24
135	Efficacy and safety of pemafibrate (K-877), a selective peroxisome proliferator-activated receptor α modulator, in patients with dyslipidemia: Results from a 24-week, randomized, double blind, active-controlled, phase 3 trial. <i>Journal of Clinical Lipidology</i> , 2018 , 12, 173-184	4.9	83
134	Social Frailty Predicts Incident Disability and Mortality Among Community-Dwelling Japanese Older Adults. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 1099-1103	5.9	44
133	Prevalence of familial hypercholesterolemia in patients with acute coronary syndrome in Japan: Results of the EXPLORE-J study. <i>Atherosclerosis</i> , 2018 , 277, 362-368	3.1	25
132	Japan Atherosclerosis Society (JAS) Guidelines for Prevention of Atherosclerotic Cardiovascular Diseases 2017. <i>Journal of Atherosclerosis and Thrombosis</i> , 2018 , 25, 846-984	4	295
131	Cognitive Frailty Predicts Incident Dementia among Community-Dwelling Older People. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	45
130	Efficacy and safety of K-877, a novel selective peroxisome proliferator-activated receptor α modulator (SPPARM α) in combination with statin treatment: Two randomised, double-blind, placebo-controlled clinical trials in patients with dyslipidaemia. <i>Atherosclerosis</i> , 2017 , 261, 144-152	3.1	69
129	Looking back to move forward: a twenty-year audit of herpes zoster in Asia-Pacific. <i>BMC Infectious Diseases</i> , 2017 , 17, 213	4	33
128	Self-Assessed Kyphosis and Chewing Disorders Predict Disability and Mortality in Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 550.e1-550.e6	5.9	76
127	Interventions for Treating Sarcopenia: A Systematic Review and Meta-Analysis of Randomized Controlled Studies. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 553.e1-553.e16	5.9	164
126	Lipid-modifying efficacy and tolerability of anacetrapib added to ongoing statin therapy in Japanese patients with dyslipidemia. <i>Atherosclerosis</i> , 2017 , 261, 69-77	3.1	7
125	The relationship of community activities with cognitive impairment and depressive mood independent of mobility disorder in Japanese older adults. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 70, 54-61	4	15
124	Cutoff values for appendicular skeletal muscle mass and strength in relation to fear of falling among Brazilian older adults: cross-sectional study. <i>Sao Paulo Medical Journal</i> , 2017 , 135, 434-443	1.6	7
123	Differential Characteristics of Skeletal Muscle in Community-Dwelling Older Adults. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 807.e9-807.e16	5.9	56
122	Self-Management Group Exercise Extends Healthy Life Expectancy in Frail Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	23

121	Systematic review of the Kihon Checklist: Is it a reliable assessment of frailty?. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 893-902	2.9	104
120	Efficacy and safety of the cholesteryl ester transfer protein inhibitor anacetrapib in Japanese patients with heterozygous familial hypercholesterolemia. <i>Atherosclerosis</i> , 2016 , 249, 215-23	3.1	8
119	Effect of self-reported quality of sleep on mobility in older adults. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 266-71	2.9	11
118	Differences in lifestyle, physical performance and quality of life between frail and robust Brazilian community-dwelling elderly women. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 829-35	2.9	27
117	Recent Advances in Sarcopenia Research in Asia: 2016 Update From the Asian Working Group for Sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2016 , 17, 767.e1-7	5.9	174
116	Thera-band(®) elastic band tension: reference values for physical activity. <i>Journal of Physical Therapy Science</i> , 2016 , 28, 1266-71	1	34
115	Effects of Japanese drum exercise on depression and physical function in community-dwelling older women. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016 , 7, 158-163		
114	Effects of K-877, a novel selective PPAR α modulator (SPPARM α) in dyslipidaemic patients: A randomized, double blind, active- and placebo-controlled, phase 2 trial. <i>Atherosclerosis</i> , 2016 , 249, 36-43 ^{3.1}		106
113	Strategies on fall prevention for older people living in the community: A report from a round-table meeting in IAGG 2013. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015 , 6, 39-44		9
112	An international definition for "nursing home". <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 181-4	5.9	183
111	English translation of the Kihon Checklist. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 518-9	2.9	136
110	Predictive Value of Frailty Scores for Healthy Life Expectancy in Community-Dwelling Older Japanese Adults. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 1002.e7-11	5.9	79
109	Differential association of frailty with cognitive decline and sarcopenia in community-dwelling older adults. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 120-4	5.9	58
108	Characteristics of the nurse manager's recognition behavior and its relation to sense of coherence of staff nurses in Japan. <i>Collegian</i> , 2015 , 22, 9-17	1.6	10
107	Walking speed and balance performance are associated with Short-Form 8 bodily pain domain in Brazilian older female. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2015 , 6, 89-94		5
106	Comparison of frailty among Japanese, Brazilian Japanese descendants and Brazilian community-dwelling older women. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 762-9	2.9	6
105	Japan as the front-runner of super-aged societies: Perspectives from medicine and medical care in Japan. <i>Geriatrics and Gerontology International</i> , 2015 , 15, 673-87	2.9	181
104	Arterial Stiffness Predicts Cognitive Decline in Japanese Community-dwelling Elderly Subjects: A One-year Follow-up Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015 , 22, 637-44	4	8

103	Mail-Based Intervention for Sarcopenia Prevention Increased Anabolic Hormone and Skeletal Muscle Mass in Community-Dwelling Japanese Older Adults: The INE (Intervention by Nutrition and Exercise) Study. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 654-60	5.9	44
102	An International Atherosclerosis Society Position Paper: global recommendations for the management of dyslipidemia—full report. <i>Journal of Clinical Lipidology</i> , 2014 , 8, 29-60	4.9	246
101	Effect of physical activity on memory function in older adults with mild Alzheimer's disease and mild cognitive impairment. <i>Geriatrics and Gerontology International</i> , 2014 , 14, 758-62	2.9	25
100	Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). <i>Age and Ageing</i> , 2014 , 43, 748-59	3	1063
99	An International Atherosclerosis Society position paper: global recommendations for the management of dyslipidemia: executive summary. <i>Atherosclerosis</i> , 2014 , 232, 410-3	3.1	26
98	Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 95-101	5.9	2215
97	Comparison of frailty between users and nonusers of a day care center using the Kihon Checklist in Brazil. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2014 , 5, 82-85		13
96	AMAP1 as a negative-feedback regulator of nuclear factor- κ B under inflammatory conditions. <i>Scientific Reports</i> , 2014 , 4, 5094	4.9	9
95	Self-reported quality of sleep is associated with bodily pain, vitality and cognitive impairment in Japanese older adults. <i>Geriatrics and Gerontology International</i> , 2014 , 14, 628-35	2.9	25
94	Arterial stiffness is associated with low skeletal muscle mass in Japanese community-dwelling older adults. <i>Geriatrics and Gerontology International</i> , 2014 , 14 Suppl 1, 109-14	2.9	56
93	Age-dependent changes in skeletal muscle mass and visceral fat area in Japanese adults from 40 to 79 years-of-age. <i>Geriatrics and Gerontology International</i> , 2014 , 14 Suppl 1, 8-14	2.9	67
92	Validation and translation of the Kihon Checklist (frailty index) into Brazilian Portuguese. <i>Geriatrics and Gerontology International</i> , 2014 , 14, 561-9	2.9	54
91	Arterial stiffness determined according to the cardio-ankle vascular index(CAVI) is associated with mild cognitive decline in community-dwelling elderly subjects. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 49-55	4	17
90	Impact of the integrated guidance on the care of familial hypercholesterolaemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014 , 21, 366-7	4	2
89	Importance of Physical Performance and Quality of Life for Self-Rated Health in Older Japanese Women. <i>Physical and Occupational Therapy in Geriatrics</i> , 2013 , 31, 1-11	1.1	2
88	Priorities of health care outcomes for the elderly. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 479-84	5.9	50
87	Prevalence of sarcopenia in community-dwelling Japanese older adults. <i>Journal of the American Medical Directors Association</i> , 2013 , 14, 911-5	5.9	209
86	Global brain atrophy is associated with physical performance and the risk of falls in older adults with cognitive impairment. <i>Geriatrics and Gerontology International</i> , 2013 , 13, 437-42	2.9	16

85	Factors associated with falls in active older adults in Japan and Brazil. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2013 , 4, 89-92		4
84	Chronic kidney disease (CKD) is an independent risk factor for long-term care insurance (LTCI) need certification among older Japanese adults: a two-year prospective cohort study. <i>Archives of Gerontology and Geriatrics</i> , 2013 , 57, 328-32	4	21
83	Small dense low-density lipoproteins cholesterol can predict incident cardiovascular disease in an urban Japanese cohort: the Suita study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2013 , 20, 195-203	4	72
82	Faster decline of physical performance in older adults with higher levels of baseline locomotive function. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 238-46	2.9	10
81	Complex obstacle negotiation exercise can prevent falls in community-dwelling elderly Japanese aged 75 years and older. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 461-7	2.9	14
80	Both conventional indices of cognitive function and frailty predict levels of care required in a long-term care insurance program for memory clinic patients in Japan. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 630-6	2.9	12
79	Indications and practice for tube feeding in Japanese geriatricians: implications of multidisciplinary team approach. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 643-51	2.9	7
78	Sensing of commensal organisms by the intracellular sensor NOD1 mediates experimental pancreatitis. <i>Immunity</i> , 2012 , 37, 326-38	32.3	65
77	Community-based exercise program is cost-effective by preventing care and disability in Japanese frail older adults. <i>Journal of the American Medical Directors Association</i> , 2012 , 13, 507-11	5.9	76
76	Development of a New Fall Risk Assessment Index for Older Adults. <i>International Journal of Gerontology</i> , 2012 , 6, 160-162		3
75	Identifying cognitive dysfunction using the nurses' rapidly clinical judgment in elderly inpatients. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2012 , 3, 21-24		2
74	Urban-rural differences in physical performance and health status among older Japanese community-dwelling women. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2012 , 3, 127-131		6
73	Protein inhibitor of activated STAT, PIASy regulates β smooth muscle actin expression by interacting with E12 in mesangial cells. <i>PLoS ONE</i> , 2012 , 7, e41186	3.7	6
72	Management of type IIb dyslipidemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 105-14	4	12
71	Guidelines for the management of familial hypercholesterolemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 1043-60	4	126
70	Diagnosis and management of type I and type V hyperlipoproteinemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 1-12	4	65
69	Ezetimibe ameliorates early diabetic nephropathy in db/db mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 608-18	4	15
68	Multicenter study to determine the diagnosis criteria of heterozygous familial hypercholesterolemia in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 1019-26	4	38

67	Comparison of the psychosocial quality of life in hemodialysis patients between the elderly and non-elderly using a visual analogue scale: the importance of appetite and depressive mood. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 65-71	2.9	9
66	Toward the realization of a better aged society: messages from gerontology and geriatrics. <i>Geriatrics and Gerontology International</i> , 2012 , 12, 16-22	2.9	121
65	Background to discuss guidelines for control of plasma HDL-cholesterol in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2012 , 19, 207-12	4	3
64	Remitting seronegative symmetrical synovitis with pitting edema (RS3PE) syndrome: A case report. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011 , 2, 27-29		3
63	Differential determinants of physical daily activities in frail and nonfrail community-dwelling older adults. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011 , 2, 42-46		6
62	Psychosocial quality of life of elderly hemodialysis patients using visual analog scale: Comparison with healthy elderly in Japan. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2011 , 2, 116-120		
61	Activation of Src mediates PDGF-induced Smad1 phosphorylation and contributes to the progression of glomerulosclerosis in glomerulonephritis. <i>PLoS ONE</i> , 2011 , 6, e17929	3.7	27
60	Differential effect of statins on diabetic nephropathy in db/db mice. <i>International Journal of Molecular Medicine</i> , 2011 , 28, 683-7	4.4	13
59	Survey on geriatricians' experiences of adverse drug reactions caused by potentially inappropriate medications: commission report of the Japan Geriatrics Society. <i>Geriatrics and Gerontology International</i> , 2011 , 11, 3-7	2.9	17
58	Dual-task walk is a reliable predictor of falls in robust elderly adults. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 163-4	5.6	54
57	Effect of resistance training on physical performance and fear of falling in elderly with different levels of physical well-being. <i>Age and Ageing</i> , 2011 , 40, 637-41	3	16
56	C-C chemokine receptor 2 inhibitor improves diet-induced development of insulin resistance and hepatic steatosis in mice. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 219-28	4	71
55	More intensive lipid lowering is associated with regression of coronary atherosclerosis in diabetic patients with acute coronary syndrome--sub-analysis of JAPAN-ACS study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2010 , 17, 1096-107	4	38
54	Prevalence of the metabolic syndrome in elderly and middle-aged Japanese. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2010 , 1, 42-47		24
53	Geriatrics in the most aged country, Japan. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49 Suppl 2, S1-2.4		11
52	Mulberry leaf ameliorates the expression profile of adipocytokines by inhibiting oxidative stress in white adipose tissue in db/db mice. <i>Atherosclerosis</i> , 2009 , 204, 388-94	3.1	49
51	The current clinical problems for early phase of diabetic nephropathy and approach for pathogenesis of diabetic nephropathy. <i>Diabetes Research and Clinical Practice</i> , 2008 , 82 Suppl 1, S21-4	7.4	12
50	Urinary Smad1 is a novel marker to predict later onset of mesangial matrix expansion in diabetic nephropathy. <i>Diabetes</i> , 2008 , 57, 1712-22	0.9	41

49	Role of growth arrest-specific gene 6 in diabetic nephropathy. <i>Vitamins and Hormones</i> , 2008 , 78, 375-92	2.5	17
48	Inhibition of CCR2 ameliorates insulin resistance and hepatic steatosis in db/db mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 2195-201	9.4	112
47	Coexpression of CLA-1 and human PDZK1 in murine liver modulates HDL cholesterol metabolism. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1298-303	9.4	12
46	Acute renal failure after exercise in a Japanese sumo wrestler with renal hypouricemia. <i>American Journal of the Medical Sciences</i> , 2008 , 336, 512-4	2.2	6
45	Long-term probucol treatment prevents secondary cardiovascular events: a cohort study of patients with heterozygous familial hypercholesterolemia in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008 , 15, 292-303	4	91
44	Proposed guidelines for hypertriglyceridemia in Japan with non-HDL cholesterol as the second target. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008 , 15, 116-21	4	46
43	A model for diabetic nephropathy: advantages of the inducible cAMP early repressor transgenic mouse over the streptozotocin-induced diabetic mouse. <i>Journal of Cellular Physiology</i> , 2008 , 215, 383-91	7	29
42	Polymorphisms of apolipoprotein e and methylenetetrahydrofolate reductase in the Japanese population. <i>Journal of Atherosclerosis and Thrombosis</i> , 2007 , 14, 167-71	4	7
41	Roles of coagulation pathway and factor Xa in rat mesangioproliferative glomerulonephritis. <i>Laboratory Investigation</i> , 2007 , 87, 150-60	5.9	23
40	Cognitive impairment and frontal-subcortical geriatric syndrome are associated with metabolic syndrome in a stroke-free population. <i>Neurobiology of Aging</i> , 2007 , 28, 1723-36	5.6	39
39	Mulberry leaf powder prevents atherosclerosis in apolipoprotein E-deficient mice. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 358, 751-6	3.4	51
38	Inhibition of MCP-1/CCR2 pathway ameliorates the development of diabetic nephropathy. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 360, 772-7	3.4	127
37	Hypercholesterolemia contributes to the development of atherosclerosis and vascular remodeling by recruiting bone marrow-derived cells in cuff-induced vascular injury. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 363, 782-7	3.4	17
36	Mulberry leaf aqueous fractions inhibit TNF-alpha-induced nuclear factor kappaB (NF-kappaB) activation and lectin-like oxidized LDL receptor-1 (LOX-1) expression in vascular endothelial cells. <i>Atherosclerosis</i> , 2007 , 193, 20-7	3.1	52
35	SRY-related HMG box 9 regulates the expression of Col4a2 through transactivating its enhancer element in mesangial cells. <i>American Journal of Pathology</i> , 2007 , 170, 1854-64	5.8	23
34	Gender difference in ICER Igamma transgenic diabetic mouse. <i>Bioscience, Biotechnology and Biochemistry</i> , 2007 , 71, 1920-6	2.1	9
33	Protection of atherogenesis in thromboxane A2 receptor-deficient mice is not associated with thromboxane A2 receptor in bone marrow-derived cells. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 351, 865-71	3.4	15
32	Prevalence of metabolic syndrome in the general Japanese population in 2000. <i>Journal of Atherosclerosis and Thrombosis</i> , 2006 , 13, 202-8	4	124

13	Gas6 induces mesangial cell proliferation via latent transcription factor STAT3. <i>Journal of Biological Chemistry</i> , 2001 , 276, 42364-9	5.4	76
12	Distinct signaling pathways for MCP-1-dependent integrin activation and chemotaxis. <i>Journal of Biological Chemistry</i> , 2001 , 276, 16555-60	5.4	154
11	Gas6 regulates mesangial cell proliferation through Axl in experimental glomerulonephritis. <i>American Journal of Pathology</i> , 2001 , 158, 1423-32	5.8	91
10	Junctional adhesion molecule (JAM) is phosphorylated by protein kinase C upon platelet activation. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 276, 873-8	3.4	63
9	Oxidized LDL and expression of monocyte adhesion molecules. <i>Diabetes Research and Clinical Practice</i> , 1999 , 45, 123-6	7.4	38
8	Lysophosphatidylcholine activates mitogen-activated protein kinases by a tyrosine kinase-dependent pathway in bovine aortic endothelial cells. <i>Atherosclerosis</i> , 1999 , 143, 261-6	3.1	33
7	Cholesterol efflux effect of high density lipoprotein is impaired by whole cigarette smoke extracts through lipid peroxidation. <i>Free Radical Biology and Medicine</i> , 1998 , 24, 182-90	7.8	35
6	Lysophosphatidylcholine generates superoxide anions through activation of phosphatidylinositol 3-kinase in human neutrophils. <i>FEBS Letters</i> , 1998 , 441, 63-6	3.8	41
5	Ribozyme targeting of receptor for advanced glycation end products in mouse mesangial cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 245, 583-8	3.4	44
4	Organization and differential expression of the human monocyte chemoattractant protein 1 receptor gene. Evidence for the role of the carboxyl-terminal tail in receptor trafficking. <i>Journal of Biological Chemistry</i> , 1997 , 272, 1038-45	5.4	98
3	Dissociation of chemotaxis from agonist-induced receptor internalization in a lymphocyte cell line transfected with CCR2B. Evidence that directed migration does not require rapid modulation of signaling at the receptor level. <i>Journal of Biological Chemistry</i> , 1997 , 272, 25037-42	5.4	66
2	Molecular approaches to identifying ligand binding and signaling domains of C-C chemokine receptors. <i>Methods in Enzymology</i> , 1997 , 288, 70-84	1.7	1
1	Differential regulation of G-protein-mediated signaling by chemokine receptors. <i>Journal of Biological Chemistry</i> , 1996 , 271, 21814-9	5.4	160