

Pia Jeppesen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364234/publications.pdf>

Version: 2024-02-01

77
papers

3,748
citations

186209

28
h-index

133188

59
g-index

78
all docs

78
docs citations

78
times ranked

3627
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. <i>BMJ: British Medical Journal</i> , 2005, 331, 602.	2.4	480
2	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. <i>Archives of General Psychiatry</i> , 2008, 65, 762.	13.8	399
3	Gender Differences in Young Adults With First-Episode Schizophrenia Spectrum Disorders at Baseline in the Danish OPUS Study. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 396-405.	0.5	158
4	Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. <i>Schizophrenia Research</i> , 2006, 83, 29-40.	1.1	154
5	Suicidal behaviour and mortality in first-episode psychosis: the OPUS trial. <i>British Journal of Psychiatry</i> , 2007, 191, s140-s146.	1.7	144
6	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. <i>Schizophrenia Research</i> , 2013, 150, 163-168.	1.1	144
7	Predictors of recovery from psychosis. <i>Schizophrenia Research</i> , 2011, 125, 257-266.	1.1	143
8	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. <i>Schizophrenia Research</i> , 2015, 168, 84-91.	1.1	141
9	Improving 1-year outcome in first-episode psychosis. <i>British Journal of Psychiatry</i> , 2005, 187, s98-s103.	1.7	131
10	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-626.	2.3	127
11	Integrated treatment of first-episode psychosis: effect of treatment on family burden. <i>British Journal of Psychiatry</i> , 2005, 187, s85-s90.	1.7	125
12	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	1.7	106
13	Clinical Characteristics and Predictors of Outcome of Schizophrenia-Spectrum Psychosis in Children and Adolescents: A Systematic Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 410-427.	0.7	104
14	Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 660-670.	0.9	87
15	Course of illness in a sample of 265 patients with first-episode psychosis—Five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009, 107, 173-178.	1.1	85
16	From research to practice: how <sc>OPUS</sc> treatment was accepted and implemented throughout <sc>D</sc>enmark. <i>Microbial Biotechnology</i> , 2015, 9, 156-162.	0.9	74
17	Psychotic experiences co-occur with sleep problems, negative affect and mental disorders in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 558-565.	3.1	71
18	Hospital contact for mental disorders in survivors of childhood cancer and their siblings in Denmark: a population-based cohort study. <i>Lancet Oncology</i> , The, 2013, 14, 971-980.	5.1	65

#	ARTICLE	IF	CITATIONS
19	Subfoveal Choroidal Thickness in 1323 Children Aged 11 to 12 Years and Association With Puberty: The Copenhagen Child Cohort 2000 Eye Study. , 2014, 55, 550.		64
20	Social network among young adults with first-episode schizophrenia spectrum disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 761-770.	1.6	55
21	Substance abuse and first-episode schizophrenia-spectrum disorders. The Danish OPUS trial. Microbial Biotechnology, 2007, 1, 88-96.	0.9	43
22	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. Schizophrenia Bulletin, 2015, 41, 1084-1094.	2.3	42
23	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. American Journal of Psychiatry, 2020, 177, 318-326.	4.0	41
24	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. Lancet Psychiatry, 2017, 4, 605-618.	3.7	40
25	Predictors of poor adherence to medication among patients with first-episode schizophrenia spectrum disorder. Microbial Biotechnology, 2009, 3, 66-74.	0.9	38
26	Hyper-Theory-of-Mind in Children with Psychotic Experiences. PLoS ONE, 2014, 9, e113082.	1.1	38
27	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. Trials, 2011, 12, 72.	0.7	35
28	Health Anxiety in Preadolescence - Associated Health Problems, Healthcare Expenditure, and Continuity in Childhood. Journal of Abnormal Child Psychology, 2016, 44, 823-832.	3.5	35
29	The quality of life among first-episode psychotic patients in the opus trial. Schizophrenia Research, 2010, 116, 27-34.	1.1	33
30	Early Nonresponse Determined by the Clinical Global Impressions Scale Predicts Poorer Outcomes in Youth with Schizophrenia Spectrum Disorders Naturalistically Treated with Second-Generation Antipsychotics. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 665-675.	0.7	30
31	Predicting ADHD in school age when using the Strengths and Difficulties Questionnaire in preschool age: a longitudinal general population study, CCC2000. European Child and Adolescent Psychiatry, 2014, 23, 1051-1060.	2.8	29
32	Effectiveness of Transdiagnostic Cognitive-Behavioral Psychotherapy Compared With Management as Usual for Youth With Common Mental Health Problems. JAMA Psychiatry, 2021, 78, 250.	6.0	28
33	The predictive validity of the Strengths and Difficulties Questionnaire in preschool age to identify mental disorders in preadolescence. PLoS ONE, 2019, 14, e0217707.	1.1	24
34	Deinstitutionalization revisited: a 5-year follow-up of a randomized clinical trial of hospital-based rehabilitation versus specialized assertive intervention (OPUS) versus standard treatment for patients with first-episode schizophrenia spectrum disorders. Psychological Medicine, 2010, 40, 1619-1626.	2.7	23
35	Concordance of child self-reported psychotic experiences with interviewer- and observer-based psychotic experiences. Microbial Biotechnology, 2019, 13, 619-626.	0.9	21
36	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia. Schizophrenia Research, 2007, 97, 60-67.	1.1	19

#	ARTICLE	IF	CITATIONS
37	Individualization of treatments with drugs metabolized by CES1: combining genetics and metabolomics. <i>Pharmacogenomics</i> , 2015, 16, 649-665.	0.6	19
38	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
39	Cohort Profile: The Copenhagen Child Cohort Study (CCC2000). <i>International Journal of Epidemiology</i> , 2020, 49, 370-371.	0.9	19
40	The Association Between Working Alliance and Clinical and Functional Outcome in a Cohort of 400 Patients With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e83-e90.	1.1	19
41	The rationale for early intervention in schizophrenia and related disorders. <i>Microbial Biotechnology</i> , 2009, 3, S3-7.	0.9	18
42	Early response or nonresponse at week 2 and week 3 predict ultimate response or nonresponse in adolescents with schizophrenia treated with olanzapine: results from a 6-week randomized, placebo-controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1485-1496.	2.8	18
43	Effect of integrated treatment on the use of coercive measures in first-episode schizophrenia-spectrum disorder. A randomized clinical trial. <i>International Journal of Law and Psychiatry</i> , 2008, 31, 72-76.	0.5	17
44	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12-43 years. <i>Psychological Medicine</i> , 2021, 51, 1570-1580.	2.7	17
45	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
46	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016, 7, 330.	1.1	13
47	Eating behaviours in preadolescence are associated with body dissatisfaction and mental disorders - Results of the CCC2000 study. <i>Appetite</i> , 2016, 101, 46-54.	1.8	13
48	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
49	Danish norms for the Strengths and Difficulties Questionnaire. <i>Danish Medical Journal</i> , 2019, 66, .	0.5	13
50	Prospective study of the course of delusional themes in first-episode non-affective psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 340-347.	0.9	12
51	The longitudinal validity of proxy-reported CHU9D. <i>Quality of Life Research</i> , 2021, 30, 1747-1756.	1.5	12
52	Intensive treatment models and coercion. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 369-378.	0.7	11
53	Quetiapine versus aripiprazole in children and adolescents with psychosis - protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. <i>BMC Psychiatry</i> , 2014, 14, 199.	1.1	10
54	Evaluation of a screening algorithm using the Strengths and Difficulties Questionnaire to identify children with mental health problems: A five-year register-based follow-up on school performance and healthcare use. <i>PLoS ONE</i> , 2019, 14, e0223314.	1.1	10

#	ARTICLE	IF	CITATIONS
55	The Back2School modular cognitive behavioral intervention for youths with problematic school absenteeism: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 29.	0.7	9
56	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
57	Feasibility Study of Back2School, a Modular Cognitive Behavioral Intervention for Youth With School Attendance Problems. <i>Frontiers in Psychology</i> , 2020, 11, 586.	1.1	9
58	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
59	Family-based cognitive behavioural therapy versus family-based relaxation therapy for obsessive-compulsive disorder in children and adolescents: protocol for a randomised clinical trial (the TECTO trial). <i>BMC Psychiatry</i> , 2022, 22, 204.	1.1	9
60	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008, 2, 22-26.	0.9	7
61	Early Predictors of Eating Problems in Preadolescence—A Prospective Birth Cohort Study. <i>Journal of Adolescent Health</i> , 2016, 58, 533-542.	1.2	7
62	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7
63	Continuity of health anxiety from childhood to adolescence and associated healthcare costs: a prospective population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 441-448.	3.1	7
64	Early Antipsychotic Nonresponse as a Predictor of Nonresponse and Nonremission in Adolescents With Psychosis Treated With Aripiprazole or Quetiapine: Results From the TEA Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, , .	0.3	7
65	Prevention in the mental health field should be implemented synergically at different levels. <i>World Psychiatry</i> , 2021, 20, 230-231.	4.8	6
66	Systematic identification and stratification of help-seeking school-aged youth with mental health problems: a novel approach to stage-based stepped-care. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 781-793.	2.8	5
67	Outcomes of a 12-week ecologically valid observational study of first treatment with methylphenidate in a representative clinical sample of drug naïve children with ADHD. <i>PLoS ONE</i> , 2021, 16, e0253727.	1.1	3
68	Are All Psychotic-Like Experiences Really “Psychotic”? Response to McLawhorn and Jackson. <i>American Journal of Psychiatry</i> , 2020, 177, 1179-1180.	4.0	2
69	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
70	Sociodemographic and clinical characteristics of youths and parents seeking psychological treatment for school attendance problems. <i>PLoS ONE</i> , 2022, 17, e0261449.	1.1	2
71	Treatment of first-episode psychosis patient, psychosocial aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 37-41.	0.5	1
72	The Problem of Same-Rater Bias. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 700-701.	0.3	1

#	ARTICLE	IF	CITATIONS
73	A psychometric investigation of the multiple-choice version of Animated Triangles Task to measure Theory of Mind in adolescence. PLoS ONE, 2022, 17, e0264319.	1.1	1
74	Title is missing!. , 2019, 14, e0223314.		0
75	Title is missing!. , 2019, 14, e0223314.		0
76	Title is missing!. , 2019, 14, e0223314.		0
77	Title is missing!. , 2019, 14, e0223314.		0