

Pia Jeppesen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364234/publications.pdf>

Version: 2024-02-01

77
papers

3,748
citations

186209

28
h-index

133188

59
g-index

78
all docs

78
docs citations

78
times ranked

3627
citing authors

#	ARTICLE	IF	CITATIONS
1	Systematic identification and stratification of help-seeking school-aged youth with mental health problems: a novel approach to stage-based stepped-care. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 781-793.	2.8	5
2	Sociodemographic and clinical characteristics of youths and parents seeking psychological treatment for school attendance problems. <i>PLoS ONE</i> , 2022, 17, e0261449.	1.1	2
3	Early Antipsychotic Nonresponse as a Predictor of Nonresponse and Nonremission in Adolescents With Psychosis Treated With Aripiprazole or Quetiapine: Results From the TEA Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2022, , .	0.3	7
4	A psychometric investigation of the multiple-choice version of Animated Triangles Task to measure Theory of Mind in adolescence. <i>PLoS ONE</i> , 2022, 17, e0264319.	1.1	1
5	Family-based cognitive behavioural therapy versus family-based relaxation therapy for obsessive-compulsive disorder in children and adolescents: protocol for a randomised clinical trial (the TECTO trial). <i>BMC Psychiatry</i> , 2022, 22, 204.	1.1	9
6	Differential effects of age at illness onset on verbal memory functions in antipsychotic-naïve schizophrenia patients aged 12–43 years. <i>Psychological Medicine</i> , 2021, 51, 1570-1580.	2.7	17
7	Promoting a patient-centered, transdiagnostic approach to prevention of severe mental illness. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 823-824.	2.8	7
8	Continuity of health anxiety from childhood to adolescence and associated healthcare costs: a prospective population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 441-448.	3.1	7
9	The longitudinal validity of proxy-reported CHU9D. <i>Quality of Life Research</i> , 2021, 30, 1747-1756.	1.5	12
10	Effectiveness of Transdiagnostic Cognitive-Behavioral Psychotherapy Compared With Management as Usual for Youth With Common Mental Health Problems. <i>JAMA Psychiatry</i> , 2021, 78, 250.	6.0	28
11	Prevention in the mental health field should be implemented synergically at different levels. <i>World Psychiatry</i> , 2021, 20, 230-231.	4.8	6
12	Precursors of self-reported subclinical hypomania in adolescence: A longitudinal general population study. <i>PLoS ONE</i> , 2021, 16, e0253507.	1.1	2
13	Healthcare Costs, School Performance, and Health-related Quality of Life in Adolescence Following Psychotic Experiences in Preadolescence: A Longitudinal Cohort Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 682-691.	2.3	9
14	Outcomes of a 12-week ecologically valid observational study of first treatment with methylphenidate in a representative clinical sample of drug-naïve children with ADHD. <i>PLoS ONE</i> , 2021, 16, e0253727.	1.1	3
15	Are theory of mind and bullying separately associated with later academic performance among preadolescents?. <i>British Journal of Educational Psychology</i> , 2020, 90, 62-76.	1.6	13
16	Psychotic experiences from preadolescence to adolescence: when should we be worried about adolescent risk behaviors?. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 1251-1264.	2.8	19
17	Are All Psychotic-Like Experiences Really "Psychotic"? Response to McLawhorn and Jackson. <i>American Journal of Psychiatry</i> , 2020, 177, 1179-1180.	4.0	2
18	Mental Health Service Use and Psychopharmacological Treatment Following Psychotic Experiences in Preadolescence. <i>American Journal of Psychiatry</i> , 2020, 177, 318-326.	4.0	41

#	ARTICLE	IF	CITATIONS
19	Cohort Profile: The Copenhagen Child Cohort Study (CCC2000). <i>International Journal of Epidemiology</i> , 2020, 49, 370-371.	0.9	19
20	Feasibility Study of Back2School, a Modular Cognitive Behavioral Intervention for Youth With School Attendance Problems. <i>Frontiers in Psychology</i> , 2020, 11, 586.	1.1	9
21	Evidence that self-reported psychotic experiences in children are clinically relevant. <i>Schizophrenia Research</i> , 2019, 204, 415-416.	1.1	14
22	Evaluation of a screening algorithm using the Strengths and Difficulties Questionnaire to identify children with mental health problems: A five-year register-based follow-up on school performance and healthcare use. <i>PLoS ONE</i> , 2019, 14, e0223314.	1.1	10
23	The Back2School modular cognitive behavioral intervention for youths with problematic school absenteeism: study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 29.	0.7	9
24	The predictive validity of the Strengths and Difficulties Questionnaire in preschool age to identify mental disorders in preadolescence. <i>PLoS ONE</i> , 2019, 14, e0217707.	1.1	24
25	Psychotic experiences are associated with health anxiety and functional somatic symptoms in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2019, 60, 524-532.	3.1	9
26	Concordance of child self-reported psychotic experiences with interviewer- and observer-based psychotic experiences. <i>Microbial Biotechnology</i> , 2019, 13, 619-626.	0.9	21
27	Danish norms for the Strengths and Difficulties Questionnaire. <i>Danish Medical Journal</i> , 2019, 66, .	0.5	13
28	Title is missing!. , 2019, 14, e0223314.		0
29	Title is missing!. , 2019, 14, e0223314.		0
30	Title is missing!. , 2019, 14, e0223314.		0
31	Title is missing!. , 2019, 14, e0223314.		0
32	The Problem of Same-Rater Bias. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 700-701.	0.3	1
33	Quetiapine extended release versus aripiprazole in children and adolescents with first-episode psychosis: the multicentre, double-blind, randomised tolerability and efficacy of antipsychotics (TEA) trial. <i>Lancet Psychiatry</i> , 2017, 4, 605-618.	3.7	40
34	A Psychometric Evaluation of the Danish Version of the Theory of Mind Storybook for 8-14 Year-Old Children. <i>Frontiers in Psychology</i> , 2016, 7, 330.	1.1	13
35	Clinical Characteristics and Predictors of Outcome of Schizophrenia-Spectrum Psychosis in Children and Adolescents: A Systematic Review. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 410-427.	0.7	104
36	Early Predictors of Eating Problems in Preadolescence—A Prospective Birth Cohort Study. <i>Journal of Adolescent Health</i> , 2016, 58, 533-542.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Eating behaviours in preadolescence are associated with body dissatisfaction and mental disorders – Results of the CCC2000 study. <i>Appetite</i> , 2016, 101, 46-54.	1.8	13
38	Health Anxiety in Preadolescence - Associated Health Problems, Healthcare Expenditure, and Continuity in Childhood. <i>Journal of Abnormal Child Psychology</i> , 2016, 44, 823-832.	3.5	35
39	Long-term trajectories of positive and negative symptoms in first episode psychosis: A 10year follow-up study in the OPUS cohort. <i>Schizophrenia Research</i> , 2015, 168, 84-91.	1.1	141
40	The CCC2000 Birth Cohort Study of Register-Based Family History of Mental Disorders and Psychotic Experiences in Offspring. <i>Schizophrenia Bulletin</i> , 2015, 41, 1084-1094.	2.3	42
41	Individualization of treatments with drugs metabolized by CES1: combining genetics and metabolomics. <i>Pharmacogenomics</i> , 2015, 16, 649-665.	0.6	19
42	Ten-Year Follow-up of the OPUS Specialized Early Intervention Trial for Patients With a First Episode of Psychosis. <i>Schizophrenia Bulletin</i> , 2015, 41, 617-626.	2.3	127
43	Psychotic experiences occur with sleep problems, negative affect and mental disorders in preadolescence. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 558-565.	3.1	71
44	From research to practice: how OPUS treatment was accepted and implemented throughout Denmark. <i>Microbial Biotechnology</i> , 2015, 9, 156-162.	0.9	74
45	Early response or nonresponse at week 2 and week 3 predict ultimate response or nonresponse in adolescents with schizophrenia treated with olanzapine: results from a 6-week randomized, placebo-controlled trial. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1485-1496.	2.8	18
46	The Association Between Working Alliance and Clinical and Functional Outcome in a Cohort of 400 Patients With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e83-e90.	1.1	19
47	Prospective study of the course of delusional themes in first-episode non-affective psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 340-347.	0.9	12
48	Quetiapine versus aripiprazole in children and adolescents with psychosis - protocol for the randomised, blinded clinical Tolerability and Efficacy of Antipsychotics (TEA) trial. <i>BMC Psychiatry</i> , 2014, 14, 199.	1.1	10
49	Subfoveal Choroidal Thickness in 1323 Children Aged 11 to 12 Years and Association With Puberty: The Copenhagen Child Cohort 2000 Eye Study. , 2014, 55, 550.		64
50	Predicting ADHD in school age when using the Strengths and Difficulties Questionnaire in preschool age: a longitudinal general population study, CCC2000. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1051-1060.	2.8	29
51	Hyper-Theory-of-Mind in Children with Psychotic Experiences. <i>PLoS ONE</i> , 2014, 9, e113082.	1.1	38
52	Predictors of recovery in first episode psychosis: The OPUS cohort at 10year follow-up. <i>Schizophrenia Research</i> , 2013, 150, 163-168.	1.1	144
53	Hospital contact for mental disorders in survivors of childhood cancer and their siblings in Denmark: a population-based cohort study. <i>Lancet Oncology</i> , The, 2013, 14, 971-980.	5.1	65
54	Early Nonresponse Determined by the Clinical Global Impressions Scale Predicts Poorer Outcomes in Youth with Schizophrenia Spectrum Disorders Naturalistically Treated with Second-Generation Antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2013, 23, 665-675.	0.7	30

#	ARTICLE	IF	CITATIONS
55	Cost-effectiveness of early intervention in first-episode psychosis: economic evaluation of a randomised controlled trial (the OPUS study). <i>British Journal of Psychiatry</i> , 2013, 202, 35-41.	1.7	106
56	Predictors of recovery from psychosis. <i>Schizophrenia Research</i> , 2011, 125, 257-266.	1.1	143
57	Treatment of first-episode psychosis patient, psychosocial aspects. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2011, 8, 37-41.	0.5	1
58	The effect of five years versus two years of specialised assertive intervention for first episode psychosis - OPUS II: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 72.	0.7	35
59	Deinstitutionalization revisited: a 5-year follow-up of a randomized clinical trial of hospital-based rehabilitation <i>versus</i> specialized assertive intervention (OPUS) <i>versus</i> standard treatment for patients with first-episode schizophrenia spectrum disorders. <i>Psychological Medicine</i> , 2010, 40, 1619-1626.	2.7	23
60	The quality of life among first-episode psychotic patients in the opus trial. <i>Schizophrenia Research</i> , 2010, 116, 27-34.	1.1	33
61	Predictors of poor adherence to medication among patients with first-episode schizophrenia spectrum disorder. <i>Microbial Biotechnology</i> , 2009, 3, 66-74.	0.9	38
62	The rationale for early intervention in schizophrenia and related disorders. <i>Microbial Biotechnology</i> , 2009, 3, S3-7.	0.9	18
63	Course of illness in a sample of 265 patients with first-episode psychosisâ€™Five-year follow-up of the Danish OPUS trial. <i>Schizophrenia Research</i> , 2009, 107, 173-178.	1.1	85
64	Does a detection team shorten duration of untreated psychosis?. <i>Microbial Biotechnology</i> , 2008, 2, 22-26.	0.9	7
65	Effect of integrated treatment on the use of coercive measures in first-episode schizophrenia-spectrum disorder. A randomized clinical trial. <i>International Journal of Law and Psychiatry</i> , 2008, 31, 72-76.	0.5	17
66	Five-Year Follow-up of a Randomized Multicenter Trial of Intensive Early Intervention vs Standard Treatment for Patients With a First Episode of Psychotic Illness. <i>Archives of General Psychiatry</i> , 2008, 65, 762.	13.8	399
67	Predictors of Remission and Recovery in a First-Episode Schizophrenia Spectrum Disorder Sample: 2-Year Follow-up of the OPUS Trial. <i>Canadian Journal of Psychiatry</i> , 2008, 53, 660-670.	0.9	87
68	Suicidal behaviour and mortality in first-episode psychosis: the OPUS trial. <i>British Journal of Psychiatry</i> , 2007, 191, s140-s146.	1.7	144
69	Intensive treatment models and coercion. <i>Nordic Journal of Psychiatry</i> , 2007, 61, 369-378.	0.7	11
70	Frequency and predictive values of first rank symptoms at baseline among 362 young adult patients with first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007, 97, 60-67.	1.1	19
71	Gender Differences in Young Adults With First-Episode Schizophrenia Spectrum Disorders at Baseline in the Danish OPUS Study. <i>Journal of Nervous and Mental Disease</i> , 2007, 195, 396-405.	0.5	158
72	Substance abuse and first-episode schizophrenia-spectrum disorders. The Danish OPUS trial. <i>Microbial Biotechnology</i> , 2007, 1, 88-96.	0.9	43

#	ARTICLE	IF	CITATIONS
73	Transition rates from schizotypal disorder to psychotic disorder for first-contact patients included in the OPUS trial. A randomized clinical trial of integrated treatment and standard treatment. Schizophrenia Research, 2006, 83, 29-40.	1.1	154
74	Social network among young adults with first-episode schizophrenia spectrum disorders. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 761-770.	1.6	55
75	A randomised multicentre trial of integrated versus standard treatment for patients with a first episode of psychotic illness. BMJ: British Medical Journal, 2005, 331, 602.	2.4	480
76	Integrated treatment of first-episode psychosis: effect of treatment on family burden. British Journal of Psychiatry, 2005, 187, s85-s90.	1.7	125
77	Improving 1-year outcome in first-episode psychosis. British Journal of Psychiatry, 2005, 187, s98-s103.	1.7	131