
Noah Kiwanuka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8364533/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | High Incidence of HIV-1 Infection in a General Population of Fishing Communities around Lake Victoria, Uganda. PLoS ONE, 2014, 9, e94932. | 1.1 | 93 |
| 2 | HIV-1 Viral Subtype Differences in the Rate of CD4+ T-Cell Decline Among HIV Seroincident Antiretroviral Naive Persons in Rakai District, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 180-184. | 0.9 | 90 |
| 3 | High HIVâ€1 prevalence, risk behaviours, and willingness to participate in HIV vaccine trials in fishing communities on Lake Victoria, Uganda. Journal of the International AIDS Society, 2013, 16, 18621. | 1.2 | 74 |
| 4 | Risk factors of hypertension among adults aged 35–64 years living in an urban slum Nairobi, Kenya. BMC Public Health, 2015, 15, 1251. | 1.2 | 74 |
| 5 | Characterization of Neutrophil Subsets in Healthy Human Pregnancies. PLoS ONE, 2014, 9, e85696. | 1.1 | 67 |
| 6 | Viral diversity and abundance in polluted waters in Kampala, Uganda. Water Research, 2017, 127, 41-49. | 5.3 | 51 |
| 7 | Phylogeography of HIV-1 suggests that Ugandan fishing communities are a sink for, not a source of, virus from general populations. Scientific Reports, 2019, 9, 1051. | 1.6 | 43 |
| 8 | Characteristics and outcomes of admitted patients infected with SARS-CoV-2 in Uganda. BMJ Open Respiratory Research, 2020, 7, e000646. | 1.2 | 42 |
| 9 | Retention of HIV infected pregnant and breastfeeding women on option B+ in Gomba District, Uganda: a retrospective cohort study. BMC Infectious Diseases, 2018, 18, 533. | 1.3 | 35 |
| 10 | Determinants of loss to follow-up among HIV positive patients receiving antiretroviral therapy in a test and treat setting: A retrospective cohort study in Masaka, Uganda. PLoS ONE, 2020, 15, e0217606. | 1.1 | 35 |
| 11 | Did PEPFAR investments result in health system strengthening? A retrospective longitudinal study measuring non-HIV health service utilization at the district level. Health Policy and Planning, 2016, 31, 897-909. | 1.0 | 33 |
| 12 | Digital adherence technology for tuberculosis treatment supervision: AÂstepped-wedge cluster-randomized trialÂin Uganda. PLoS Medicine, 2021, 18, e1003628. | 3.9 | 31 |
| 13 | Efficacy of convalescent plasma for treatment of COVID-19 in Uganda. BMJ Open Respiratory Research, 2021, 8, e001017. | 1.2 | 30 |
| 14 | Population attributable fraction of incident HIV infections associated with alcohol consumption in fishing communities around Lake Victoria, Uganda. PLoS ONE, 2017, 12, e0171200. | 1.1 | 29 |
| 15 | Correlates of ever had sex among perinatally HIV-infected adolescents in Uganda. Reproductive Health, 2015, 12, 96. | 1.2 | 27 |
| 16 | Lost in Transition: HIV Prevalence and Correlates of Infection among Young People Living in Post-Emergency Phase Transit Camps in Gulu District, Northern Uganda. PLoS ONE, 2014, 9, e89786. | 1.1 | 24 |
| 17 | Comparison of Methods for Correction of Mortality Estimates for Loss to Follow-Up after ART Initiation: A Case of the Infectious Diseases Institute, Uganda. PLoS ONE, 2013, 8, e83524. | 1.1 | 21 |
| 18 | Sexual Behavior among Persons Living with HIV in Uganda: Implications for Policy and Practice. PLoS ONE 2014 9 e85646 | 1.1 | 20 |

Noah Kiwanuka

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Four Degrees of Separation: Social Contacts and Health Providers Influence the Steps to Final Diagnosis of Active Tuberculosis Patients in Urban Uganda. BMC Infectious Diseases, 2015, 15, 361. | 1.3 | 17 |
| 20 | Reproductive health and lifestyle factors associated with health-related quality of life among perinatally HIV-infected adolescents in Uganda. Health and Quality of Life Outcomes, 2015, 13, 170. | 1.0 | 15 |
| 21 | A randomized trial to assess retention rates using mobile phone reminders versus physical contact tracing in a potential HIV vaccine efficacy population of fishing communities around Lake Victoria, Uganda. BMC Infectious Diseases, 2018, 18, 591. | 1.3 | 14 |
| 22 | Factors affecting mortality among HIV positive patients two years after completing recommended therapy for Cryptococcal meningitis in Uganda. PLoS ONE, 2019, 14, e0210287. | 1.1 | 13 |
| 23 | Using Andersen's Behavioral Model of Health Care Utilization to Assess Contraceptive Use among Sexually Active Perinatally HIV-Infected Adolescents in Uganda. International Journal of Reproductive Medicine, 2020, 2020, 1-9. | 0.4 | 11 |
| 24 | Study protocol and implementation details for a pragmatic, stepped-wedge cluster randomised trial of a digital adherence technology to facilitate tuberculosis treatment completion. BMJ Open, 2020, 10, e039895. | 0.8 | 11 |
| 25 | District Health Officer Perceptions of PEPFAR's Influence on the Health System in Uganda, 2005-2011. International Journal of Health Policy and Management, 2017, 6, 83-95. | 0.5 | 11 |
| 26 | Safety of Medical Male Circumcision in Human Immunodeficiency Virus–Infected Men in Rakai, Uganda. Urology, 2014, 83, 294-297. | 0.5 | 10 |
| 27 | Psychosocial adjustment in perinatally human immunodeficiency virus infected or exposed children – a Retrospective Cohort Study. Journal of the International AIDS Society, 2016, 19, 20694. | 1.2 | 10 |
| 28 | Components of antenatal care received by women in fishing communities on Lake Victoria, Uganda; a cross sectional survey. BMC Health Services Research, 2020, 20, 901. | 0.9 | 9 |
| 29 | Excess Risk of Tuberculosis Infection Among Extra-household Contacts of Tuberculosis Cases in an African City. Clinical Infectious Diseases, 2021, 73, e3438-e3445. | 2.9 | 9 |
| 30 | Schistosoma mansoni Infection in Ugandan Men Is Associated with Increased Abundance and Function of HIV Target Cells in Blood, but Not the Foreskin: A Cross-sectional Study. PLoS Neglected Tropical Diseases, 2015, 9, e0004067. | 1.3 | 9 |
| 31 | Use of Modern Family Planning Methods in Fishing Communities of Lake Victoria, Uganda. PLoS ONE, 2015, 10, e0141531. | 1.1 | 9 |
| 32 | Intravenous artesunate plus Artemisnin based Combination Therapy (ACT) or intravenous quinine plus ACT for treatment of severe malaria in Ugandan children: a randomized controlled clinical trial. BMC Infectious Diseases, 2017, 17, 794. | 1.3 | 8 |
| 33 | Protocol for the 3HP Options Trial: a hybrid type 3 implementation-effectiveness randomized trial of delivery strategies for short-course tuberculosis preventive therapy among people living with HIV in Uganda. Implementation Science, 2020, 15, 65. | 2.5 | 8 |
| 34 | Feasibility of collecting and processing of COVID-19 convalescent plasma for treatment of COVID-19 in Uganda. PLoS ONE, 2021, 16, e0252306. | 1.1 | 8 |
| 35 | Prevalence and correlates of HIV infection among adolescents and young people living in fishing populations along Lake Victoria Fishing Communities in Uganda. Pan African Medical Journal, 2020, 37, 208. | 0.3 | 7 |
| 36 | The Effects of Workplace-Based HIV Self-testing on Uptake of Testing and Linkage to HIV Care or Prevention by Men in Uganda (WISe-Men): Protocol for a Cluster Randomized Trial. JMIR Research Protocols, 2021, 10, e25099. | 0.5 | 7 |

NOAH KIWANUKA

| # | Article | IF | CITATIONS |
|----|--|-----------|-------------------------|
| 37 | Acute hypoxaemic respiratory failure in a low-income country: a prospective observational study of hospital prevalence and mortality. BMJ Open Respiratory Research, 2020, 7, e000719. | 1.2 | 7 |
| 38 | Epidemiology, Clinical Characteristics, and Mortality of Hospitalized Patients with Severe COVID-19 in Uganda, 2020–2021. Annals of the American Thoracic Society, 2022, 19, 2100-2103. | 1.5 | 7 |
| 39 | Conducting an ongoing HIV clinical trial during the COVID-19 pandemic in Uganda: a qualitative study of research team and participants' experiences and lessons learnt. BMJ Open, 2021, 11, e048825. | 0.8 | 6 |
| 40 | Acceptance and completion of rifapentine-based TB preventive therapy (3HP) among people living with HIV (PLHIV) in Kampala, Uganda—patient and health worker perspectives. Implementation Science Communications, 2021, 2, 71. | 0.8 | 6 |
| 41 | Completion of isoniazid–rifapentine (3HP) for tuberculosis prevention among people living with HIV: Interim analysis of a hybrid type 3 effectiveness–implementation randomized trial. PLoS Medicine, 2021, 18, e1003875. | 3.9 | 6 |
| 42 | Field Performance of PIMA Point-of-Care Machine for CD4 Enumeration Under a Mobile HIV Counseling and Testing Program in Remote Fishing Communities of Lake Victoria, Uganda. AIDS Research and Human Retroviruses, 2019, 35, 382-387. | 0.5 | 5 |
| 43 | Phylogenetic Networks and Parameters Inferred from HIV Nucleotide Sequences of High-Risk and General Population Groups in Uganda: Implications for Epidemic Control. Viruses, 2021, 13, 970. | 1.5 | 5 |
| 44 | Intramuscular depot medroxyprogesterone acetate accentuates bone loss associated with tenofovir disoproxil fumarate-containing antiretroviral therapy initiation in young women living with HIV (the) Tj ETQq0 0 (|)rgBJT/Ov | erl o ck 10 Tf 5 |
| 45 | How low can you go: What is the safe threshold for platelet transfusions in patients with hematologic malignancy in sub-Saharan Africa. PLoS ONE, 2019, 14, e0211648. | 1.1 | 4 |
| 46 | Antenatal Care Practices Among Hard-to-Reach Fishing Communities on Lake Victoria: A Community-Based Cross-Sectional Survey. Journal of Primary Care and Community Health, 2020, 11, 215013272092310. | 1.0 | 4 |
| 47 | Low Prevalence of Tuberculin Skin Test Boosting among Community Residents in Uganda. American Journal of Tropical Medicine and Hygiene, 2018, 98, 379-381. | 0.6 | 4 |
| 48 | Transfusion Challenges in Patients with Hematological Malignancies in Sub-Saharan Africa: A Prospective Observational Study from the Uganda Cancer Institute. Scientific Reports, 2020, 10, 2825. | 1.6 | 3 |
| 49 | Employers' and Employees' Perspectives of HIV Self-Testing at Male-Dominated Work Sites and Linkage to Posttest Services in Uganda. Journal of the Association of Nurses in AIDS Care, 2020, 31, 632-645. | 0.4 | 3 |
| 50 | Ethical, Legal, and Sociocultural Issues in the Use of Mobile Technologies and Call Detail Records Data for Public Health in the East African Region: Scoping Review. Interactive Journal of Medical Research, 2022, 11, e35062. | 0.6 | 3 |
| 51 | Defining adequate contact for transmission of Mycobacterium tuberculosis in an African urban environment. BMC Public Health, 2020, 20, 892. | 1.2 | 1 |
| 52 | Heme oxygenase-1 and neopterin plasma/serum levels and their role in diagnosing active and latent TB among HIV/TB co-infected patients: a cross sectional study. BMC Infectious Diseases, 2021, 21, 711. | 1.3 | 1 |
| 53 | Improving access to maternal health services among rural hard-to-reach fishing communities in Uganda, the role of community health workers. Women's Health, 2022, 18, 174550572211039. | 0.7 | 1 |
| 54 | Effects of Medical Male Circumcision (MC) on Plasma HIV Viral Load in HIV+ HAART NaÃ⁻ve Men; Rakai, Uganda. PLoS ONE, 2014, 9, e110382. | 1.1 | 0 |

NOAH KIWANUKA

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Knowledge and Use of Modern Family Planning Methods in Fishing Communities along Lake Victoria, Uganda. AIDS Research and Human Retroviruses, 2014, 30, A102-A102. | 0.5 | Ο |
| 56 | Validation of a Pictorial Survey Tool to Measure Time Use in an African Urban Setting. Sociological Methods and Research, 2019, , 004912411982615. | 4.3 | 0 |
| 57 | Mobility for maternal health among women in hard-to-reach fishing communities on Lake Victoria, Uganda; a community-based cross-sectional survey. BMC Health Services Research, 2021, 21, 948. | 0.9 | 0 |
| 58 | Defining an intermediate category of tuberculin skin test: A mixture model analysis of two high-risk populations from Kampala, Uganda. PLoS ONE, 2021, 16, e0245328. | 1.1 | 0 |