

Noah Kiwanuka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364533/publications.pdf>

Version: 2024-02-01

58
papers

1,078
citations

430442

18
h-index

454577

30
g-index

68
all docs

68
docs citations

68
times ranked

1841
citing authors

#	ARTICLE	IF	CITATIONS
1	Ethical, Legal, and Sociocultural Issues in the Use of Mobile Technologies and Call Detail Records Data for Public Health in the East African Region: Scoping Review. <i>Interactive Journal of Medical Research</i> , 2022, 11, e35062.	0.6	3
2	Intramuscular depot medroxyprogesterone acetate accentuates bone loss associated with tenofovir disoproxil fumarate-containing antiretroviral therapy initiation in young women living with HIV (the Tj ETQq0 0 0 rgt /Overlock 10 Tf 5		
3	Improving access to maternal health services among rural hard-to-reach fishing communities in Uganda, the role of community health workers. <i>Women's Health</i> , 2022, 18, 174550572211039.	0.7	1
4	Epidemiology, Clinical Characteristics, and Mortality of Hospitalized Patients with Severe COVID-19 in Uganda, 2020â€“2021. <i>Annals of the American Thoracic Society</i> , 2022, 19, 2100-2103.	1.5	7
5	Conducting an ongoing HIV clinical trial during the COVID-19 pandemic in Uganda: a qualitative study of research team and participantsâ€™ experiences and lessons learnt. <i>BMJ Open</i> , 2021, 11, e048825.	0.8	6
6	Phylogenetic Networks and Parameters Inferred from HIV Nucleotide Sequences of High-Risk and General Population Groups in Uganda: Implications for Epidemic Control. <i>Viruses</i> , 2021, 13, 970.	1.5	5
7	Digital adherence technology for tuberculosis treatment supervision: A stepped-wedge cluster-randomized trial in Uganda. <i>PLoS Medicine</i> , 2021, 18, e1003628.	3.9	31
8	Acceptance and completion of rifapentine-based TB preventive therapy (3HP) among people living with HIV (PLHIV) in Kampala, Ugandaâ€™ patient and health worker perspectives. <i>Implementation Science Communications</i> , 2021, 2, 71.	0.8	6
9	Feasibility of collecting and processing of COVID-19 convalescent plasma for treatment of COVID-19 in Uganda. <i>PLoS ONE</i> , 2021, 16, e0252306.	1.1	8
10	Heme oxygenase-1 and neopterin plasma/serum levels and their role in diagnosing active and latent TB among HIV/TB co-infected patients: a cross sectional study. <i>BMC Infectious Diseases</i> , 2021, 21, 711.	1.3	1
11	Efficacy of convalescent plasma for treatment of COVID-19 in Uganda. <i>BMJ Open Respiratory Research</i> , 2021, 8, e001017.	1.2	30
12	Mobility for maternal health among women in hard-to-reach fishing communities on Lake Victoria, Uganda; a community-based cross-sectional survey. <i>BMC Health Services Research</i> , 2021, 21, 948.	0.9	0
13	Defining an intermediate category of tuberculin skin test: A mixture model analysis of two high-risk populations from Kampala, Uganda. <i>PLoS ONE</i> , 2021, 16, e0245328.	1.1	0
14	Excess Risk of Tuberculosis Infection Among Extra-household Contacts of Tuberculosis Cases in an African City. <i>Clinical Infectious Diseases</i> , 2021, 73, e3438-e3445.	2.9	9
15	The Effects of Workplace-Based HIV Self-testing on Uptake of Testing and Linkage to HIV Care or Prevention by Men in Uganda (WISe-Men): Protocol for a Cluster Randomized Trial. <i>JMIR Research Protocols</i> , 2021, 10, e25099.	0.5	7
16	Completion of isoniazidâ€“rifapentine (3HP) for tuberculosis prevention among people living with HIV: Interim analysis of a hybrid type 3 effectivenessâ€“implementation randomized trial. <i>PLoS Medicine</i> , 2021, 18, e1003875.	3.9	6
17	Components of antenatal care received by women in fishing communities on Lake Victoria, Uganda; a cross sectional survey. <i>BMC Health Services Research</i> , 2020, 20, 901.	0.9	9
18	Using Andersenâ€™s Behavioral Model of Health Care Utilization to Assess Contraceptive Use among Sexually Active Perinatally HIV-Infected Adolescents in Uganda. <i>International Journal of Reproductive Medicine</i> , 2020, 2020, 1-9.	0.4	11

#	ARTICLE	IF	CITATIONS
19	Antenatal Care Practices Among Hard-to-Reach Fishing Communities on Lake Victoria: A Community-Based Cross-Sectional Survey. <i>Journal of Primary Care and Community Health</i> , 2020, 11, 215013272092310.	1.0	4
20	Characteristics and outcomes of admitted patients infected with SARS-CoV-2 in Uganda. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000646.	1.2	42
21	Protocol for the 3HP Options Trial: a hybrid type 3 implementation-effectiveness randomized trial of delivery strategies for short-course tuberculosis preventive therapy among people living with HIV in Uganda. <i>Implementation Science</i> , 2020, 15, 65.	2.5	8
22	Defining adequate contact for transmission of <i>Mycobacterium tuberculosis</i> in an African urban environment. <i>BMC Public Health</i> , 2020, 20, 892.	1.2	1
23	Transfusion Challenges in Patients with Hematological Malignancies in Sub-Saharan Africa: A Prospective Observational Study from the Uganda Cancer Institute. <i>Scientific Reports</i> , 2020, 10, 2825.	1.6	3
24	Determinants of loss to follow-up among HIV positive patients receiving antiretroviral therapy in a test and treat setting: A retrospective cohort study in Masaka, Uganda. <i>PLoS ONE</i> , 2020, 15, e0217606.	1.1	35
25	Study protocol and implementation details for a pragmatic, stepped-wedge cluster randomised trial of a digital adherence technology to facilitate tuberculosis treatment completion. <i>BMJ Open</i> , 2020, 10, e039895.	0.8	11
26	Prevalence and correlates of HIV infection among adolescents and young people living in fishing populations along Lake Victoria Fishing Communities in Uganda. <i>Pan African Medical Journal</i> , 2020, 37, 208.	0.3	7
27	Employers' and Employees' Perspectives of HIV Self-Testing at Male-Dominated Work Sites and Linkage to Posttest Services in Uganda. <i>Journal of the Association of Nurses in AIDS Care</i> , 2020, 31, 632-645.	0.4	3
28	Acute hypoxaemic respiratory failure in a low-income country: a prospective observational study of hospital prevalence and mortality. <i>BMJ Open Respiratory Research</i> , 2020, 7, e000719.	1.2	7
29	Phylogeography of HIV-1 suggests that Ugandan fishing communities are a sink for, not a source of, virus from general populations. <i>Scientific Reports</i> , 2019, 9, 1051.	1.6	43
30	Validation of a Pictorial Survey Tool to Measure Time Use in an African Urban Setting. <i>Sociological Methods and Research</i> , 2019, , 004912411982615.	4.3	0
31	How low can you go: What is the safe threshold for platelet transfusions in patients with hematologic malignancy in sub-Saharan Africa. <i>PLoS ONE</i> , 2019, 14, e0211648.	1.1	4
32	Field Performance of PIMA Point-of-Care Machine for CD4 Enumeration Under a Mobile HIV Counseling and Testing Program in Remote Fishing Communities of Lake Victoria, Uganda. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 382-387.	0.5	5
33	Factors affecting mortality among HIV positive patients two years after completing recommended therapy for Cryptococcal meningitis in Uganda. <i>PLoS ONE</i> , 2019, 14, e0210287.	1.1	13
34	A randomized trial to assess retention rates using mobile phone reminders versus physical contact tracing in a potential HIV vaccine efficacy population of fishing communities around Lake Victoria, Uganda. <i>BMC Infectious Diseases</i> , 2018, 18, 591.	1.3	14
35	Retention of HIV infected pregnant and breastfeeding women on option B+ in Gomba District, Uganda: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2018, 18, 533.	1.3	35
36	Low Prevalence of Tuberculin Skin Test Boosting among Community Residents in Uganda. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 379-381.	0.6	4

#	ARTICLE	IF	CITATIONS
37	Viral diversity and abundance in polluted waters in Kampala, Uganda. <i>Water Research</i> , 2017, 127, 41-49.	5.3	51
38	Intravenous artesunate plus Artemisinin based Combination Therapy (ACT) or intravenous quinine plus ACT for treatment of severe malaria in Ugandan children: a randomized controlled clinical trial. <i>BMC Infectious Diseases</i> , 2017, 17, 794.	1.3	8
39	Population attributable fraction of incident HIV infections associated with alcohol consumption in fishing communities around Lake Victoria, Uganda. <i>PLoS ONE</i> , 2017, 12, e0171200.	1.1	29
40	District Health Officer Perceptions of PEPFAR's Influence on the Health System in Uganda, 2005-2011. <i>International Journal of Health Policy and Management</i> , 2017, 6, 83-95.	0.5	11
41	Psychosocial adjustment in perinatally human immunodeficiency virus infected or exposed children – a Retrospective Cohort Study. <i>Journal of the International AIDS Society</i> , 2016, 19, 20694.	1.2	10
42	Did PEPFAR investments result in health system strengthening? A retrospective longitudinal study measuring non-HIV health service utilization at the district level. <i>Health Policy and Planning</i> , 2016, 31, 897-909.	1.0	33
43	Risk factors of hypertension among adults aged 35–64 years living in an urban slum Nairobi, Kenya. <i>BMC Public Health</i> , 2015, 15, 1251.	1.2	74
44	Reproductive health and lifestyle factors associated with health-related quality of life among perinatally HIV-infected adolescents in Uganda. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 170.	1.0	15
45	Correlates of ever had sex among perinatally HIV-infected adolescents in Uganda. <i>Reproductive Health</i> , 2015, 12, 96.	1.2	27
46	Four Degrees of Separation: Social Contacts and Health Providers Influence the Steps to Final Diagnosis of Active Tuberculosis Patients in Urban Uganda. <i>BMC Infectious Diseases</i> , 2015, 15, 361.	1.3	17
47	Schistosoma mansoni Infection in Ugandan Men Is Associated with Increased Abundance and Function of HIV Target Cells in Blood, but Not the Foreskin: A Cross-sectional Study. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004067.	1.3	9
48	Use of Modern Family Planning Methods in Fishing Communities of Lake Victoria, Uganda. <i>PLoS ONE</i> , 2015, 10, e0141531.	1.1	9
49	Sexual Behavior among Persons Living with HIV in Uganda: Implications for Policy and Practice. <i>PLoS ONE</i> , 2014, 9, e85646.	1.1	20
50	Lost in Transition: HIV Prevalence and Correlates of Infection among Young People Living in Post-Emergency Phase Transit Camps in Gulu District, Northern Uganda. <i>PLoS ONE</i> , 2014, 9, e89786.	1.1	24
51	High Incidence of HIV-1 Infection in a General Population of Fishing Communities around Lake Victoria, Uganda. <i>PLoS ONE</i> , 2014, 9, e94932.	1.1	93
52	Effects of Medical Male Circumcision (MC) on Plasma HIV Viral Load in HIV+ HAART Naïve Men; Rakai, Uganda. <i>PLoS ONE</i> , 2014, 9, e110382.	1.1	0
53	Knowledge and Use of Modern Family Planning Methods in Fishing Communities along Lake Victoria, Uganda. <i>AIDS Research and Human Retroviruses</i> , 2014, 30, A102-A102.	0.5	0
54	Safety of Medical Male Circumcision in Human Immunodeficiency Virus-Infected Men in Rakai, Uganda. <i>Urology</i> , 2014, 83, 294-297.	0.5	10

#	ARTICLE	IF	CITATIONS
55	Characterization of Neutrophil Subsets in Healthy Human Pregnancies. PLoS ONE, 2014, 9, e85696.	1.1	67
56	High HIV prevalence, risk behaviours, and willingness to participate in HIV vaccine trials in fishing communities on Lake Victoria, Uganda. Journal of the International AIDS Society, 2013, 16, 18621.	1.2	74
57	Comparison of Methods for Correction of Mortality Estimates for Loss to Follow-Up after ART Initiation: A Case of the Infectious Diseases Institute, Uganda. PLoS ONE, 2013, 8, e83524.	1.1	21
58	HIV-1 Viral Subtype Differences in the Rate of CD4+ T-Cell Decline Among HIV Seroincident Antiretroviral Naive Persons in Rakai District, Uganda. Journal of Acquired Immune Deficiency Syndromes (1999), 2010, 54, 180-184.	0.9	90