

# Alfredo Minguela

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364846/publications.pdf>

Version: 2024-02-01

147  
papers

2,282  
citations

236612

25  
h-index

329751

37  
g-index

150  
all docs

150  
docs citations

150  
times ranked

2995  
citing authors

#	ARTICLE	IF	CITATIONS
1	Killer cell immunoglobulin-like receptors (KIR) genes can be an adequate tool in forensic anthropological studies: evaluation in a wide Caucasian Spanish population. <i>Australian Journal of Forensic Sciences</i> , 2023, 55, 168-190.	0.7	2
2	High BMP4 expression in low/intermediate risk BCP-ALL identifies children with poor outcome. <i>Blood</i> , 2022, , .	0.6	0
3	Moderate to Intense Physical Activity Is Associated With Improved Clinical, CD4/CD8 Ratio, and Immune Activation Status in HIV-Infected Patients on ART. <i>Open Forum Infectious Diseases</i> , 2022, 9, ofab654.	0.4	6
4	Evaluating the Link between BAFF System Gene Expression and Acute Rejection Development in Kidney Transplantation. <i>Journal of Clinical Medicine</i> , 2022, 11, 3956.	1.0	2
5	KIR2DL2/S2 and KIR2DS5 in alcoholic cirrhotic patients undergoing liver transplantation. <i>Archives of Medical Science</i> , 2021, 17, 764-774.	0.4	2
6	Identification of peripheral CD154+ T cells and HLA-DRB1 as biomarkers of acute cellular rejection in adult liver transplant recipients. <i>Clinical and Experimental Immunology</i> , 2021, 203, 315-328.	1.1	12
7	Immunological Risk Stratification of Bladder Cancer Based on Peripheral Blood Natural Killer Cell Biomarkers. <i>European Urology Oncology</i> , 2021, 4, 246-255.	2.6	10
8	Pretransplant ascites or encephalopathy and their influence on survival and liver graft rejection in alcoholic cirrhosis disease. <i>Archives of Medical Science</i> , 2021, 17, 682-693.	0.4	6
9	Bromodomain protein BRD4 is an epigenetic activator of B7-H6 expression in acute myeloid leukemia. <i>Oncolmmunology</i> , 2021, 10, 1897294.	2.1	6
10	PCR Array Technology in Biopsy Samples Identifies Up-Regulated mTOR Pathway Genes as Potential Rejection Biomarkers After Kidney Transplantation. <i>Frontiers in Medicine</i> , 2021, 8, 547849.	1.2	11
11	Proliferation to Apoptosis Tumor Cell Ratio as a Biomarker to Improve Clinical Management of Pre-Malignant and Symptomatic Plasma Cell Neoplasms. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3895.	1.8	2
12	Activating Killer-Cell Immunoglobulin-Like Receptors Are Associated With the Severity of Coronavirus Disease 2019. <i>Journal of Infectious Diseases</i> , 2021, 224, 229-240.	1.9	27
13	Monitoring of B Cell in Kidney Transplantation: Development of a Novel Clusters Analysis and Role of Transitional B Cells in Transplant Outcome. <i>Diagnostics</i> , 2021, 11, 641.	1.3	12
14	Expression of NK Cell Receptor Ligands on Leukemic Cells Is Associated with the Outcome of Childhood Acute Leukemia. <i>Cancers</i> , 2021, 13, 2294.	1.7	7
15	The roles of Cdc42 and Rac1 in the formation of plasma membrane protrusions in cancer epithelial HeLa cells. <i>Molecular Biology Reports</i> , 2021, 48, 4285-4294.	1.0	0
16	Causes of Death and Survival in Alcoholic Cirrhosis Patients Undergoing Liver Transplantation: Influence of the Patient's Clinical Variables and Transplant Outcome Complications. <i>Diagnostics</i> , 2021, 11, 968.	1.3	4
17	A high concentration of TGF- $\beta$ 2 correlates with opportunistic infection in liver and kidney transplantation. <i>Human Immunology</i> , 2021, 82, 414-421.	1.2	3
18	MicroRNA Expression Changes in Kidney Transplant: Diagnostic Efficacy of miR-150-5p as Potential Rejection Biomarker, Pilot Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2748.	1.0	14

#	ARTICLE	IF	CITATIONS
19	Subclinical atherosclerosis and immune activation in young HIV-infected patients with telomere shortening. <i>Aging</i> , 2021, 13, 18094-18105.	1.4	3
20	Variable Distribution of DOCK-D Proteins between Cytosol and Nucleoplasm in Cell Lines, Effect of Interleukin-4 on DOCK10 in B-Cell Lymphoid Neoplasms, and Validation of a New DOCK10 Antiserum for Immunofluorescence Studies. <i>Antibodies</i> , 2021, 10, 33.	1.2	0
21	Low affinity immunoglobulin gamma Fc region receptor III (FcγRIIIB, CD16B) deficiency in patients with blood and immune system disorders. <i>British Journal of Haematology</i> , 2021, 195, 743-747.	1.2	2
22	CD8+ T lymphocytes are sensitive to NKG2A/HLA-E licensing interaction: role in the survival of cancer patients. <i>Oncolmmunology</i> , 2021, 10, 1986943.	2.1	0
23	Personalized Medicine for Kidney Transplantation: Association of Graft Survival and Acute Transplant Rejection with Genetic Variation in B Cell Activating Factor System Signaling. <i>OMICS A Journal of Integrative Biology</i> , 2021, 25, 725-737.	1.0	5
24	Blood-based risk stratification for pre-malignant and symptomatic plasma cell neoplasms to improve patient management. <i>American Journal of Cancer Research</i> , 2021, 11, 2736-2753.	1.4	2
25	Predictive value of 1q21 gain in multiple myeloma is strongly dependent on concurrent cytogenetic abnormalities and first-line treatment. <i>American Journal of Cancer Research</i> , 2021, 11, 4438-4454.	1.4	0
26	Computational Prediction of Biomarkers, Pathways, and New Target Drugs in the Pathogenesis of Immune-Based Diseases Regarding Kidney Transplantation Rejection. <i>Frontiers in Immunology</i> , 2021, 12, 800968.	2.2	11
27	KIR+ CD8+ T Lymphocytes in Cancer Immunosurveillance and Patient Survival: Gene Expression Profiling. <i>Cancers</i> , 2020, 12, 2991.	1.7	9
28	Helpful Criteria When Implementing NGS Panels in Childhood Lymphoblastic Leukemia. <i>Journal of Personalized Medicine</i> , 2020, 10, 244.	1.1	1
29	Influence of Preformed Antibodies in Liver Transplantation. <i>Journal of Clinical Medicine</i> , 2020, 9, 708.	1.0	19
30	Activating KIRs on Educated NK Cells Support Downregulation of CD226 and Inefficient Tumor Immunosurveillance. <i>Cancer Immunology Research</i> , 2019, 7, 1307-1317.	1.6	8
31	The role of DOCK10 in the regulation of the transcriptome and aging. <i>Heliyon</i> , 2019, 5, e01391.	1.4	6
32	NKG2D Polymorphism in Melanoma Patients from Southeastern Spain. <i>Cancers</i> , 2019, 11, 438.	1.7	6
33	T cell senescence predicts subclinical atherosclerosis in HIV-infected patients similarly to traditional cardiovascular risk factors. <i>Antiviral Research</i> , 2019, 162, 163-170.	1.9	8
34	Patient Sex in the Setting of Liver Transplant in Alcoholic Liver Disease. <i>Experimental and Clinical Transplantation</i> , 2019, 17, 355-362.	0.2	10
35	In vitro intracellular IFNγ, IL-17 and IL-10 producing T cells correlates with the occurrence of post-transplant opportunistic infection in liver and kidney recipients. <i>World Journal of Transplantation</i> , 2018, 8, 23-37.	0.6	3
36	NK Cell Education in Tumor Immune Surveillance: DNAM-1/KIR Receptor Ratios as Predictive Biomarkers for Solid Tumor Outcome. <i>Cancer Immunology Research</i> , 2018, 6, 1537-1547.	1.6	24

#	ARTICLE	IF	CITATIONS
37	The transcriptional response of mouse spleen B cells to IL-4: Comparison to the response of human peripheral blood B cells. <i>Biochemistry and Biophysics Reports</i> , 2018, 16, 56-61.	0.7	7
38	DOCK9 induces membrane ruffles and Rac1 activity in cancer HeLa epithelial cells. <i>Biochemistry and Biophysics Reports</i> , 2018, 14, 178-181.	0.7	8
39	CD28 biomarker quantification and expression level profiles in CD4+ T-lymphocytes in solid organ transplantation. <i>Transplant Immunology</i> , 2017, 42, 9-17.	0.6	10
40	Effects of dry-cured ham rich in bioactive peptides on cardiovascular health: A randomized controlled trial. <i>Journal of Functional Foods</i> , 2017, 38, 160-167.	1.6	39
41	Carfilzomib and dexamethasone for extramedullary myeloma with pleuropericardial involvement. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 1258-1260.	0.2	14
42	Diagnostic screening of paroxysmal nocturnal hemoglobinuria: Prospective multicentric evaluation of the current medical indications. <i>Cytometry Part B - Clinical Cytometry</i> , 2017, 92, 361-370.	0.7	19
43	The Effect of Regular Intake of Dry-Cured Ham Rich in Bioactive Peptides on Inflammation, Platelet and Monocyte Activation Markers in Humans. <i>Nutrients</i> , 2017, 9, 321.	1.7	26
44	Increasing TIMP3 expression by hypomethylating agents diminishes soluble MICA, MICB and ULBP2 shedding in acute myeloid leukemia, facilitating NK cell-mediated immune recognition. <i>Oncotarget</i> , 2017, 8, 31959-31976.	0.8	39
45	Monitoring of cellular biomarkers expression in stimulated peripheral T lymphocytes and liver transplant outcome. <i>Trends in Transplantation</i> , 2017, 10, .	0.2	0
46	High frequency of central memory regulatory T cells allows detection of liver recipients at risk of early acute rejection within the first month after transplantation. <i>International Immunology</i> , 2016, 28, 55-64.	1.8	19
47	Killer immunoglobulin-like receptor repertoire analysis in a Caucasian Spanish cohort with inflammatory bowel disease. <i>Microbiology and Immunology</i> , 2016, 60, 787-792.	0.7	9
48	Pretransplant CD28 Biomarker (Levels of Expression and Quantification of Molecules per Cell) in Peripheral CD4+ T Cells Predicts Acute Rejection Episodes in Liver and Kidney Recipients. <i>Transplantation Proceedings</i> , 2016, 48, 2987-2989.	0.3	2
49	Dock10 regulates CD23 expression and sustains B-cell lymphopoiesis in secondary lymphoid tissue. <i>Immunobiology</i> , 2016, 221, 1343-1350.	0.8	15
50	Circulating aberrant plasma cells allow risk stratification of patients with myeloma. <i>American Journal of Hematology</i> , 2016, 91, E353-E355.	2.0	10
51	Overexpression of KIR inhibitory ligands (HLA-I) determines that immunosurveillance of myeloma depends on diverse and strong NK cell licensing. <i>Oncolmmunology</i> , 2016, 5, e1093721.	2.1	17
52	High expression of CD38, CD69, CD95 and CD154 biomarkers in cultured peripheral T lymphocytes correlates with an increased risk of acute rejection in liver allograft recipients. <i>Immunobiology</i> , 2016, 221, 595-603.	0.8	12
53	IL-4 Up-Regulates MiR-21 and the MiRNAs Hosted in the CLCN5 Gene in Chronic Lymphocytic Leukemia. <i>PLoS ONE</i> , 2015, 10, e0124936.	1.1	39
54	MHC Class I Chain-Related Gene A Diversity in Patients with Cutaneous Malignant Melanoma from Southeastern Spain. <i>Disease Markers</i> , 2015, 2015, 1-6.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Comparison of Two Types of Liquid Biopsies in Patients With Hepatocellular Carcinoma Awaiting Orthotopic Liver Transplantation. <i>Transplantation Proceedings</i> , 2015, 47, 2639-2642.	0.3	25
56	Activated Regulatory T Cells Expressing CD4+CD25highCD45RO+CD62L+ Biomarkers Could Be a Risk Factor in Liver Allograft Rejection. <i>Transplantation Proceedings</i> , 2015, 47, 2380-2381.	0.3	11
57	Pro- and anti-inflammatory cytokine gene single-nucleotide polymorphisms in inflammatory bowel disease. <i>International Journal of Immunogenetics</i> , 2015, 42, 38-45.	0.8	24
58	The Gene Expression Response of Chronic Lymphocytic Leukemia Cells to IL-4 Is Specific, Depends on ZAP-70 Status and Is Differentially Affected by an NF $\kappa$ B Inhibitor. <i>PLoS ONE</i> , 2014, 9, e109533.	1.1	20
59	Severe combined immunodeficiency: first report of a <i>de novo</i> mutation in the <i>IL2RG</i> gene in a boy conceived by <i>in vitro</i> fertilization. <i>Clinical Genetics</i> , 2014, 85, 500-501.	1.0	2
60	Genetic polymorphisms of tumour necrosis factor alpha ( <i>TNF</i> ) promoter gene and response to <i>TNF</i> inhibitors in Spanish patients with inflammatory bowel disease. <i>International Journal of Immunogenetics</i> , 2014, 41, 63-68.	0.8	32
61	HLA-C antibodies are associated with irreversible rejection in kidney transplantation: Shared molecular eplets characterization. <i>Human Immunology</i> , 2014, 75, 338-341.	1.2	13
62	KIR gene variability in cutaneous malignant melanoma: influence of KIR2D/HLA-C pairings on disease susceptibility and prognosis. <i>Immunogenetics</i> , 2013, 65, 333-343.	1.2	14
63	Post-transplant increase in soluble human leukocyte antigen-G associated with non-severe cardiac allograft vasculopathy. <i>Human Immunology</i> , 2013, 74, 318-324.	1.2	10
64	Imaging cytometry for counting circulating tumor cells: comparative analysis of the CellSearch vs ImageStream systems. <i>Apmis</i> , 2013, 121, 1139-1143.	0.9	48
65	HLA-DRB1 and HLA-DQB1 genes on susceptibility to and protection from allergic bronchopulmonary aspergillosis in patients with cystic fibrosis. <i>Microbiology and Immunology</i> , 2013, 57, 193-197.	0.7	29
66	KIR Gene Mismatching and KIR/C Ligands in Liver Transplantation. <i>Transplantation</i> , 2013, 95, 1037-1044.	0.5	34
67	MICA Molecules in Disease and Transplantation, a Double-Edged Sword?. <i>Current Immunology Reviews</i> , 2012, 8, 307-325.	1.2	4
68	Evolution of soluble forms of CD86, CD95 and CD95L molecules in liver transplant recipients. <i>Transplant Immunology</i> , 2012, 26, 94-100.	0.6	5
69	Influence of human leukocyte antigen mismatching on rejection development and allograft survival in liver transplantation: Is the relevance of HLA-A locus matching being underestimated?. <i>Transplant Immunology</i> , 2012, 26, 88-93.	0.6	24
70	Low median fluorescence intensity could be a nonsafety concept of immunologic risk evaluation in patients with shared molecular eplets in kidney transplantation. <i>Human Immunology</i> , 2012, 73, 522-525.	1.2	20
71	C1q-Fixing Human Leukocyte Antigen Assay in Immunized Renal Patients: Correlation Between Luminex SAB-C1q and SAB-IgG. <i>Transplantation Proceedings</i> , 2012, 44, 2535-2537.	0.3	25
72	Divergences in KIR2D+ natural killer and KIR2D+CD8+ T-cell reconstitution following liver transplantation. <i>Human Immunology</i> , 2011, 72, 229-237.	1.2	5

#	ARTICLE	IF	CITATIONS
73	CD28 and KIR2D receptors as sensors of the immune status in heart and liver transplantation. <i>Human Immunology</i> , 2011, 72, 841-848.	1.2	15
74	Cryopreservation impact on blood progenitor cells: influence of diagnoses, mobilization treatments, and cell concentration. <i>Transfusion</i> , 2011, 51, 799-807.	0.8	14
75	Soluble ST2 Is a Marker for Acute Cardiac Allograft Rejection. <i>Annals of Thoracic Surgery</i> , 2011, 92, 2118-2124.	0.7	41
76	Association analysis of MICA gene polymorphism and MICA-129 dimorphism with inflammatory bowel disease susceptibility in a Spanish population. <i>Human Immunology</i> , 2010, 71, 512-514.	1.2	52
77	Specific "intra-allele" and "intra" broad antigen-human leukocyte antigen alloantibodies in kidney graft transplantation. <i>Human Immunology</i> , 2010, 71, 857-860.	1.2	24
78	Autoantigen Immunization at Different Sites Reveals a Role for Anti-Inflammatory Effects of IFN- $\gamma$ in Regulating Susceptibility to Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2009, 182, 5268-5275.	0.4	13
79	Partial Mole with a Diploid Fetus: Case Study and Literature Review. <i>Fetal Diagnosis and Therapy</i> , 2009, 25, 354-358.	0.6	14
80	Association of Monoclonal Expansion of Epstein-Barr Virus-Negative CD158a <sup>+</sup> NK Cells Secreting Large Amounts of Gamma Interferon with Hemophagocytic Lymphohistiocytosis. <i>Vaccine Journal</i> , 2009, 16, 142-145.	3.2	3
81	Large-volume apheresis facilitates autologous transplantation of hematopoietic progenitors in poor mobilizer patients. <i>Journal of Clinical Apheresis</i> , 2009, 24, 12-17.	0.7	22
82	HLA-C Matching and Liver Transplants: Donor-Recipient Genotypes Influence Early Outcome and CD8+KIR2D+ T-Cells Recuperation. <i>Transplantation</i> , 2009, 88, S54-S61.	0.5	21
83	Allelic diversity of MICA gene and MICA/HLA-B haplotypic variation in a population of the Murcia region in southeastern Spain. <i>Human Immunology</i> , 2008, 69, 655-660.	1.2	33
84	CT60 A/G marker of the 3'-UTR of the CTLA4 gene and liver transplant. <i>Transplant Immunology</i> , 2008, 18, 246-249.	0.6	18
85	Feedback Regulation of Murine Autoimmunity via Dominant Anti-Inflammatory Effects of Interferon $\gamma$ . <i>Journal of Immunology</i> , 2007, 178, 134-144.	0.4	24
86	Increased Number of Cytotoxic CD3+CD28 <sup>-</sup> $\gamma$ T Cells in Peripheral Blood of Patients with Cutaneous Malignant Melanoma. <i>Dermatology</i> , 2007, 214, 283-288.	0.9	13
87	Expression of HLA Molecules on Peripheral Blood Lymphocytes: A Useful Monitoring Parameter in Cardiac Transplantation. <i>Transplantation Proceedings</i> , 2007, 39, 2362-2364.	0.3	6
88	Impact of Recipient HLA-C in Liver Transplant: A Protective Effect of HLA-Cw*07 on Acute Rejection. <i>Human Immunology</i> , 2007, 68, 51-58.	1.2	25
89	Genetic relationship between Murcia Region (SE Spain) and other populations in the Iberian Peninsula and Mediterranean area with respect to HFE gene mutations distribution. <i>Annals of Hematology</i> , 2007, 86, 455-457.	0.8	3
90	HBV and HCV Infections and Acute Rejection Differentially Modulate CD95 and CD28 Expression on Peripheral Blood Lymphocytes After Liver Transplantation. <i>Human Immunology</i> , 2006, 67, 884-893.	1.2	20

#	ARTICLE	IF	CITATIONS
91	Analysis of KIR2D receptors on peripheral blood lymphocytes from liver graft recipients. <i>Transplant Immunology</i> , 2006, 17, 51-54.	0.6	9
92	Lack of association between the -403G/A promoter polymorphism in the human CCL5/RANTES chemokine gene in liver transplant outcome. <i>Transplant International</i> , 2006, 19, 98-104.	0.8	3
93	PARP-2 deficiency affects the survival of CD4+CD8+ double-positive thymocytes. <i>EMBO Journal</i> , 2006, 25, 4350-4360.	3.5	112
94	Analyses of TCR clustering at the T cell-antigen-presenting cell interface and its impact on the activation of naive CD4+ T cells. <i>International Immunology</i> , 2006, 18, 1615-1625.	1.8	5
95	Natural Killer Receptors on CD8 T Cells and Natural Killer Cells from Different HLA-C Phenotypes in Melanoma Patients. <i>Clinical Cancer Research</i> , 2006, 12, 4822-4831.	3.2	18
96	Pre-formed donor-specific alloantibodies (DSA) detected only by luminex technology using HLA-coated microspheres and causing acute humoral rejection and kidney graft dysfunction. <i>Clinical Transplants</i> , 2006, , 379-83.	0.2	3
97	Alloimmune neonatal neutropenia and thrombocytopenia associated with maternal anti HNA-1a, HPA-3b and HLA antibodies. <i>Pediatric Allergy and Immunology</i> , 2005, 16, 279-282.	1.1	15
98	Influence of Angiotensin-Converting Enzyme Polymorphism Gene, IGF-1, and Other Factors in the Response Rate of Hematocrit to Enalapril Treatment in Patients With Posttransplant Erythrocytosis. <i>Transplantation Proceedings</i> , 2005, 37, 1012-1013.	0.3	7
99	Liver recipients harbouring anti-donor preformed lymphocytotoxic antibodies exhibit a poor allograft survival at the first year after transplantation: Experience of one centre. <i>Transplant Immunology</i> , 2005, 14, 91-97.	0.6	55
100	Evaluation of CD86 gene polymorphism at +1057 position in liver transplant recipients. <i>Transplant Immunology</i> , 2005, 15, 69-74.	0.6	33
101	Lack of association between HLA-E polymorphism and primary cutaneous melanoma in Spanish patients. <i>Journal of Dermatological Science</i> , 2005, 40, 62-64.	1.0	5
102	Analysis of autoreactive T cells associated with murine collagen-induced arthritis using peptide-MHC multimers. <i>International Immunology</i> , 2004, 16, 283-293.	1.8	14
103	Flow cytometric quantification of apoptosis and proliferation in mixed lymphocyte culture. , 2003, 51A, 107-118.		28
104	Impact of HLA-C on acute rejection in liver transplantation. <i>Transplantation Proceedings</i> , 2003, 35, 1892-1893.	0.3	11
105	Relationship between CDC cross-match in liver recipients and antibody screening by flow cytometry. <i>Transplantation Proceedings</i> , 2003, 35, 1894-1895.	0.3	5
106	HLA class II genotypic frequencies in atopic asthma. <i>Human Immunology</i> , 2003, 64, 811-815.	1.2	32
107	T Cell Recognition of Distinct Peptide:I-Au Conformers in Murine Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2003, 171, 2467-2477.	0.4	15
108	Expression of the Tyrosine Phosphatase Src Homology 2 Domain-Containing Protein Tyrosine Phosphatase 1 Determines T Cell Activation Threshold and Severity of Experimental Autoimmune Encephalomyelitis. <i>Journal of Immunology</i> , 2002, 168, 4511-4518.	0.4	37

#	ARTICLE	IF	CITATIONS
109	Expression of CD95 and apoptosis induction in peripheral blood cells from liver graft recipients. Transplantation Proceedings, 2002, 34, 280-282.	0.3	5
110	Analytical profile comparison between pig and baboon in an orthotopic liver xenotransplantation model. Transplantation Proceedings, 2002, 34, 323-324.	0.3	0
111	ABO system and blood crossmatch study in baboon: importance of designing a primate blood bank for orthotopic pig-to-baboon liver xenotransplantation. Transplantation Proceedings, 2002, 34, 327-328.	0.3	5
112	Discrepancies in HLA-C typing in transplantation: comparison of PCR-SSP and serology results. Transplantation Proceedings, 2002, 34, 419-420.	0.3	4
113	Transgenic pig-to-baboon liver xenotransplantation: clinical, biochemical, and immunologic pattern of delayed acute vascular rejection. Transplantation Proceedings, 2002, 34, 319-320.	0.3	3
114	DQA1 and DQB1 genes polymorphism on acute rejection development in liver transplantation. Transplantation Proceedings, 2002, 34, 3302-3303.	0.3	1
115	HLA polymorphism in the murcia population (Spain): in the cradle of the archaeological Iberians. Human Immunology, 2001, 62, 910-921.	1.2	59
116	Could expression of co-stimulatory molecules on B-PBL condition the acceptance or rejection of human liver grafts?. Transplantation Proceedings, 2001, 33, 1384-1385.	0.3	0
117	Polymorphism in the Upstream Regulatory Region of the HLA-DQB1 Gene in Liver Graft Recipients. Human Biology, 2001, 73, 845-854.	0.4	9
118	LIFE-SUPPORTING HUMAN COMPLEMENT REGULATOR DECAY ACCELERATING FACTOR TRANSGENIC PIG LIVER XENOGRAFT MAINTAINS THE METABOLIC FUNCTION AND COAGULATION IN THE NONHUMAN PRIMATE FOR UP TO 8 DAYS <sup>1</sup> . Transplantation, 2000, 70, 989-998.	0.5	143
119	Analysis of the phenotypic distribution of HLA class I and class II in atopic and non-atopic asthma patients. International Journal of Immunogenetics, 2000, 27, 81-85.	1.2	15
120	DNA Ploidy Status and Proliferative Activity as Markers of Malignant Potential in Barrett's Esophagus: Flow Cytometric Study Using Routinely Paraffin-embedded Tissue. World Journal of Surgery, 2000, 24, 72-77.	0.8	20
121	CD28/CTLA-4 and CD80/CD86 costimulatory molecules are mainly involved in acceptance or rejection of human liver transplant. Human Immunology, 2000, 61, 658-669.	1.2	26
122	The porcine liver supports metabolic homeostasis in the nonhuman primate: experimental study in a model of orthotopic liver transplantation from h-DAF transgenic pig to baboon. Transplantation Proceedings, 2000, 32, 1112-1113.	0.3	10
123	Implication of soluble and membrane HLA class I and serum IL-10 in liver graft acceptance. Human Immunology, 1999, 60, 500-509.	1.2	15
124	CD30+ and CD27 <sup>+</sup> lymphocytes in liver transplant: Th2 cytokine secretion. Transplantation Proceedings, 1999, 31, 516-518.	0.3	8
125	Implication of Th1, Th2, and Th3 cytokines in liver graft acceptance. Transplantation Proceedings, 1999, 31, 519-520.	0.3	22
126	HLA class I expression on peripheral blood lymphocytes and hepatocytes after liver transplantation. Transplantation Proceedings, 1999, 31, 2466-2468.	0.3	8



#	ARTICLE	IF	CITATIONS
127	Effect of HLA matching on liver graft survival. Transplantation Proceedings, 1999, 31, 2477-2479.	0.3	12
128	Evolution of blood coagulation factors and hemotherapeutic support in three pig-to-baboon orthotopic liver xenotransplants. Transplantation Proceedings, 1999, 31, 2622-2624.	0.3	6
129	Hemodynamic alterations during liver xenotransplantation from pig to baboon. Transplantation Proceedings, 1999, 31, 2625-2626.	0.3	3
130	Identification of porcine proteins in baboon sera after pig liver xenotransplantation. Transplantation Proceedings, 1999, 31, 2635-2637.	0.3	5
131	Peripheral blood cell subsets in baboon recipients of porcine liver xenotransplantation. Transplantation Proceedings, 1999, 31, 2638-2640.	0.3	2
132	Hematologic and hepatic function profile comparison between pig and baboon in an orthotopic liver xenotransplantation model. Transplantation Proceedings, 1999, 31, 2641-2642.	0.3	9
133	Selection criteria of donors and recipients in pig-to-baboon orthotopic liver xenotransplantation. Transplantation Proceedings, 1999, 31, 2810-2811.	0.3	3
134	Study of xenograft rejection in a model of liver xenotransplantation from unmodified pig to primate. Transplantation Proceedings, 1999, 31, 2814-2817.	0.3	9
135	Normal coagulation parameters after ex vivo perfusion of pig livers and kidneys with human plasma, aimed at depletion of xenoantibodies. Transplantation Proceedings, 1999, 31, 2834-2836.	0.3	2
136	Triggering of effector functions on a CD8+ T cell clone upon the aggregation of an activatory CD94/kp39 heterodimer. Journal of Immunology, 1999, 162, 3996-4002.	0.4	51
137	Flow cytometric DNA analysis and p53 protein expression show a good correlation with histologic findings in patients with barrett's esophagus. , 1998, 83, 641-651.		48
138	EFFECT OF PARTIAL HLA CLASS I MATCH ON ACUTE REJECTION IN VIRAL PRE-INFECTED HUMAN LIVER ALLOGRAFT RECIPIENTS1. Transplantation, 1998, 65, 1047-1053.	0.5	38
139	Evidence of CD28 upregulation in peripheral T cells before liver transplant acute rejection. Transplantation Proceedings, 1997, 29, 499-500.	0.3	11
140	CD28 expression on peripheral blood T lymphocytes after orthotopic liver transplant: Upregulation in acute rejection. Human Immunology, 1997, 53, 64-72.	1.2	28
141	HLA-DRB1 and -DQB1 Polymorphism in Liver Recipients: Relationship Between HLA-DQB10302 Allele Frequency and Acute Rejection. Human Immunology, 1997, 56, 70-76.	1.2	22
142	Cholinergic Pathways Are Involved in Secretin and VIP Release and the Exocrine Pancreatic Response After Intraduodenally Perfused Acetic and Lactic Acids in the Rat. Pancreas, 1995, 10, 93-99.	0.5	7
143	Presence of different T and B-peripheral blood lymphocyte subsets in liver transplantation after cyclosporine or OKT3 immunosuppressive treatment. Transplantation Proceedings, 1995, 27, 2317-8.	0.3	2
144	Dose-response effect of intraduodenal HCl on exocrine pancreatic secretion, portal secretin, and VIP plasma levels in anesthetized rats. Archives Internationales De Physiologie, De Biochimie Et De Biophysique, 1993, 101, 167-171.	0.1	1

#	ARTICLE	IF	CITATIONS
145	Cholinergic mechanisms for secretin release after intraduodenal alkalinization in the anaesthetized rabbit. <i>Experimental Physiology</i> , 1992, 77, 601-613.	0.9	1
146	Effect of intraduodenal sodium bicarbonate in rat and rabbit exocrine pancreatic secretion. <i>Revista Española De Fisiología</i> , 1992, 48, 285-9.	0.0	0
147	Duodenal Alkalinization Releases Secretin and Vasoactive Intestinal Polypeptide and Stimulates Exocrine Pancreatic Secretion in the Anesthetized Rat. <i>Digestion</i> , 1990, 47, 215-225.	1.2	6