

Ali Sevim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8364853/publications.pdf>

Version: 2024-02-01

34
papers

720
citations

430754

18
h-index

580701

25
g-index

34
all docs

34
docs citations

34
times ranked

716
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Isolation and characterization of entomopathogenic fungi from hazelnut-growing region of Turkey. <i>BioControl</i> , 2010, 55, 279-297. | 0.9 | 71 |
| 2 | Hydrophobin genes of the entomopathogenic fungus, <i>Metarhizium brunneum</i> , are differentially expressed and corresponding mutants are decreased in virulence. <i>Current Genetics</i> , 2012, 58, 79-92. | 0.8 | 70 |
| 3 | Class 1 and class 2 integrons and plasmid-mediated antibiotic resistance in coliforms isolated from ten rivers in northern Turkey. <i>Journal of Microbiology</i> , 2009, 47, 19-27. | 1.3 | 46 |
| 4 | Molecular Characterization and Virulence of <i>Beauveria</i> spp. from the Pine Processionary Moth, <i>Thaumetopoea pityocampa</i> (Lepidoptera: Thaumetopoeidae). <i>Mycopathologia</i> , 2010, 170, 269-277. | 1.3 | 45 |
| 5 | Molecular characterization of antibiotic resistant <i>Escherichia coli</i> strains isolated from tap and spring waters in a coastal region in Turkey. <i>Journal of Microbiology</i> , 2007, 45, 379-87. | 1.3 | 34 |
| 6 | Evaluation of entomopathogenic fungi against the sycamore lace bug, <i>Corythucha ciliata</i> (Say) (Hemiptera: Tingidae). <i>Türk Tarım Ve Ormancılık Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2013, 37, 595-603. | 0.8 | 32 |
| 7 | Culturable bacterial microbiota of <i>Plagioderia versicolora</i> (L.) (Coleoptera: Chrysomelidae) and virulence of the isolated strains. <i>Folia Microbiologica</i> , 2013, 58, 201-210. | 1.1 | 31 |
| 8 | An investigation on the bacterial flora of <i>Agriotes lineatus</i> (Coleoptera: Elateridae) and pathogenicity of the flora members. <i>Crop Protection</i> , 2012, 40, 1-7. | 1.0 | 30 |
| 9 | Isolation and virulence of entomopathogenic fungi against the great spruce bark beetle, <i>Dendroctonus micans</i> (Kugelann) (Coleoptera: Scolytidae). <i>Biocontrol Science and Technology</i> , 2010, 20, 695-701. | 0.5 | 29 |
| 10 | Isolation, characterization and virulence of bacteria from <i>Ostrinia nubilalis</i> (Lepidoptera: Pyralidae). <i>Biologia (Poland)</i> , 2012, 67, 767-776. | 0.8 | 29 |
| 11 | Screening of entomopathogenic fungi against the European spruce bark beetle, <i>Dendroctonus micans</i> (Coleoptera: Scolytidae). <i>Biocontrol Science and Technology</i> , 2010, 20, 3-11. | 0.5 | 28 |
| 12 | Investigation of antibiotic resistance profile and TEM-type β -lactamase gene carriage of ampicillin-resistant <i>Escherichia coli</i> strains isolated from drinking water. <i>Annals of Microbiology</i> , 2007, 57, 281-288. | 1.1 | 27 |
| 13 | Molecular characterization, virulence and horizontal transmission of <i>Beauveria pseudobassiana</i> from <i>Dendroctonus micans</i> (Coleoptera: Scolytidae). <i>Journal of Applied Entomology</i> , 2015, 139, 381-389. | 0.8 | 27 |
| 14 | Virulence and horizontal transmission of <i>Beauveria pseudobassiana</i> S.A. Rehner & Humber in <i>Ips sexdentatus</i> and <i>Ips typographus</i> (Coleoptera: Curculionidae). <i>Türk Tarım Ve Ormancılık Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2016, 40, 241-248. | 0.8 | 26 |
| 15 | Bacteria from <i>Ips sexdentatus</i> (Coleoptera: Curculionidae) and their biocontrol potential. <i>Journal of Basic Microbiology</i> , 2012, 52, 695-704. | 1.8 | 25 |
| 16 | Determination of the bacterial flora as a microbial control agent of <i>Toxoptera aurantii</i> (Homoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.8 | 23 |
| 17 | Isolation, characterization and pathogenicity of bacteria from <i>Rhynchites bacchus</i> (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 | 0.5 | 22 |
| 18 | Investigating internal bacteria of <i>Spodoptera littoralis</i> (Boisd.) (Lepidoptera: Noctuidae) larvae and some <i>Bacillus</i> strains as biocontrol agents. <i>Türk Tarım Ve Ormancılık Dergisi/Turkish Journal of Agriculture and Forestry</i> , 2014, 38, 99-110. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Isolation and characterization of <i>Beauveria</i> and <i>Metarhizium</i> spp. from walnut fields and their pathogenicity against the codling moth, <i>Cydia pomonella</i> (L.) (Lepidoptera: Tortricidae). <i>Egyptian Journal of Biological Pest Control</i> , 2018, 28, . | 0.8 | 19 |
| 20 | A Novel cry2Ab Gene from the Indigenous Isolate <i>Bacillus thuringiensis</i> subsp. <i>kurstaki</i> . <i>Journal of Microbiology and Biotechnology</i> , 2012, 22, 133-140. | 0.9 | 19 |
| 21 | Isolation, characterization and virulence of entomopathogenic fungi from <i>Grylotalpa grylotalpa</i> (Orthoptera: Grylotalpidae). <i>Applied Entomology and Zoology</i> , 2016, 51, 213-223. | 0.6 | 17 |
| 22 | Genetic variability of <i>Beauveria bassiana</i> and <i>Metarhizium anisopliae</i> var. <i>anisopliae</i> isolates obtained from the Eastern Black Sea Region of Turkey. <i>Turkish Journal of Biology</i> , 0, , . | 2.1 | 12 |
| 23 | Characterization of tetracycline resistance genes in tetracycline-resistant Enterobacteriaceae obtained from a coliform collection. <i>World Journal of Microbiology and Biotechnology</i> , 2010, 26, 2099-2103. | 1.7 | 10 |
| 24 | The internal bacterial diversity of stored product pests. <i>Annals of Microbiology</i> , 2016, 66, 749-764. | 1.1 | 7 |
| 25 | Investigation of the internal bacterial flora of <i>Eurygaster integriceps</i> (Hemiptera: Scutelleridae) and pathogenicity of the flora members. <i>Biologia (Poland)</i> , 2014, 69, 1365-1375. | 0.8 | 5 |
| 26 | Prevalence and phylogenetic analysis of <i>Ascosphaera apis</i> (Maassen ex Claussen) LS Olive & Spiltoir (1955) isolates from honeybee colonies in Turkey. , 2022, 77, 2689-2699. | | 5 |
| 27 | Molecular Characterization and Pathogenicity of <i>Beauveria bassiana</i> Isolated from <i>Rhynchites bacchus</i> L. (Coleoptera: Rhynchitidae). <i>Nevşehir Bilim Ve Teknoloji Dergisi</i> , 2015, 3, 33. | 0.1 | 2 |
| 28 | Purification and characterization of \pm -L-arabinofuranosidases from <i>Geobacillus stearothermophilus</i> strain 12. <i>Biologia (Poland)</i> , 2017, 72, 831-839. | 0.8 | 2 |
| 29 | Aerobic gut bacterial flora of <i>Cydia pomonella</i> (L.) (Lepidoptera: Tortricidae) and their virulence to the host. <i>Egyptian Journal of Biological Pest Control</i> , 2018, 28, . | 0.8 | 2 |
| 30 | <i>bassiana</i> n Moleküller Karakterizasyonu ve Patojenitesi. <i>Nevşehir Bilim Ve Teknoloji Dergisi</i> , 2015, 3, 33-33. | 0.1 | 1 |
| 31 | Antibiotic Susceptibility of Enterococcal Strains: Comparison of Clinical Breakpoint Interpretations for Disk Diffusion According to the CLSI and EUCAST. <i>Klimik Dergisi</i> , 2019, 32, 35-39. | 0.1 | 1 |
| 32 | Bacterial pathogens from <i>Diprion pini</i> L. (Hymenoptera: Diprionidae) and their biocontrol potential. , 2022, 77, 3001-3013. | | 1 |
| 33 | The culture-dependent and culture-independent analysis for determination of bacterial diversity within <i>Limnatis nilotica</i> (Clitellata: Hirudinea). <i>Biologia (Poland)</i> , 2019, 74, 639-648. | 0.8 | 0 |
| 34 | Catheter-Related Bacteremia in a Hemodialysis Unit: <i>Cronobacter Sakazakii</i> . <i>Turkish Nephrology, Dialysis and Transplantation Journal</i> , 2018, , . | 0.0 | 0 |